2004 CONCORDE/INTREPID/300M (LH)









Jeep

CHRYSLER . PLYMOUTH . DODGE . JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Other Type Other Type Series Body Style Engine Check Digit Year Plant Sequence No.


The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in US by DaimlerChrysler Corporation
2	Make	B = Dodge C = Chrysler
3	Vehicle type	3 = Passenger Car
4	Vehicle Safety	A = Restraint System Active Front & Side Air Bags (CGS) B = Restraint System Manual/Active Uni-belt (CGA) D = Restraint System w/o Air Bags (CGJ) H = Restraint System Active Driver & Passenger Air Bags (CGW)
5	Vehicle Line	E = Chrysler 300M C = Chrysler Concorde H = Chrysler Intrepid (Canada) D = Dodge Intrepid (US, Mexico, & BUX w/MUD)
6	Series	3 = Concorde LXi 4 = Concorde LX/Intrepid SE 5 = Intrepid ES/SXT; Concorde Limited 6 = 300M w/o ABB * = 300M w/ ABB 7 = 300M Special
7	Body Style	6 = 4 Door Sedan
8	Engine	G = 3.5L 6 cyl. 24 V (EGG) R = 2.7L 6 cyl. DOHC Flex (EER) M = 3.5L 6 cyl. 24 V (EGJ) K = 3.5L HO 6 cyl. 24 V MPI (EGK) V = 3.5L 6 cyl. 24V (SOHC) Magnum (EGC)
9	Check Digit	
10	Model Year	4 = 2004
11	Assembly Plant	H = Bramelea Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 001

Component Parts for Mopar Accessories






GROUP 1 - Component Parts for Mopar Accessories

Illustration Title	Group-Fig. No
Audio & Electronics	
Player Kit - CD Changer 6 Disc	Fig. 001-110
Satellite Receiver Kit	Fig. 001-120
Install Kit, Satellite Receiver	Fig. 001-130
Install Kit, Satellite Receiver With CD	Fig. 001-140
Navigation Kit	Fig. 001-150
Carriers & Cargo Hauling	
Bike Carrier - Hitch Mount	Fig. 001-210
Bike Carrier - Roof Fork Mount Style	Fig. 001-212
Bike Carrier - Roof Upright Mount Style	Fig. 001-214
Ski Carrier - Roof	Fig. 001-224
Luggage Carrier	Fig. 001-235
Trailer Tow Harness	Fig. 001-290
Fog Lights & Electrical	
Heater Kit - Engine and Battery	Fig. 001-610
	. ig. 551 515
Security	= : 004.044
Alarm - EVSII Security Plus Security Plus	Fig. 001-914
Module Package - Keyless Entry	Fig. 001-920

Player Kit - CD Changer 6 Disc Figure 001-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
- IIEWI	NOWBER	Q I I	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
Note: For	Warranty Rep	oair Ord	er Item #2	, Order Thr	ough [GPC	OP] Function	n 11, Usin	g Z Pre	efix
1	8220 7875	1				-			PLAYER KIT, CD Changer - 6 Disc
	56038 659AE 4671 841AA								CHANGER, CD 6 Disc
	4595 829AA	1 1	D						WIRING, Compact Disc Changer ADAPTOR, CD changer
									- ,
									_
CONCORDE-	INTREPID-300M	(LH) ——							
SERIES P = Limited/E	LI	NE Chrysler		BODY 41 = 4 Door	Sedan	ENGIN FFR. FF0	E = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
S = 300M H = SE	Intre			5001	Journ	EGG = 3.5	L HO V6 MF _ V6 SOHC :	PI 24V	DG0 = All Automatic Transm
M = LXI	D =	Concorde 300M	ш е рій В			EGK = 3.5	L HO V6 MP AGNUMÖ 3.9	1 24V	
X = 300M Sp	reciai E =	JUUIVI				EGC = IMA	S.S DIVIONIO	J∟ V0	

Satellite Receiver Kit Figure 001-120




TEM	PART		LINE	SEDIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ote: Fo	or Warranty Re	epair on I	item 3, Ord	der Throug ^r	h [GPOP]	Function 11	I, Using Z	Prefix	
1	82206 488A								RECEIVER, Satelite
2	5066 205AC	C 1							ANTENNA, Satellite
3	5064 020AC	G 1							RECEIVER, Satellite
NCORDE	E-INTREPID-300	M (LH)							
ERIES : Limited/		LINE = Chrysler		BODY 41 = 4 Door	r Sedan	ENGIN FER FEO	NE = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
: 300M	Int	itrepid		41 = 4 0001	Sedan	EGG = 3.5	5L HO V6 MF	PI 24V	DG0 = All Automatic Transm
: SE	D	= Dodge In = Concorde	ıtrepid			EGJ = 3.51	IL V6 SOHC : 5L HO V6 MF	24V	
: LXI		= (Concord	<u>`</u>						

Install Kit, Satellite Receiver Figure 001-130



TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7886	1							INSTALL KIT, Satelite Receiver
2	5066 207AA	1							CABLE, Antenna
3	5066 203AA	1							WIRING, Rcvr to Radio
CORDE RIES Limited 300M		NE Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	E = 2.7L V6 D L HO V6 MI	OHC	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm


Install Kit, Satellite Receiver With CD Figure 001-140



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8117	1							INSTALL KIT, Satelite Receiver
2	5059 112AC	<u>'</u> 1							MODULE, Radio Control
3	5066 207AA	1							CABLE, Antenna
4	5086 643AA	1							WIRING, Rcvr to Radio
									,
CORDE	E-INTREPID-300M	(LH) ——							
RIES _imited		NE Chrysler		BODY 41 = 4 Door	Sedan	ENGIN FFR. FF0	E = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
300M SE	Intre	epid Dodge In				EGG = 3.5	L HO V6 MI L V6 SOHC	PI 24V	DG0 = All Automatic Transm


1	
	(2)
4	3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Warranty Rep		tem 2, Ord	er Through	ı [GPOP] F	Function 11	, Using Z	Prefix	DADIO AM/FM CD M/MAN//DVD C
1	8220 6406	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
2	56038 629AB	3 1							RADIO, AM/FM CD W/NAV/DVD &
									CD-CTRL
	56038 630AA								ANTENNA, GPS
4	56038 642AA	1							DVD, Geographic Database
-									
•									
	NTREPID-300M								
SERIES P = Limited/E		NE Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	E = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
S = 300M H = SE	Intre		atrenid	2.		EGG = 3.5	L HO V6 MF _ V6 SOHC :	PI 24V	DG0 = All Automatic Transm
M = LXI	D =	Concorde	a epiu e			EGK = 3.5	L HO V6 MF	PI 24V	
X = 300M Sp	ecial E =	300M				EGC = IMA	AGNUMÖ 3.	bL V6	




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	olds down for	access t	to rear ded	ck, has anti	theft bolts	S			
1	8220 4452	1							CARRIER KIT, Bike
2	4762 880	1							STRAP KIT, Velcro, Contains: 1-
									Long and 1-Short Strap
3	5016 775AA	1							STRAP KIT, Bike Carrier Latch,
									Contains: 2-Rubber Straps
4	5016 774AA	1							BOLT KIT, Security
5	5018 825AA	1							HARDWARE KIT, Bike Carrier,
									Contains: T-Handle, Top Clamp
									and Nylon Washer
NCORDE	E-INTREPID-300M								
ERIES	LI	NE		BODY 41 – 4 Poor	· Codos	ENGIN		IOLIC	TRANSMISSION
ERIES Limited	LI ES	NE Chrysler		BODY 41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D		DGX = 4 Speed Automatic
NCORDE ERIES Limited 300M S SE LXI	LI /ES H = Intre D =	NE Chrysler	ntrepid		· Sedan	EER, EE0 EGG = 3.5 EGJ = 3.5		의 24V 24V	

Bike Carrier - Roof Fork Mount Style Figure 001-212




	PART		1			!	'		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: H	lardware Kit als	so conta	ained in C	arrier Kit.					
1	8220 7943	1		<u> </u>					CARRIER KIT, Bike, Fork - Mount
2	5093 779AA								HARDWARE KIT, Accessory,
									Contains: 2-T-Slot Anchors, 1-Re
									T-Slot Bar, 4-Button Head Screws
									2-Lock Washers and 4-Dome
									Washers
3	5114 532AA	1							STRAP, Cargo Tie Down
J	5114 JUZEVI	ı							STRAF, Cargo He Down
		_						_	
ONCORDE	E-INTREPID-300M	(LH) ——							
SERIES = Limited/l		INE Chrysler		BODY 41 = 4 Door	r Sedan	ENGIN EER. EE0	NE) = 2.7L V6 D	JUHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M	Intre	epid		41 - 4 200.	Jeuan	EGG = 3.5	5L HO V6 MF	PI 24V	DG0 = All Automatic Transm
= SE	D =	Dodge In Concorde	ıtrepid			EGJ = 3.5l	SL V6 SOHC : SL HO V6 MP	24V	
= LXI		· L'Angain,	. 🗅			$F(iN = a_i)$	al HO vo ivii	기 24 v	


Bike Carrier - Roof Upright Mount Style Figure 001-214



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7942	1							CARRIER KIT, Bike, Upright - Mou
2	5093 779AA	1							HARDWARE KIT, Accessory,
									Contains: 2-T-Slot Anchors, 1-Re
									T-Slot Bar, 4-Button Head Screws
									2-Lock Washers and 4-Dome
									Washers
3	5114 532AA	1							STRAP, Cargo Tie Down
NOODDE	WITDEDID 000M	4.10							
ERIES	INTREPID-300M. LI	(LH) —— INE		BODY		ENGIN			TRANSMISSION
Limited/I	ES H =	Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D		DGX = 4 Speed Automatic
= 300M	Intre	epia : Dodge In	tropid			EGG = 3.5	L HO V6 MF _ V6 SOHC	-ı ∠4V 24V	DG0 = All Automatic Transm
= SE = LXI	D -	Concorde	ti epiu			EGJ = 3.5I	L HO V6 MF	24 V	



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
II CIVI	NONDER	QI.	LINE	SERIES	BODI	ENGINE	INANO	I IXIIvi	DESCRIPTION
1									CARRIER KIT, Ski
	8220 7312	1							3 Pair
	8220 7308	1							6 Pair
2	5086 158AA	1							HARDWARE KIT, Accessory,
									Contains: 4 - 25MM Screws, 4 -
									20M Screws, 4 - 16MM Screws,
									Lock Washers, 4 - Flat Washers
-3	5066 632AA-	1							- T Plates, 4 - Rubber Washers TOOL, Screw Driver
-5	3000 032AA								TOOL, Sciew Driver
VCORDE	:-INTREPID-300M	(LH) —		- FORW		- FAGIN			TRANSMISSION
NCORDE ERIES Limited/	LIN	NE		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	E = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
ERIES	LIN ES H = 0 Intre	NE Chrysler			Sedan	EER, EE0 EGG = 3.5		1 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0000 7044				44				CARRIER KIT, Luggage
	8220 7341 8220 7353	1 1			41 41				28'x90' 480L 31'x71' 430L
2	5086 160AA	1			41				STRAP, Cargo Tie Down
3	5086 159AA	1			41				HARDWARE KIT

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Trailer Tow Harness Figure 001-290



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING PACKAGE, Trailer Tow
	8220 4638	1	D, Y		41				Trailer Tow 4 Way
	8220 4639	1	С		41				Trailer Tow 4 Way
2	8220 2089	1							WIRING, Trailer Tow, Vehicle and
									trailer side 4 way flat repair kit
3									MODULE, Lighting Control
	4672 295	1	D, Y		41				
		1	С		41				
4									STRAP, Tie
	5073 039AA	1							
	6016 155	1	С		41				
5	8220 4602	1	C, D, Y		41				BRACKET KIT, Trailer Tow, Consists
									of : L Bracket, 2 Screws, 2 Lock
									Nuts 4 way flat

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Heater Kit - Engine and Battery Figure 001-610

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3641	1	C, D, Y		41				HEATER KIT, Engine and Batte
2	4609 098AB	1							HEATER, Battery
3	4609 325AB	1							HEATER, Engine Block
4	4609 121AD	1							CORD, Engine Block Heater



M = LXIX = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Alarm - EVSII Security Plus Security Plus Figure 001-914




00	1-914									
		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	8220 4268	1			41				MODULE, Security Alarm
	2	8220 3198	1			41				SIREN, Alarm
	-3 4	4886 259AA- 5011 619AA				41 41				INDICATOR, Valet Status MODULE, Security Alarm
	5	4886 260AB				41				SENSOR, Shock, With Terminals
_	-6	8220 8283	1			41				WIRING KIT, Alarm Security Plus
										,
_										
_										
_										
Ξ										<u> </u>
_										
										_
_										
_			4.15							
	SERIES		INE		BODY		ENGIN			TRANSMISSION
	= Limited/ = 300M		: Chrysler epid		41 = 4 Door	Sedan		= 2.7L V6 E 5L HO V6 M		DGX = 4 Speed Automatic DG0 = All Automatic Transm
Н	= SE	D =	 Dodge Int 	trepid			EGJ = 3.5I	L V6 SOHC	24V	200 - All Adiomatic Hansill
	= LXI = 300M S _I	D = pecial E =	Concorde: 300M	<i>!</i>			EGK = 3.5 EGC = ÎM/	L HO V6 MI AGNUMÖ 3.	Pi 24V .5L V6	
	-								•	


Module Package - Keyless Entry Figure 001-920



UU	11-920									
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		•							•	
	1	8220 7513	1							MODULE PACKAGE, Keyless Entry
_	2	56045 755A								RECEIVER, Keyless Entry
	3	4602 260AA								TRANSMITTER, Keyless Entry
	-4	8350 4802	2							BATTERY, Transmitter
_										
_										
_										
_										
_										
_										
-										
_										
С	ONCORDE-	-INTREPID-300N	И (LH) ——				EL CO			TDANIONICOSON
Р	SERIES = Limited/I		LINE = Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	E = 2.7L V6 D	ОНС	TRANSMISSION DGX = 4 Speed Automatic
S	= 300M = SE	Int	repid = Dodge Ir				EGG = 3.5	L HO V6 MF L V6 SOHC	PI 24V	DG0 = All Automatic Transm
M	= LXI	D :	= Concorde	ш е рій е			EGK = 3.5	L HO V6 MF	PI 24V	
Х	= 300M Sp	pecial E =	= 300M				EGC = ÎM/	AGNUMÖ 3.	5L V6	

Group – 002 Front Suspension & Drive






GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
Suspension, Front	Fig. 002-110
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-210

PART


	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS TRIM	DESCRIPTION
			•	•		•		•	·
	NOTE:Sale	es codes:							
	[BR3]= AN	NTI-LOCK 4-	-WHEEL	DISC					
	[BR4]=AN	TI-LOCK 4-V	WHEEL	DISC, PER					
(33)		TI-LOCK 4-							
		TI-LOCK 4-							
		ISPENSION							
		ISPENSION							
		ISPENSION							
28 11		JSPENSION			OURING				
30 (28)		ISPENSION			Found on I	المطانية المراد الما	abiala Cal	oo Liotina	
	[ZAC Thro	ough ZRF]=S	spring Gi	roup Types	Found on I	individual v	enicie Sai	es Listing.	DAMPER, Strut
(29) / (4)	1	4782 012AF	= 1						[SDA] [SDC], Right
		4782 012AF							[SDA] [SDC], Kight
		4782 110AF							[SDD], Right
5		4782 111AF							[SDD], Left
		4782 778AE							[SDB], Right
		4782 779AE							[SDB], Left
		4895 182AF							[SDG], Right
		4895 183AF	- 1						[SDG], Left
(31)		4895 560AE	3 1						[SDE], Right
	-	4895 561AE	3 1						[SDE], Left
	2	4782 228AA	A 1						ISOLATOR, Front Suspension
									Spring, Lower
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3	6502 525	1						NUT, Hex Lock, M14 x 2.00, Mount
(19) (29)									to Strut Damper Rod
	4								SPRING, Front Coil
	•	4782 084AE	3 1						[SDC, ZND, ZAD] [SDD, ZBD,
(26)		4782 085AE	3 1						ZPD] [SDG, ZRD. ZCD] [SDC, ZNE, ZAE] [SDD, ZPE, ZBE]
27 (17) (15)	•	4/02 U00AE	э і						[SDG, ZNE, ZAE] [SDD, ZFE, ZBE]
		4782 775A	Δ 1						[SDB, ZTK, ZEK]
		4895 686AA							[SDE, ZDJ, ZSJ]
40 20		4782 771AA		Υ					SPACER, Shock Absorber Bushing
		4782 335AA							SHIELD, Suspension
21)		4782 233AA							ISOLATOR, Front Suspension
									Spring, Upper
	8	4782 016	1						SEAT AND BEARING, Suspension
21 34									Strut
	9								BUMPER, Jounce
		4782 017	1						[SDA] [SDC]
	•	4782 112	1						[SDD] [SDG] [SDB]
(41) (38) (39) (23) (25) (22) (37)									
<u>س</u> ے									
36	CONCORDE-I	INTREPID-3001	M (LH)		DOD'/				TDANICATIONAL
	SERIES P = Limited/E	S H	LINE = Chrysler	r	BODY 41 = 4 Door	Sedan	ENGINI EER, EE0	= 2.7L V6 DOHC	TRANSMISSION DGX = 4 Speed Automatic
	S = 300M H = SE	Int	trepid = Dodge I				EGG = 3.5	L HO V6 MPI 24V . V6 SOHC 24V	DG0 = All Automatic Transm
	M = LXI	D	= Concord	de			EGK = 3.5I	HO V6 MPI 24V	
	X = 300M Spe	ecial E	= 300M				EGC = ÎMA	GNUMÖ 3.5L V6	

Suspension, Front Figure 002-110





Suspension, Front Figure 002-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4782 859AA	2							[SDE] [SDB], Sway Bar To Frame
31									BAR, Front Sway
	4782 282AA	1							[SDG]
	4782 303AA	1							[SDA] [SDC] [SDD]
	4782 858AA	1							[SDB] [SDE]
32	4772 487	2							CLAMP, Stabilizer Bar
33	6502 717	4							SCREW AND WASHER, Hex Head
									M10x1.5x50
34									KNUCKLE, Front
	4782 124AC	1							[BR4, SDC, SDD, SDG] [BR3]
									[BR5] [BRW], Right
	4782 125AC	1							[BR4, SDC, SDD, SDG] [BR3]
									[BR5] [BRW], Left
	4879 412AA	1							[BR4, SDE] [BR6], Right
	4879 413AA	1							[BR4, SDE] [BR6], Left
-35									BRACKET
	5016 901AA-	AR							Repair-Knuckle to Strut mounting,
									Left
	5016 902AA-	AR							Repair-Knuckle to Strut mounting,
									Right
36	4782 224AB	1							SHIELD, Brake
37	6504 693	2							SCREW, Tapping, Heat Shield
									Attaching
38	4616 380	2							BUSHING, Lower Control Arm, Fron
39	4616 383	2							BUSHING, Lower Control Arm, Rea
40	6506 677AA	2							WASHER, Flat
41	6504 707	4							NUT, M16x2.00

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

X = 300M Special

M = LXI


H = Chrysler Intrepid
D = Dodge Intrepid


E = 300M

D = Concorde

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ales Code:								
	.7L V6 DOHC 2	4 VAL\	/E MPI						
EGG]=3	.5L HIGH OUTI	PUT V6	24V MPI						
	5L V6 SOHC 2								
_	3.5L HIGH OUT								
1									SHAFT, Front Drive
	4882 518	1	C, D						Right
		1	Y						Chrysler 300M, Right
	5074 002AA	1	Υ						Chrysler 300M Special, Right
2									SHAFT, Front Drive
	4882 517	1	C, D						Left
		1	Ý						Chrysler 300M, Left
	5074 003AA	1	Υ						Chrysler 300M Special, Left
3									BOOT KIT, Half Shaft, Inner
	4728 261	1	C, D						,
		1	Y						Chrysler 300M
	5073 989AA	1	Υ						Chrysler 300M Special
4			<u>-</u>						BOOT KIT, Half Shaft, Outer
	4863 722	1	C, D						
		1	Y						Chrysler 300M
	5080 006AA	1	Y						Chrysler 300M Special
-5	6507 713AA-	2	<u> </u>						NUT, Hex Flange Lock, M27x2,
		_							Driveshaft Retaining
-6									O RING, CV Joint
-	6502 363	2				EER	DGX		-,
						EGC,	DGX		
		=				EGG,			
						EGJ,			
						EGK			
-7									CIRCLIP, Half Shaft
-	4593 012	2				EER	DGX		- ,
		2				EGC,	DGX		
		_				EGG,	,,		
						EGJ,			
						EGK			

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 004 Parking Brake







GROUP 4 - Parking Brake

illustration little	Group-Fig. N
Parking Brake Lever and Cables	
Lever Assembly and Cables, Parking Brake	Fig. 004-110
Brake Assembly, Parking	Fig. 004-120

Lever Assembly and Cables, Parking Brake Figure 004-110



Brake Assembly, Parking Figure 004-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 647AA	1							SHOE AND LINING, parking Brake
2	5083 395AA	1							SPRING, Park Brake Shoe Return,
									Upper
3									LEVER, Park Brake Adjusting
	5073 645AA	1							Right
	5073 648AA	1							Left
4	4238 733	1							PIN, Brake Shoe Hold Down
5	4383 543	1							CLIP, Brake Shoe Hold Down
6	5015 001AA	1							ADJUSTER, Parking Brake,
									Contains; Nut, Srcew, Socket
7	4509 503	1							SCREW, Parking Brake
8	4383 539	1							NUT, Parking Brake Adjusting
9	4509 504	1							SOCKET, Brake Adjusting Screw
10	4383 541	1							SPRING, Park Brake Shoe Return,
									Lower
11									SHIELD, Brake
	4728 110	1							Right
	4728 111	1							Left
12	4723 981	1							SCREW, Rear Brake Dust Shield to
									Adapter
13	4238 721	1							PLUG, Brake Adjusting Hole
14									ADAPTER, Disc Brake
	4797 310	1							Right
	4797 311	1							Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 005 Service Brakes




005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
000			


GROUP 5 - Service Brakes

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear Disc	Fig. 005-210
Power Brake Booster	
Booster, Power Brake	Fig. 005-310
Brake Master Cylinder	
Hydraulic Control Unit Anti-lock Brakes	Fig. 005-410
Master Cylinder, Brake	Fig. 005-420
Brake Lines and Hoses	
Front Brake Lines and Hoses	Fig. 005-510
Rear Brake Lines and Hoses	Fig. 005-520
Brake Pedals	
Pedal, Brake	Fig. 005-610

Brakes, Front Figure 005-110




Brakes, Front Figure 005-110



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										
~	NOTE:Sal	aa aadaa								
		TI-LOCK 4-WI	HEEL D	NSC						
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		TI-LOCK 4-WI			=					
		TI-LOCK 4-WI								
		TI-LOCK 4-WI								
		ISPENSION -			VIDOII					
		ISPENSION -								
(14)	1	OI ENGION		71(17)7(110)						PAD KIT, Rear Disc Brake
	•	5086 170AA	1							[BR6]
		5011 631AA	<u>·</u> 							[BR4]
		5080 896AA	1							[BR3] [BR5] [BRW]
	2									CALIPER, Disc Brake
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		5011 746AA	1							Less Pads, Right
		5011 747AA	1							Less Pads, Left
		5011 948AA	1							PISTON PACKAGE, Disc Brake,
										Contains: Piston, Boot, Seal
(5)	4	4423 573	2							SLEEVE, Disc Brake Caliper
	5	4383 471	2							BUSHING, Disc Brake Caliper
	6	6502 527	4							BOLT, Hex Flange Head, M8-1.
										25x68.50, Caliper Attaching
	7	3780 788	1							BLEEDER SCREW, Brake
	8	4238 717	1							CAP, Bleeder
	9									ROTOR, Brake
		4779 018	2							With Steel Wheels
		4779 111AC	2							Without Steel Wheels
(7)		4779 011	2							HUB AND BEARING, Brake
		6504 891AA	10							STUD, Hub
		4616 560	2							CAP, Rear Wheel Hub
		6504 254	2							PIN, Cotter
	14	4700 440	4							SHIELD, Brake
		4728 110 4728 111	1							Right Left
	15	4/20 111	1							ADAPTER, Disc Brake
		4797 310	1							Right
		4797 311	1							Left
		6101 666	8							SCREW AND WASHER, Hex Head,
										M12x1.75, Adaptor To Knuckle
	17	4723 981	1							SCREW, Rear Brake Dust Shield to
										Adapter
	18	4238 721	1							PLUG, Brake Adjusting Hole
	19	6502 884	2							WASHER, Rear Hub
	20	6502 716	2							NUT, Hex, M20-1.5
11)										
	CUNCUBUE	INTREPID-300M ((I H) =							
	SERIES	LIN	NE		BODY		ENGIN	E		TRANSMISSION
9) (13)	P = Limited/E S = 300M	S H = 0 Intre	Chrysler pid		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D0 L HO V6 MP	OHC PL 24\/	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE	D = 1	Dodge In	trepid			EGJ = 3.5	V6 SOHC 2	24V	200 - All Adomado Franchi
	M = LXI X = 300M Special	D = 0 ecial F = 1	Concorde 300M	9			EGK = 3.5 $EGC = \hat{I}M$	L HO V6 MP AGNUMÖ 3.5	1 24V 5L V6	
	•	s required								Santambar 10, 2005

Brakes, Rear Disc Figure 005-210



Booster, Power Brake Figure 005-310

PART

4 5	6	7
3		

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	le Codes								
[EEO]=2.	.7L V6 GAS								
[EGO]=3	.8L 6CY								
1									BOOSTER, Power Brake
	4779 072AE	1							
	4779 380AA	1							4-Wheel Disc
-2	6100 050	4							NUT AND WASHER, Hex, M8x1.25,
									Brake Booster Mounting
3									HOSE, Brake Booster Vacuum
	4779 832AE	1							[EEO]
	4779 833AD	1							[EGO]
4	4723 391	1							VALVE, Brake Booster Check
5	4883 813AA	1							GROMMET, Brake Booster Check
									Valve
6									ROD, Brake Booster, Serviced in
									Booster, (NOT SERVICED) (Not
									Serviced)
7	3699 447	1							GASKET, Booster To Dash
-8	6502 524	2							NUT, Hex Lock, M8x1.25

CONCORDE-INTREPID-300M (LH) -SERIES LINE

SERIES
P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid D = Concorde

E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Hydraulic Control Unit Anti-lock Brakes Figure 005-410

3	1)	(4)	
	200		
	6	5	

1 5080 683AA 5080 684AA -2 6504 802AA 3 5093 806AA 5093 809AA	A 1	NE SERIES	BODY	ENGINE	TRANS	TRIM	HYDRAULIC CONTROL UNIT, Anti- Lock Brake System Without Traction Control
5080 683AA 5080 684AA -2 6504 802AA 3 5093 806AA 5093 809AA	A 1						Lock Brake System
5080 683AA 5080 684AA -2 6504 802AA 3 5093 806AA 5093 809AA	A 1						Lock Brake System
5080 684AA -2 6504 802AA 3 5093 806AA 5093 809AA	A 1						<u>-</u>
5080 684AA -2 6504 802AA 3 5093 806AA 5093 809AA	A 1						Without Traction Control
-2 6504 802AA 3 5093 806AA 5093 809AA							
3 5093 806AA 5093 809AA	4- 4						With Traction Control
5093 806AA 5093 809AA							SCREW, 6 Lobed, Hydraulic to
5093 806AA 5093 809AA							Control Module
5093 809AA							MODULE, Anti-Lock Brake System
	A 1						With Traction Control
	A 1						Without Traction Control
4 6504 766	1						SCREW AND WASHER, Hex Head
5 4897 785AA	A 1						BRACKET, Brake Control Unit
6 4882 651	1						BOLT, Hydraulic Control Unit,
							Hydraulic to Bracket

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde


E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Master Cylinder, Brake Figure 005-420





	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
Sales Co	des:									
[BR3]= A	NTI-LOCK 4-W	/HEEL	DISC							
[BR4]=AN	ITI-LOCK 4-W	HEEL C	DISC, PER							
[BR5]= ANTI-LOCK 4-WHEEL DISC, PER										
[BR6]=ANTI-LOCK 4-WHEEL DISC, HD										
[BRW]=4-	WHEEL DISC									
1									MASTER CYLINDER, Brake	
	4779 168AB	1							[BRW]	
	4779 530	1							[BR3] [BR4] [BR5]	
	4779 292AA	1							[BR6]	
2	4509 683	1							CAP, Master Cylinder Reservoir	
3	5086 001AA	1				RESERVOIR, Brake Master Cylinder				
4	4723 389	2							GROMMET, Master Cylinder	
									Reservoir	
5	4723 394	2							PIN, Master Cylinder Reservoir	
6	4797 655	1							SWITCH, Brake Fluid Level	

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc
 H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M X = 300M Special

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Front Brake Lines and Hoses Figure 005-510

ITEM

PART


NUMBER

QTY

LINE

SERIES

BODY



	ale Codes 4-WHEEL DISC						
-	ALL VEHICLES V	VITH A	BS BRAK	FS			
1	4779 120AA	1					HOSE, Brake, Right
2	4779 121AA	1					HOSE, Brake, Left
3	6035 098	2					BOLT, Hex Head, .437-20x.937,
							Brake Hose To Caliper
4	6035 727	4					WASHER
5	4779 748	1					TUBE, Brake, with Clips, Right Fron
6	4779 749	1					TUBE, Brake, with Clips, Left Front
7							TUBE BUNDLE, Brake Lines
	4779 065AB	1					Master Cylinder to Valves, With
							Clips, [BTB]
	4779 256AB	1					Master Cylinder to Valves, With
							Clips, [BRW]
8							HYDRAULIC CONTROL UNIT, Anti
							Lock Brake System
	5080 683AA	1					Without Traction Control
	5080 684AA	1					With Traction Control
9	4779 160AB	1					JUNCTION BLOCK, Brake Tube,
40	0504.700						Without ABS
10	6504 766	1					SCREW AND WASHER, Hex Head
11							Junction Block/ICU Attach
- 11	4770 4524 4	4					SENSOR, Anti-Lock Brakes
	4779 152AA	1					Right Left
12	4779 153AB	1					=*
12	6102 152AA	2					SCREW, Tapping Hex Flange Head
40	0504.055	0					M6.3x1.81x20.00, Sensor Attach
13	6504 055	2					SCREW, Hex Head, M6x1x16, Sensor To Strut

ENGINE TRANS TRIM

CONCORDE-INTREPID-300M (LH) -SERIES LINE P = Limited/ES H = Chrys

S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid

E = 300M

D = Concorde


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

DESCRIPTION

Rear Brake Lines and Hoses Figure 005-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			-	-	-		-		
1	5083 038AA	1							TUBE, Brake, Rt Rear
2	5083 039AA	1							TUBE, Brake, Lt Rear
3	4779 220AA	1							HOSE, Brake, Right
4	4779 221AA	1							HOSE, Brake, Left
5	6035 727	4							WASHER
6	6035 098	2							BOLT, Hex Head, .437-20x.937
7	4616 057	1							CLIP, Brake Tube
8	4582 923	1							CLIP, Brake Tube
9	5010 229AA	1							CLIP, Fuel Line
10	5010 230AA	1							CLIP, Fuel Line
11	5012 488AA	1							CLIP, Fuel Line
12	5010 231AB	1							CLIP, Fuel Line
13	5011 478AB	1							CLIP, Fuel Line
14	5011 723AA	1							CLIP, Brake Tube
15	4582 074	1							CLIP, Fuel Bundle
-16									SENSOR, Anti-Lock Brakes
	4779 154AA-	1							Right
	4779 155AA-	1							Left
-17	6101 978	2							SCREW AND WASHER, Hex Head,
									M8-1.25x40, Sensor Mounting
18	4779 160AB	1							JUNCTION BLOCK, Brake Tube
19	6504 766	1							SCREW AND WASHER, Hex Head,
									Junction Block Mounting

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys


 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sal	les Codes:								
	TI-LOCK 4-W	HEEL C	DISC, HEA	VY DUTY					
1									BRACKET, Brake Pedal
	4779 302AA	1							[BR6]
	4779 161AA	1							
2	4294 633	1							SPACER, Brake Pedal Bracket
3	2467 770	2							BUSHING, Pedal Shaft
4	6100 050	4							NUT AND WASHER, Hex, M8x1.25,
									Brake Pedal Bracket To Dash
	4294 036AB	1							CLIP, Master Cylinder Push Rod
6	4671 336	1							SWITCH, Stop Lamp, With Speed
7									Control
7	4770 2044 4	4							PEDAL, Brake
	4779 304AA 4779 171AA	1 1							[BR6]
8	4//3 I/ IAA	I							SHAFT, Brake Pedal Pivot, Service
0									in Item 1, (NOT SERVICED) (Not
									Serviced)
9	4779 027	1							PAD, Pedal
3	0021	'							

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 007 Cooling



007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts
	A CO S A		
007-500 Drive Belts	007–600 Lines, Transmission Oil Cooler		
SO	WIRING REPAIR PKG.		

GROUP 7 - Cooling

Illustration Title	Group-Fig. No
Radiator and Related Parts Radiator and Related Parts Police Package - Engine Cooler Lines	Fig. 007-110 Fig. 007-120
Water Pump and Related Parts Water Pump and Related Parts	Fig. 007-210
Tank, Coolant Engine Coolant Recovery System Heater Plumbing	Fig. 007-310
Pulleys and Related Parts Drive Pulleys 2.7L Engine	Fig. 007-415 Fig. 007-420
Drive Belts	Fig. 007-510
Lines, Transmission Oil Cooler Oil Cooler, Transmission	Fig. 007-610


Radiator and Related Parts Figure 007-110

PART


		PART								
	ITEM	NUMBER	R QT	Y LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			-	-						
	NOTE:Sal									
				AUTOMATIO	C 4-SPEED					
	[EER] = 2	.7L V6 DC	DHC 24 \	VALVE MPI						
	[EGC] = N	MAGNUM'	3.5L V6	SOHC 24V						
$(23) \qquad (17)$	[EGG] = 3	3.5L HIGH	OUTPU	T V6 24V M	PI					
	[EGJ] = 3.									
(16)				V6 24V MF) i					
	[NMC] = F			VO 21V IVII	•					
		ILAVI DO)							DADIATOR Frains Cooling
		4750 000	A.D							RADIATOR, Engine Cooling
$\begin{array}{c c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$		4758 288								[NMB,NMD]
		5010 359	AB 1							[NMC,NMS]
	-2									SHIELD, Radiator
		4805 204	AB- 1	D						Yellow, Right
		4805 205	AB- 1	D						Yellow, Left
		4805 212	AB- 1	D						White, Right
		4805 213/	AB- 1	D						White, Left
Ø_24) ₹		4805 244		С						Blue, Right
9-24		4805 245		C						Blue, Left
		4805 246		Y						
				•						Green, Right
13		4805 247		Y						Green, Left
		4806 028		D						Red, Right
		4806 029	AA- 1	D						Red, Left
	-3									SHROUD, Fan
		4758 294	1							[NMB]
		5066 160	AA- 1							[NMC,NMS,NMD]
	-4									FAN, Cooling
		4758 293	1							[NMB]
		5066 161/								[NMC,NMS,NMD]
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3000 1017	-V-1							MOTOR, Radiator Fan
	5	5070 400	^ 4							
(19)		5072 180								[NMB], Right
(12)		5072 181								[NMB], Left
		5066 162								[NMS,NMC,NMD], Right
21)		5066 163								[NMS,NMC,NMD], Left
	-6	4734 648	2							NUT, Hex-Flanged, M5X0.8-6H
25 (30)	-7	5066 164	AA- 1							HARNESS, Radiator Fan with
										Relays, [NMC,NMS]
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	-8	4596 510	AA- 1							LABEL, A/C Spec, Belt Rtg. & Fan
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										Caution
	-9	5011 583/	AA- 2	ı						CLIP, Radiator Fan Shroud
		6504 700								RIVET, Blind Expansion (R-Lok)
		5093 164								SEAL, Radiator
	12	4644 269	1							DRAINCOCK, Radiator
33										
	CONCORDE :	INTRENIA A	00M (1.11)							
(34)	CONCORDE-I SERIES	IN I KEPID-30	00М (LH) - LINE		BODY		ENGIN	 JE		TRANSMISSION
	P = Limited/E		H = Chrys	sler	41 = 4 Doo	r Sedan	EER, EE0	= 2.7L V6 D	OHC	DGX = 4 Speed Automatic
	S = 300M		Intrepid				EGG = 3.5	5L HO V6 MF	PI 24V	DG0 = All Automatic Transm
	H = SE M = LXI		D = Dodg D = Conc	e Intrepid orde			EGJ = 3.5 FGK = 3.5	L V6 SOHC 2 SL HO V6 MP	∠4 V PI 24 V	
	X = 300M Sp	ecial	E = 300M				EGC = ÎM	AGNUMÖ 3.5	5L V6	
	•									

Radiator and Related Parts Figure 007-110

PART



Police Package - Engine Cooler Lines Figure 007-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
1	4698 779AC	1				EG0			LINE, Oil Cooler Supply
2	4698 773AC	1				EG0			LINE, Oil Cooler Return
3	6504 030	1				EG0			NUT AND WASHER, Hex, M6x1
4	4698 775AC	1				EG0			BRACKET, Oil Cooler Tube
5	4592 093AB	1							RETAINER, Oil Cooler Line
6	4698 780AD	1				EER			LINE, Oil Cooler Supply
7	4698 776AF	1				EER			LINE, Oil Cooler Return
8	4698 777	1				EER			BRACKET, Oil Cooler Tube
9	4596 357AA	1				EER			PIN, Push
10	6502 425	3				EE0			SCREW AND WASHER, Hex Head,
									M8x1.25x95

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Water Pump and Related Parts Figure 007-210

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	ales Codes:								
[EER] =	2.7L V6 DOHC	24 VAI	LVE MPI						
[EGC] =	'MAGNUM' 3.5	L V6 S	OHC 24V						
[EGG] =	3.5L HIGH OU	TPUT \	/6 24V MP	1					
[EGJ] = 3	3.5L V6 SOHC	24 VAL	_VE						
[EGK] =3	3.5L HIGH OUT	PUT V	6 24V MPI						
1									PUMP, Water
	4663 732AC	1				EER			
	4792 195AB	1				EG0			
2									GASKET, Water Pump
	4659 430AB	1				EG0			
	4663 731AB	1				EER			
3	6102 012	6				EER			BOLT
4	6101 682	5				EG0			BOLT AND CONED WASHER, Hex
									Head, M6x1.0x20



M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Coolant Recovery System Heater Plumbing Figure 007-310

PART





	ales Codes:						
	ales Codes.						
	2.7L V6 DOHC 2	24 \/\1	VE MDI				
_	2.7L V6 DOAC 2 2.7L V6 24V W/A						
-	'MAGNUM' 3.5L						
-							
	3.5L HIGH OUT 3.2L V6 SOHC			I			
⊑Gvv] = 1	4758 269AC	24 VA 1	LVEIVIFI				BOTTLE, Pressurized Coolant
=							
2	4596 444AA	1					CAP, Pressurized Coolant, Export
3	4596 198	1					CAP, Radiator
4	6034 716	2					SCREW AND WASHER, Hex Flange
_	0500 040				50 0		Head, .25-14x.875, Bottle Mounting
5	6502 018	1			EG0		CLAMP, Hose, M28.9 x 1.60
6	4592 126	1			EE0		CLAMP, Hose
7	6100 574	1			EE0		BOLT AND CONED WASHER, Hex
							Head, M8x20x17
8							TUBE, Heater Return, w/Hose
	4767 150AC	1			EG0		
	4767 152AC	1			EE0		
-9	4792 308	1			EER		CLIP, Heater Hose
10	HHR00 034AA	1					HOSE 1FT, Heater, 3/4", Return
							(Roll Stock)
-11	6505 692AA-	1			EG0		O RING
12	4596 266AC	1			EE0		BRACKET, Heater Tube To Block
13							HOSE, Heater Supply
	4767 170AB	1			EG0		
	4767 172AI	1			EE0		
14							HOSE, Bottle Supply, Serviced with
							TUBE ASSY- POSTIVE
							CRANKCASE VENTILATION
							HEATED - 4792645AB, (NOT
							SERVICED) (Not Serviced)
15	6101 467	1			EER		NUT, Hex Flange, M8x1.25

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Drive Pulleys 2.7L Engine Figure 007-415



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
[EER] =	2.7L V6 DOHC	24 VAI	_VE MPI						
1	4792 312AB	1				EE0			SPRING, Tension
2	6101 436	1				EE0			SCREW, Hex Head, M8x1.25x25
3	4792 259AD	1				EE0			PULLEY, A/C Belt Idler
4	4792 578AA	1				EE0			BRACKET, Tensioner Pulley
5	4792 594AA	1				EE0			BUSHING
6	6503 847	2				EE0			SCREW AND WASHER, Hex Head,
									M8x1.25x30
7	6505 840AA	1				EER			BOLT
8	4792 430AA	1				EER			DAMPER, Crankshaft
9	6101 448	1				EER			NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
10	4792 112AE	1				EER			PULLEY, Idler
-11	6034 408	1				EER			SPACER, Idler Pulley, w/Washer
12	4792 594AA	1				EE0			BUSHING
13	6101 462	5				EER			SCREW AND WASHER, Hex Head,
									M8x1.25x30
14	6503 256	1				EER			BOLT, Hex Flange Head, M6x1.0x40
15	6503 209	1				EER			BOLT, Hex Flange Head, M10x1.
									50x55
16	4792 309	1		_	_	EER			BRACKET, Power Steering Pump
-17	4792 118	1							PULLEY, Power Steering Pump

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Drive Pulleys 3.5L Engine Figure 007-420

PART

		6 8
		3
14	12	(5) (2) (9)
15	(2)	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
[EGG] =	3.5L HIGH OU	TPUT \	/6 24V MF	'					
[EGW] =	3.2L V6 SOHC	24 VA	LVE MPI						
1	6101 513	2				EG0			SCREW AND WASHER, Hex Head,
									M8x1.25x40
2	6101 448	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
3	6034 408	1				EG0			SPACER, Idler Pulley
4	4792 112AE	1				EG0			PULLEY, Idler
5	3300 2201	1				EG0			BUSHING, Idler Pulley
6	4573 516	1				EG0			BRACKET, Idler
7	6502 592	1				EG0			SCREW, M8x1.25 Tapped Head,
									M10x1.5x50
8	6502 929	1				EG0			SCREW AND WASHER, Hex Head,
									M8x1.25x110
9	6502 894	1				EGC,	DGX		BOLT
						EGG,			
						EGJ,			
						EGK			
10	4663 176	1				EG0			DAMPER, Crankshaft
11	4792 287	1				EG0			SPACER, Idler Pulley
12	4663 534	1				EG0			PULLEY, Idler
13	4483 016	1				EG0			DEFLECTOR, Idler Roller Bearing
14	4663 571	1				EG0			BRACKET, Idler Pulley
15	6502 592	1				EG0			SCREW, M8x1.25 Tapped Head,
									M10x1.5x50
-16	4792 118	1							PULLEY, Power Steering Pump

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde


E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Drive Belts Figure 007-510

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sal	es Codes:								
[EER] = 2	.7L V6 DOHC	24 VAI	LVE MPI						
[EGC] = 'I	MAGNUM' 3.5	L V6 S	OHC 24V						
[EGG] = 3	5.5L HIGH OU	TPUT \	/6 24V MP	1					
[EGJ] = 3	5L V6 SOHC	24 VAL	.VE						
[EGK] =3.	5L HIGH OUT	PUT V	6 24V MPI						
1	4792 071	1				EER			BELT, A/C
2	4663 950	1				EG0			BELT, A/C Compressor
3	4892 173AA	1				EER			BELT, Alt. and Power Steering
4									BELT, Accessory Drive
	4892 479AB	1				EGG,			With Engine Block Heater
						EGJ,			
						EGK			
	4892 150AA	1				EGG,			
						EGJ,			
						EGK			
	4892 060AA	1				EGG			EXPORT
		1				EGC			



X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Oil Cooler, Transmission Figure 007-610

	-
3 8 7	_
5	_
	-
	-
2	-

EER] = 2	2.7L V6 DOHC	24 VAI	_VE MPI				
-	2.7L V6 24V W						
	MAGNUM' 3.5						
EGG] = 3	3.5L HIGH OU	TPUT \	/6 24V MF	I			
EGW] =	3.2L V6 SOHC	24 VA	LVE MPI				
1							COOLER KIT, Auxiliary Trans Oil
	5010 360AC	1					[NMB]
	5014 113AA	1					[NMS,NMC]
2	5010 373AA	1					BRACKET, Oil Cooler Tube
3	4596 424AA	2					CLAMP, Hose
4							LINE, Oil Cooler Pressure
	4698 965AD	1			EER		
	4767 055AD	1			EGC,		
					EGG,		
					EGJ,		
					EGK		
5							LINE, Oil Cooler Return
	4698 960AD	1			EER		
	4767 050AD	1			EGC,		
					EGG,		
					EGJ,		
					EGK		
6	6101 451	2					SCREW AND WASHER, Hex Head M6x1x25
7	4758 267AD	1					BRACKET, Oil Cooler Tube, Line to Oil Pan
8	4592 093AB	1					RETAINER, Oil Cooler Line

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 008

Electrical





Group – 008

Electrical

000 1000	000 4400	Jaco 1000	loop 4000
008–1000 Battery Tray and Cables	008–1100 Lamps – Front, Rear and Courtesy	008–1200 Wiring–Engine & Related Parts	008–1300 Wiring–Headlamp to Dash
		Paiol at	
008–1400 Wiring–Instrument Panel	008–1500 Wiring–Body & Accessories	008–1600 Wiring Repair	008–1700 Air Bag System
	- De Sir	WIRING REPAIR PKG.	
008–1900 Spark Plugs–Cables–Coils			

GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.
Starters	
Starter	Fig. 008-105
Alternators Alternator - 2.7 Engine	Fig. 008-205 Fig. 008-210
Modules	
Modules	Fig. 008-405
Relays Power Distribution Center - Relays and Fuses Junction Block - Relays and Fuses	Fig. 008-505 Fig. 008-510
Sensors	g. 000 0 . 0
Sensors, Engine (2.7-EER) Sensors, Engine [3.2 - EGW 3.5 - EGG, EGC] Sensors, Oxygen Sensors, Transmission Sensors - Body	Fig. 008-605 Fig. 008-610 Fig. 008-615 Fig. 008-620 Fig. 008-625
Single Board Engine Controllers	J
Powertrain Control Module	Fig. 008-705
Switches	· ·
Switches - Instrument Panel Switches - Engine Switch - Body	Fig. 008-805 Fig. 008-810 Fig. 008-815
Horns	
Horns	Fig. 008-905
Battery Tray and Cables	
Battery Tray	Fig. 008-1005
Lamps - Front, Rear and Courtesy	
Lamps-Front	Fig. 008-1105
Lamps-Rear	Fig. 008-1110
Lamps Police Package	Fig. 008-1115
Lamps-Cargo, Dome and Courtesy	Fig. 008-1120
Bulbs	Fig. 008-1125
Wiring-Engine & Related Parts	
Wiring-Engine and Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash Wiring-Headlamp to Dash	Fig. 008-1305

GROUP 8 - Electrical Illustration Title Group-Fig. No. **Wiring-Instrument Panel** Wiring-Instrument Panel Fig. 008-1405 Wiring-Body & Accessories Wiring Body and Accessories Fig. 008-1505 Wiring Repair Wiring Repair Packages Fig. 008-1605 Air Bag System Air Bag Modules and Sensors Fig. 008-1705 Air Bags and Clock Springs Fig. 008-1710 **Spark Plugs-Cables-Coils** Spark Plugs-Cables-Coil Fig. 008-1905

Starter Figure 008-105

ITEM

PART

NUMBER

EER= 2.7L V6 DOHC 24 VALVE MPI

QTY

LINE

SERIES

BODY

ENGINE

TRIM

DESCRIPTION

TRANS

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

	EER= 2.7L VO DOING 2				
	EES=2.7L V6 DOHC 2	4V			
	EGW= 3.2L V6 SOHC				
	EGG= 3.5L HIGH OUT	PUT V6 24V MPI			
	1				STARTER
	4609 345AF	1	EER		
	4609 346AD	1	EGC,		
			EGG,		
(5)			EGJ,		
			EGK		
	2 4861 621AA	1		DGX	SHIELD, Starter
	3 4593 525	1			SLEEVE, Starter Shield
	4	•			
$\mathcal{G}_{\mathcal{O}}$	4				WIRING, Starter
	4759 367AC	1	EG0		
	4759 893AB	1	EE0		
	5 6101 809	1			NUT AND WASHER, Hex, M8x1.25,
(4)	3 0101 809	•			
					Starter Cable Mounting
	6 6502 717	3			SCREW AND WASHER, Hex Head,
					M10x1.5x50
					W10X1.5X50
	-				
(6)					
(2)	-				

H = Chrysler

D = Concorde

E = 300M

Intrepid
D = Dodge Intrepid

BODY

41 = 4 Door Sedan

CONCORDE-INTREPID-300M (LH) -SERIES LINE

SERIES
P = Limited/ES

X = 300M Special

S = 300M H = SE

M = LXI

	13)
	(15)
4 3 5	
	17
	(19)
	10 (12)
	(11)

	PART	1 '		1		,			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER= 2.	.7L V6 DOHC 24	4 VAL\	√E MPI						
ES=2.7	7L V6 DOHC 24	ŧV V							
EGW= 3	3.2L V6 SOHC 2	24 VAL'	VE MPI						
EGG= 3	.5L HIGH OUTF	PUT V6	3 24V MPI						
EGC= 3.	.5 V6 SOHC								
1	4792 312AB	1				EE0			SPRING, Tension
2	6101 436	1				EE0			SCREW, Hex Head, M8x1.25x25
3									BUSHING, (NOT REQUIRED)
4	4792 259AD	1				EE0			PULLEY, A/C Belt Idler
5	4792 578AA	1				EE0			BRACKET, Tensioner Pulley
6	4792 594AA	1				EE0			BUSHING
7	6503 847	2				EE0			SCREW AND WASHER, Hex Head
									M8x1.25x30
8	4792 071	1				EER			BELT, A/C
9	4892 173AA	1				EER			BELT, Alt. and Power Steering
10									ALTERNATOR
	4608 718AA	1				EER			
-	4896 123AB	1			<u> </u>	EER			Export
11									BOLT AND WASHER, Hex Head,
									M10x1.5x40, (NOT SERVICED)
									(Not Serviced)
12	6101 639	1				EER			SCREW AND WASHER, Hex Head
									M10x1.5x100
13	4663 778	1				EE0			BRACKET, Power Steering Pump
-14	6101 462	5				EER			SCREW AND WASHER, Hex Head
									M8x1.25x30
15	4792 309	1				EER			BRACKET, Power Steering Pump,
									Idler Pulley Mounting
16	6101 462	5				EER			SCREW AND WASHER, Hex Head
_		_							M8x1.25x30
17	6034 408	1				EER			SPACER, Idler Pulley
18	4792 112AE	1				EER			PULLEY, Idler
19	3300 2201	1				EER			BUSHING, Idler Pulley
-20	4602 081AB-					EER			COVER, Alternator Bracket
-21	6505 264AA-	2				EER			BOLT, Hex Flange Head, M8x45,
									Alternator Strut to Block
-22	4792 399AA-	1				EER			STRUT, Alternator Bracket

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorde
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Alternator - 3.2, 3.5 Engines Figure 008-210


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS 1	TRIM	DESCRIPTION
		NOMBER	Q I I	LINE	OLIVIEO	ВОВТ	LITOINE	TRANS		DEGOKII NON
	EED_ 2.7	7L V6 DOHC 2	4 \/AI \	/E MDI						
		L V6 DOHC 24		V C IVIFI						
		2L V6 SOHC 2		VE MPI						
		5L HIGH OUTP								
	EGC= 3.5	5 V6 SOHC								
	1	4573 516	1				EG0			BRACKET, Idler
$(12) \qquad (13) \qquad (14) \qquad (10)$		4663 534	1				EG0			PULLEY, Idler
$\bigcirc \qquad \bigcirc \qquad$	3	4792 287 4483 016	1				EG0 EG0			SPACER, Idler Pulley DEFLECTOR, Idler Roller Bearing
		6502 592	2				EG0			SCREW, M8x1.25 Tapped Head,
	Ü	0002 002	_				200			M10x1.5x50
(16)	-6	6502 929	2				EG0		5	SCREW AND WASHER, Hex Head,
On grand										M8x1.25x110
(1)	7	4663 950	1				EG0			BELT, A/C Compressor
(17)	8	1000 17010					500		E	BELT, Accessory Drive
A CONTRACTOR OF THE PARTY OF TH		4892 479AB	1				EGG, EGJ,			
							EGS, EGK			
		4892 060AA	1				EGC			Police Package
	9	4573 516	2				EG0		E	BRACKET, Idler
	10	6502 592	2				EG0		9	SCREW, M8x1.25 Tapped Head,
The same of the sa										M10x1.5x50
$(\circ) \qquad \qquad (\circ) $	11	6502 929	2				EG0			SCREW AND WASHER, Hex Head,
3 (4) (2) (2) (2)	12								1	M8x1.25x110 NUT AND WASHER, Hex Nut-Coned
									<u>'</u>	Washer, M10 x 1.5
		6101 448	2				EG0			,
			2				EE0			
		4792 287	1				EG0			SPACER, Idler Pulley
	14	4700 44045	4				EED		F	PULLEY, Idler
		4792 112AE 4792 112AD	1 2				EER EG0			
(22)	15	4732 TIZAD	2				LOU		E	BUSHING, Idler Pulley
		3300 2201	2				EG0			
			1				EER			
	16	6101 513	2				EG0		9	SCREW AND WASHER, Hex Head,
	47									M8x1.25x40
	17	4606 622AA	1				EG0		F	ALTERNATOR [BAF]
(7)		4608 826AA	1				EG0			[BAB]
		4792 261	1				EG0		9	STRUT, Support to Cylinder Head
i										
	CONCORDE- SERIES	-INTREPID-300M (LI	(LH) ——		BODY		ENGIN	 E		TRANSMISSION
	P = Limited/I	ES H = (Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 DOI		DGX = 4 Speed Automatic
	S = 300M H = SE	Intre D = I	Dodge In	ntrepid			EGJ = 3.5L	L HO V6 MPI : - V6 SOHC 24	·V	DG0 = All Automatic Transm
	M = LXI X = 300M Sp		Concord 300M	le			EGK = 3.51 $EGC = \hat{I}MA$	L HO V6 MPI 2 AGNUMÖ 3.5L	24V . V6	
		as required -=		ustrated par	t #=Newt	his model v			-	September 19, 2005

Alternator - 3.2, 3.5 Engines Figure 008-210




Modules Figure 008-405

PART



Modules Figure 008-405



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
		4760 145BF	1	D						
_			1	Υ						
			1	С	Н					
			1	С	M					
			1	С	Р					
_	18	5011 591AA	1							CONTROL UNIT, Sunroof
	19	4760 303AD	1							ANTENNA
	20									MODULE, Body Controller
		4602 308AO	1							With Speed Sensitive Steering
_		4602 410AO	1							
	21	4602 273AC	1							MODULE, Immobilizer
	22									RECEIVER, Keyless Entry
		4602 415AC	1							[GXW], Export
_		56045 755AB	1							[GXR]
	23									TRANSMITTER, Keyless Entry
		4602 260AA	2							
		4602 261AB	2							Export
_	-24									MODULE, HID Bulb Powerpack
		4805 914AA-	1							Right
		4805 915AA-	1							Left
	-25	5059 112AB-	1							MODULE, Radio Control, Satellite
_										Radio

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


Power Distribution Center - Relays and Fuses Figure 008-505



Junction Block - Relays and Fuses Figure 008-510



Sensors, Engine (2.7-EER) Figure 008-605



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE;									
[EES= 2.	7L 24 Valve wi	th Activ	e Intake]						
[EER= 2.	7l 24 Valve]								
1	4897 247AA	1				EER			SENSOR KIT, Throttle Position
2	4606 487AB	1				EER			SENSOR, Charge Air Temp
3	5269 870AB	1				EER			SENSOR, Coolant Temperature
4	4896 002AC	1				EER			SENSOR, Map
5	4609 089AG	1				EER			SENSOR, Camshaft
6	4727 451AA	1							SENSOR, Crankshaft Position
7	4608 303AB	1				EER			SWITCH, Oil Pressure
8	4606 093AC	1				EER			SENSOR, Detonation
-9	6507 355AA-	1				EER			STUD, Double Ended, Detenation
									Sensor mounting

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Sensors, Engine [3.2 - EGW 3.5 - EGG, EGC] Figure 008-610

$\begin{array}{c} 2 \\ 3 \\ \hline \end{array}$	
6	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE;									
	.5L V6 SOHC]								
-	8.5L V6 MPI 24								
-	3.2L V6 MPI 24	-							
1	5269 870AB	1				EG0			SENSOR, Coolant Temperature
2	4896 002AD	1				EG0			SENSOR, Map
3	4606 487AB	1				EGC,			SENSOR, Charge Air Temp
						EGG,			
						EGJ,			
						EGK			
4									THROTTLE BODY, See Group 14,
									(NOT SERVICED) (Not Serviced)
5									SENSOR, Throttle Position
	4606 083	1				EGJ			
		1				EGC,			
						EGG,			
						EGK			
6	4606 093	1				EG0			SENSOR, Detonation
7	4609 086AD	1				EG0			SENSOR, Camshaft
-8	6501 957	1				EG0			SCREW, Cam Sensor mounting
9	4608 303AB	1				EG0			SWITCH, Oil Pressure
10	4727 451AA	1	<u></u>				<u></u>		SENSOR, Crankshaft Position

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde

E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Sensors, Figure 0	08-615	1								
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1 2	4606 555AC 4606 133AD	2							SENSOR, Oxygen, Before catalyst SENSOR, Oxygen, After catalyst
	۷	4000 100ND	۷							CENCON, Oxygen, Androadayst

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Sensors, Transmission Figure 008-620

|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENSOR, Transmission Input Speed
	4800 878	1				EER	DGX		
		1				EGC,	DGX		
						EGG,			
						EGJ,			
2						EGK			O RING, Trans Speed Sensor
2	6501 657AB	1				EER	DGX		O RING, Trans Speed Sensor
	0301 037AB	1				EGC,	DGX		
		'				EGG,			
						EGJ,			
						EGK			
3									SENSOR, Manual Valve Lever
	4659 677AC	1				EER	DGX		
		1				EGC,	DGX		
						EGG,			
						EGJ,			
4						EGK			CEAL Manual Value Position Concer
4	4659 678	1				EER	DGX		SEAL, Manual Valve Position Sensor
	4039 070	1 1				EGC,	DGX		
		<u>'</u>				EGG,	BOX		
						EGJ,			
						EGK			
5									SENSOR, Transmission Output
									Speed
	4800 879	1				EER	DGX		
		1				EGC,	DGX		
						EGG,			
						EGJ, EGK			
6						EGN			O RING, Trans Speed Sensor
U	6501 658AB	1				EER	DGX		O MINO, Halls Speed Sellsol
	230. 300,12	<u>'</u> 1				EGC,	DGX		
		-				EGG,			
						EGJ,			
						EGK			

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler


 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5604 2395	1							SENSOR, Ambient Temperature
2	4779 152AB	1							SENSOR, Anti-Lock Brakes, Right
									Front
3	4779 153AB	1							SENSOR, Anti-Lock Brakes, Left
									Front
4	4779 154AA	1							SENSOR, Anti-Lock Brakes, Right
									Rear
5	4779 155AA	1							SENSOR, Anti-Lock Brakes, Left
									Rear
6	4698 662AB	1							SENSOR, A.T.C. Sun, Contains Auto
									Headlamp Sensor
7	4882 797	1							SENSOR, Washer Fluid Level
8	52088 990AC	5							SENSOR, Tire Pressure, valve stem
9	52088 961AA	5							NUT
-10	52109 664AA	- 1							MAGNET

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Powertrain Control Module Figure 008-705

|--|

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
	1									MODULE, Powertrain Control
_		4896 500AB	1				EGG			[NAS,NX5,XC9]
		4896 501AB	1				EGG			[NAS,XC9]
		4896 502AB	1				EGG			[NA1,NB3,XC9]
		4896 503AB	1				EGG			[NA1,NB2,XC9]
		4896 504AB	1				EGG			[NA1,NBJ,XC9]
		4896 505AB	1				EGG			[NAM,XC9]
		4896 506AB	1				EGC			[NAS,NAM,XC9]
		4896 507AB	1				EGJ			[NAS,XC9]
		4896 508AB	1				EGJ			[NAM,XC9]
		4896 509AB	1				EGK			[NAS,NAM,TUX,XC9]
		4896 510AB	1				EGK			[NAS,NAM,TRG,XC9]
		4896 511AB	1				EER			[NAS,XC9]
		4896 512AB	1				EER			[NA1,NB3,XC9]
		4896 513AB	1				EER			[NA1,NB2,NZ5,XC9]
		4896 514AB	1				EER			[NA1,NB2,XC9]
	2	4606 638AA	1							BRACKET, Engine Control Module
	3	6502 691	4							NUT, Hex Flange Lock, M6x1
	4									SCREW, Hex Flange Head, M4.8x1.
										59x45, (NOT SERVICED) (Not
										Serviced)

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Switches - Instrument Panel Figure 008-805

9	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2.7L V6 DOHC 2								
EES= 2	2.7L V6 DOHC 24	4 VALV	Æ						
	3.2L V6 SOHC	24 VAL	VE MPI						
	3.5L SOHC								
	3.5L HIGH OUT		3 24V MPI						
1	4602 462AA	1							SWITCH, Headlamp
2									SWITCH, Headlamp and Fog Lamp
	4602 459AA	1							With Auto Headlamps
	4602 461AA	1							Without Auto Headlamps
3	4602 460AA	1							SWITCH, Headlamp and Fog Lam
									With Front and rear Fog Lamps,
									Export
-4									SCREW, Tapping
	6504 912AA-	3	D						
		3	С	Н					
		3	С	M					
		3	С	P					
		3	Y	S					
_		3	Υ	X					
5	4760 594AC	1							SWITCH, Multifunction
6	5014 176AA	1							SWITCH, Ignition
-7	5014 187AA-	1							TRIM RING, Ignition Key Cylinder
8	1000 10015		5	Б					CONTROL, A/C And Heater
	4698 198AB	1	D	Р					without ATC
	4698 198AC	1	C, Y						without ATC
	4698 199AD	1	D	Ь					With ATC
		1	С	P					With ATC
		1	Y	S					With ATC
		1	Y C	X					With ATC
0		1	C	H, M					With ATC
9	4700 04740		0	N 4					SWITCH, Deck Lid Release
	4760 847AC	1	С	M					
		<u>1</u> 1	D C	Н					
		1	C Y	P S					
		1	Ϋ́	X					
10	4671 336	<u>1</u> 1	<u> </u>						SWITCH Stan Lamp Stan Lamp
10	4071 330	'							SWITCH, Stop Lamp, Stop Lamp & Speed Control
11	5026 006AA	1							SWITCH, Speed Control, Resume/
11	5026 000AA	1							Cancel
12	5026 007AA	1							SWITCH, Speed Control, On-Off/S
12	5026 007AA	'							SWITCH, Speed Control, On-On/S
ONCORD	DE-INTREPID-300M ((LH) ——							
SERIES	LIŇ			BODY		ENGIN	IE .		TRANSMISSION

SERIES
P = Limited/ES
S = 300M
H = SE
M = LXI

X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE

EER, EE0 = 2.7L V6 DOHC

EGG = 3.5L HO V6 MPI 24V

EGJ = 3.5L V6 SOHC 24V


EGK = 3.5L HO V6 MPI 24V

EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Switches - Instrument Panel Figure 008-805



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13									SWITCH, Remote Radio
	56045 563AA	1							Left
	56045 564AA	1							Right
14									SWITCH, Traction Control
	56049 395AA	1	D						
		1	C, Y						
15	4565 022	1							SWITCH AND LAMP, Glove Box,
									with Lamp
-16									CLOCKSPRING
	4649 400AB-	1							[RDZ]
	4698 304AD-	1							

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg


M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								<u> </u>	
1	4608 303AB	1				EG0			SWITCH, Oil Pressure
	4000 303AB	1				EER			
ONCORDE.	INTREPID-300M	(I H)							
SERIES = Limited/E	LII	NE Chrysler		BODY 41 = 4 Door	Sedan	ENGIN FER FEO	E = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M = SE	Intre	pid Dodge In	trenid	71 = 4 5001	Journ	EGG = 3.5	= 2.7E V0 B SL HO V6 MF L V6 SOHC	PI 24V	DG0 = All Automatic Transm
= SE = LXI	D =	Concorde	ii epiù e			EGK = 3.5	L V6 SOHC L HO V6 MF AGNUMÖ 3.	PI 24V	



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	FER - 27	7L V6 DOHC 2	24 \/Δ1 \.	/F MPI						
		2L V6 SOHC								
	EGG = 3.	5L HIGH OUT	PUT V6	3 24V MPI						
	1									SWITCH, Power Window
\bigcirc		56007 695AC	2							Single Gang, Rear Door Right,Front Door
$\begin{pmatrix} 4 \end{pmatrix} \qquad \qquad$	2		1							BEZEL, Power Window Switch
		PQ42 WL5AB	1							[L5], Right Rear
		PQ42 WL8AB								[L2], Right Rear
		PQ42 XDVAB								[DV], Right Rear
		PQ42 XT5AB PQ42 XTMAB								[T5], Right Rear [T5] [RCE], Right Rear
		PQ43 WL5AB								[L5], Left Rear
		PQ43 WL8AB								[L2], Left Rear
		PQ43 XDVAB								[DV], Left Rear
		PQ43 XT5AB								[T5], Left Rear
	3	PQ43 XTMAB	1							[T5] [RCE], Left Rear SWITCH, Sunroof
		5JL92 1L2AA	1	D						SWITCH, Sumosi
			1	С	Н					
			1	Υ						
			1	С	M					
	4		1	С	Р					SWITCH, Memory Selector
	7	5083 978AA	1							SWITCH, Memory Selector
		RF29 DX9AB	1							Black
	5									SWITCH, Courtesy Lamp, Serviced
										in lamp assembly, (NOT
	6									SERVICED) (Not Serviced) SWITCH, Deck Lid Alarm
		4608 287AB	1	D						
(15)			1	С						
		1707.055	1	Y						000000000000000000000000000000000000000
		4797 655 5026 004AA	1							SWITCH, Brake Fluid Level SWITCH, Power Window, Five gang
	9	3020 00 4 AA	1							BEZEL, Power Window Switch
		PT68 WL5AB	1							[L5], Right
		PT68 XDVAB	1							[DV], Right
		PT68 XT5AB	1							[T5] Sandstone, Right
(8)	10	PT68 XTMAB	1							[T5] Dark Sandstone, Right SWITCH, Mirror
		4760 174AG	1							
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										
(10)	CONCORDE-	INTREPID-300M (LH) ——							TD ANOMES CO.
	SERIES P = Limited/E		Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	= 2.7L V6 D	ОНС	TRANSMISSION DGX = 4 Speed Automatic
	S = 300M H = SE	Intre D = I	pid Dodge In	trepid			EGJ = 3.5I	L HO V6 MF L V6 SOHC :	24V	DG0 = All Automatic Transm
	M = LXI X = 300M Sp	D = 0	Concorde 300M	9			EGK = 3.5	L HO V6 MF AGNUMÖ 3.	1 24V 51 V6	
	7. – 000IVI OP	L - 1	- J J I V I					.5. 15.110 5.1	**	



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TA55 DX9AA	1							[DV, D2]
	TA55 WL8AA	1							[L2]
	TA55 XTMAA	1							[T5]
11	4760 857AB	1							SWITCH, Door Lock
12									SWITCH, Seat
	4601 757AB	1							Left
	4602 456AA	1							4 Way, Right
	4601 756AB	1							6 Way, Right
13									KNOB, Power Seat Switch
	4607 042AB	1							Right
	4607 043AB	1							Left
	4607 044AB	1							Recliner, Right
	4607 045AB	1							Recliner, Left
14	4760 162AB	2							SWITCH, Central Locking
15	QP36 DX9AD	2							SWITCH, Heated Seat

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Horns **Figure**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4760 943AD	1							HORN AND BRACKET, Low Note
2	4760 944AD	1							HORN AND BRACKET, High Note





 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Battery Tray Figure 008-1005



	2.7L V6 DOHC							
-	2.7L V6 DOHC 2							
_	= 3.2L V6 SOHC	24 VA	LVE MPI					
_	3.5L SOHC							
	3.5L HIGH OU							
NOTE:	Positive battery v	wiring s	erviced in	engine har	ness only.			
1								BATTERY
	4364 944	1						600 CCA
	4364 945	1						500 CCA
2	4580 743AB	1						BRACKET, Battery Hold Down
3	6101 718	4						SCREW AND WASHER, Oval Head
								M6x1x25, Battery Hold Down
4	4609 098AB	1						HEATER, Battery
5	4609 121AD	1						CORD, Engine Block Heater, Battery
								Blanket Heater
6	4580 197AF	1						TRAY, Battery
-7	6101 712	3						NUT, U, M6x1, Battery Tray & Hold
								Down Attaching
8	4760 739AB	1						BRACKET, Battery Wiring, Remote
								Battery Post Positive
9	4759 333AB	1						BRACKET, Battery Wiring, Air
								Cleaner Attaching
-10	4760 819AB-	AR						COVER, Battery, Remote positive
								post cap
-11								LABEL, Battery
	4793 062	1						European
	4557 480	1						Arabic
	4780 518AC-	1						Negative Jumper
-12	4760 567AC-	1						WIRING, Battery Negative
-13	4580 816AA-	1						PAD, Anti-Skid, Sits under battery
-14	6503 062	1						NUT, M10x1.50, Battery Negative to
								Right Strut Tower Ground
-15	6502 720	1				EG0		NUT, Hex Flange Lock, M8x1.25,
	-							Wiring Connector B+ Post

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Lamps-Front Figure 008-1105

ITEM

PART

NUMBER

QTY

LINE

SERIES


BODY

ENGINE

TRANS

TRIM

DESCRIPTION



Lamps-Front Figure 008-1105

ITEM

PART

NUMBER

QTY

LINE

SERIES


BODY

ENGINE


TRANS

TRIM

DESCRIPTION



Lamps-Front Figure 008-1105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	4759 379AA	1							WIRING, Headlamp, Export
26									LAMP, Side Marker
	4805 038AB	1	С						Right
	4805 039AB	1	С						Left
-27	4399 599	1							SEAL
-28	4676 801	2	Υ	S					GASKET, Side Marker Lamp
-29	5087 154AA-	1	С	Н					WIRING, Side Marker Jumper,
									Without Fog Lamps
30									LAMP, Front Combination
	4805 138AB	1	Υ	S					Right
	4805 140AB	1	Υ	S					With Headlamp washers, Right
	4805 139AB	1	Υ	S					Left
	4805 141AB	1	Υ	S					With Headlamp washers, Left
-31									VENT
	5003 368AA-	1	Υ	S					
		1	Υ	Χ					
-32	L0003 157AK-	1							BULB, 3157 NAK
-33									U-NUT
	4805 473AA-	2	Υ	S					Front Combination Lamp to Fascia
	6036 293AA-	2	С	M, P					Front Combination Lamp to Fascia
		2	С	Н					Front Combination Lamp to Fascia
34									NOZZLE, Washer, Headlamp
	4805 072AD	1							without Fog Lamps, Export,Right
	4805 073AD	1							without Fog Lamps, Export,Left
-35	6505 570AA-	4							SCREW, Pan Head, M4 x 0.70 x 10.
									00, nozzle mounting
36	4805 071AC	1	Υ	S, X					HOSE, Washer, Headlamp
37	5288 895AC	2	Υ	S					LAMP, Side Repeater
-38	5288 931AA-	2	Υ	S					SOCKET, Side Repeater Lamp
-39	L002 825W5W	/ 1	Υ						BULB, W10/5
-40	4676 801	2	Υ	S					GASKET, Side Marker Lamp
41	5014 121AA	1							MOTOR, Headlamp Leveling
42	L002 825W5W	/ 2	Υ						BULB, W10/5

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Lamps-Rear Figure 008-1110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
<u> </u>	4780 058AH	1	С						Right
	4780 059AH	1	C						Left
	4805 592AE	1	Y	S					Right
	4805 593AE	1	Y	S					Left
	4574 960AN	1	D						Right
	4574 961AN	1	D						Left
	4805 594AD	1	Y	S					Right,Export
	4805 595AD	1	Y	S					Left,Export
2									WIRING, Taillamp
	4760 072AE	1	D						Right & Left
	4759 940AB	1	Y	S					Right & Left
	4760 075AD	1	C						Right & Left
	4759 942AC	1	Y	S					With rear Fog Lamps, Right & Left,
									Export
3	L003 157K	1	D						BULB, 3157K, Right & Left
4	L000 0912	2	D						BULB, 912
5	L000 0168	1	Y						BULB, 168
-6	6507 357AA-								NUT, Wing, M6x1
7									LAMP, BackUp
	4574 900	1	С						Right
	4574 901	1	C					-	Left
-8									BULB, 168
	L000 0168	1	С						•
		1	Υ						
	-	1	D		1				
9									LAMP, High Mounted Stop
	4780 179AD	1	С						·
	4805 121AD	1	Υ	S, X					
-10									WIRING, High Mounted Stop Lamp
	4604 407	1	Υ	S, X					
	4759 748AA-	- 1	С						
-11	5303 251	1	С						SOCKET, High Mounted Stop Lamp
-12	L000 921E	1	Y	S, X					BULB, 921
-13	6102 132AA-	- 1							SCREW, Hex Head, M6x1x20
-14	6101 712	2	Υ	S, X					NUT, U, M6x1
15	4574 615AC	1	D						LAMP, Deck Lid, Applique & CHMSI
-16	L000 0912	2	D						BULB, 912, Deck Lid Lamp,CHMSL
-17	6502 589	4	D						NUT, Wing, M6, Deck Lid, Applique
18									LAMP, License Plate
	4574 904	1	Υ						

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 D = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Lamps-Rear Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TOD.L.Y	٠		02.1.20		2.10.112	110.410		22001 11011
		1	D						
		<u>·</u> 1	C						
	4805 702AA	1	Ü						[LMR]
-19	1000 7 027 8 1	•							BULB, 168
10	L000 0168	1	С						5625, 166
		1	Y						
		1	D						
20									WIRING, License Lamp
	4759 727AA	1	Υ						Export
	4759 731AA	1	Υ						
		1	D						
	4759 729AA	1	С						
-21									SCREW, Pan Head Tapping, .19
									16x.625
	6035 556	2	D						License Lamp attaching
		2	С						License Lamp attaching
		2	Υ						License Lamp attaching
-22	4760 148	1							LAMP, Trunk, Lens only
-23	L000 0906	1							BULB, 906
24									WIRING, Deck Lid
	4760 131AG	1	D						CHMSL Lamp. without Securit
	4760 662AG	1	D		<u></u>				CHMSL Lamp. with Security
	4760 678AE	1	С						CHMSL Lamp. without Securit
	4760 679AE	1	С						CHMSL Lamp. with Security

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Lamps Police Package Figure 008-1115

5	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPOTLAMP, A-Pillar Mounted
	4806 026AA	1							Black,Right
	4806 027AA	1							Black,Left
	5056 180AA	1							Chromed,Right
	5056 181AA	1							Chromed,Left
-2	L0H3 100W	1							BULB, Fog Lamp, H-3 100 WATT,
									Spot Lamp Bulb
-3	5114 002AA-	1							LENS, Spotlamp
-4	5114 003AA-	1							HANDLE, spotlamp
5									LAMP, Fog
	4574 836	1	D						Right
	4574 837	1	D						Left
-6	L00H 335W	1	D						BULB, Fog Lamp, H-3 35 Watt
-7	4857 156AA-	1	D						VENT, Headlamp, Fog lamp, Right or
									Left
-8	5602 1441	1							LAMP, Underhood

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Lamps-Cargo, Dome and Courtesy Figure 008-1120



ITEM	NUMBER	QTY	I	1					
		α	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HANDLE, with Courtesy Lamp
	QB26 TL2AF	1	Y						Right
		1	С	Н					Right
	QB27 TL2AF	1	Υ						Left
		1	С	Н					Left
	QB26 TL2AG	1	D						Right
	QB27 TL2AG	1	D						Left
2									LENS, w/Grab Handle
	4728 529	1	Υ						
		1	С	Н					
-3									BULB, 192
	L000 0192	1	Y						
		1	С	Н					1445 5 "
4	DD00 TL04D		-						LAMP, Reading
	PB83 TL2AB	1	D C	ш					
	TK50 1L2AA	1		Н					With Sunroof
	TK50 TL2AA	<u>1</u> 1	D C	H					With Sunroof
-5		1	O						LENS, Reading Lamp, Serviced in
J									lamp assy. only, (NOT SERVICED)
									(Not Serviced)
-6									SWITCH, Courtesy Lamp, Serviced
									in Lamp assembly, (NOT
									SERVICED) (Not Serviced)
-7	L000 0192	2	D						BULB, 192
-8									WIRING, Overhead Console
	4760 644	1	D						
		1	Υ						
		1	С	Н					
9	4760 148	1							LAMP, Trunk, Lens only
	L000 0906	1							BULB, 906, Trunk Lamp
11									WIRING, Reference, (NOT
	0010 07015								SERVICED) (Not Serviced)
12	6016 270AB	1							CLIP, Wiring
-13	4565 022	1							SWITCH AND LAMP, Glove Box
-14	L000 0194	1							BULB, 194, Glove Box Lamp
-15 -16	5602 1441	1							LAMP, Underhood
-16	4897 446AA-	1							LENS, Lamp Module, Under hood
17									lamp REFLECTOR, Door Trim Panel
17	4760 356	1							
	4760 356	1							Right Left

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int


M = LXIX = 300M Special Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Lamps-Cargo, Dome and Courtesy Figure 008-1120



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	18									LAMP, Door
		4760 186AB	1							Right
	-19	4760 187AB L002 1202	1 1							Left
	-19	L002 1202	1							BULB, 212-2
-										
-										
_										
-										
-										
_										
_										
-										
_										
-										

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M X = 300M Special

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Bulbs Figure 008-1125

0900 5XSLL 0009 006XS- 365 941AA- 000 9040 00H 335W 00H 355W 013 815AA 397 949AA- 0003 157AK- 000 0912 002 825W5W	1 1 1 1 1 3 3 1 1 2	Y C D Y Y D C, Y	X S X H, X	BODY	ENGINE	TRANS	TRIM	BULB, Headlamp, High beam BULB, Headlamp, 9006XS, Low beam BULB, Headlamp, Low Beam BULB, Fog Lamp, 50 Watt BULB, Fog Lamp, H-3 35 Watt BULB, Fog Lamp, H-3 55 WATT
0009 006XS- 0009 006XS- 005 941AA- 000 9040 00H 335W 00H 355W 013 815AA 037 949AA- 0003 157AK- 000 0912 002 825W5W	1 1 1 1 1 1 1 3 3 1 1 2	C D Y Y	S X					BULB, Headlamp, 9006XS, Low beam BULB, Headlamp, Low Beam BULB, Fog Lamp, 50 Watt BULB, Fog Lamp, H-3 35 Watt
0009 006XS- 0009 006XS- 005 941AA- 000 9040 00H 335W 00H 355W 013 815AA 037 949AA- 0003 157AK- 000 0912 002 825W5W	1 1 1 1 1 1 1 3 3 1 1 2	C D Y Y	S X					BULB, Headlamp, 9006XS, Low beam BULB, Headlamp, Low Beam BULB, Fog Lamp, 50 Watt BULB, Fog Lamp, H-3 35 Watt
365 941AA- 200 9040 200H 335W 200H 355W 2013 815AA 2013 815AA 2003 157AK- 2000 0912 2002 825W5W 2000 0168	1 1 1 1 1 3 3 1 1 2	C D Y Y	S X					beam BULB, Headlamp, Low Beam BULB, Fog Lamp, 50 Watt BULB, Fog Lamp, H-3 35 Watt
000 9040 00H 335W 00H 355W 013 815AA 013 815AA 0003 157AK- 000 0912 002 825W5W	1 1 1 1 3 3 1 1 2	C D Y Y	S X					BULB, Fog Lamp, 50 Watt BULB, Fog Lamp, H-3 35 Watt
00H 335W 00H 355W 013 815AA 897 949AA- 0003 157AK- 000 0912 002 825W5W	1 1 1 1 3 3 1 1 2	D Y Y	X					BULB, Fog Lamp, H-3 35 Watt
00H 355W 013 815AA 897 949AA- 0003 157AK- 000 0912 002 825W5W	1 1 3 3 1 1 2	Y Y	X					
013 815AA 897 949AA- 0003 157AK- 000 0912 002 825W5W	3 3 1 1 2	Y D	X					BULB, Fog Lamp, H-3 55 WATT
013 815AA 897 949AA- 0003 157AK- 000 0912 002 825W5W	3 3 1 1 2	Y D	X					
397 949AA- 0003 157AK- 000 0912 002 825W5W	3 3 1 1 2	D						
397 949AA- 0003 157AK- 000 0912 002 825W5W	3 1 1 2		Н, Х					
397 949AA- 0003 157AK- 000 0912 002 825W5W	3 1 1 2		H, X					BULB AND SOCKET, Heater and
397 949AA- 0003 157AK- 000 0912 002 825W5W	3 1 1 2		H, X					A/C Control
0003 157AK- 000 0912 002 825W5W 000 0168	1 1 2	C, Y						Without ATC
0003 157AK- 000 0912 002 825W5W 000 0168	1 2							Without ATC
000 0912 002 825W5W 000 0168	2							BULB AND SOCKET
002 825W5W 000 0168								BULB, 3157 NAK
000 0168	12	D						BULB, 912, CHMSL Lamp
		Υ						BULB, W10/5, License Lamp
	1	Y						BULB, 168, Side Marker
000 0906	1							BULB, 906, Trunk Lamp
	_	_						BULB, 192
000 0192	2	D						
	1	Y						
	1	С	Н					
	1	С	М					
000 0194	1	С	Р					BULB, 194, Glove Box
)00 0194)02 825W5W	-	Υ						BULB, W10/5, Side Repeater Lan
)02	1	Y	S, X					BULB, 921
000 921E 003 157K	1	D	3, 7					BULB, 3157K, Park Lamp
)03 13/TK	'							LAMP, Bulb And Socket
00P C194	1	С	Р					Erim , Bais raid Cocket
0101	1	D	•					
	1	Y	S					
	1	C	H, M					
			,					BULB, 74
000 0074	1	С	Р					•
	1	D						
	1	Υ	S					
	1	С	H, M					
0005	1							BULB, Headlamp
,00 3003								BULB, PC74
	9005	1 1 1	1 C 1 D 1 Y 1 C	1 C P 1 D 1 Y S 1 C H, M	1 C P 1 D 1 Y S 1 C H, M	1 C P 1 D 1 Y S 1 C H, M	1 C P 1 D 1 Y S 1 C H, M	1 C P 1 D 1 Y S 1 C H, M



SERIES
P = Limited/ES
S = 300M
H = SE M = LXI

X = 300M Special

LINE H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Bulbs Figure 008-1125

Tigure ou	0 1120									
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			ļ				1	
		1 000 BO74		-						
-		L000 PC74	1	D C						
			1	Y	P S					
			1	C	H, M					
	-23		ı.	O	11, 141					BULB, Fog Lamp, H-3 55 WATT
-		L00H 355W	1	Υ	S					
			1	Υ	Х					
	-24	L000 3893	2	Υ	S					BULB, T8/4
		L000 03157A	1							BULB, 3157A
	-26	L000 0561	1							BULB, 561, Under hood lamp
$\overline{}$	-27									BULB, Headlamp
$\bigcirc \bigcirc$		L000 9005	1							High Beam
-		L000 9006	1							Low Beam
	-28									BULB AND SOCKET, Heater and
		5011 273AA-	1	D						A/C Control
		5011 273AA-	4	С	Р					
			4		S					
	-29	4437 661	4	C	P					LAMP, Message Center
	-									, carage as
-										
·										
-										
-										

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Wiring-Engine and Related Parts Figure 008-1205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.	7L V6 DOHC 2	24 VAL	/E MPI–						
EES= 2.7	L V6 DOHC 24	4V							
EGW= 3.	2L V6 SOHC 2	4 VAL	/E MPI						
EGC= 3.5	SL V6 SOHC								
EGG=3.5	L HIGH OUTP	UT V6	24V MPI						
DGX=TR	ANSMISSION	- 4-SPE	ED AUTO	MATIC					
1									WIRING, Engine
	4725 660AD	1				EGJ			
	4759 959AG	1				EE0			
	4759 963AF	1				EGC,			
						EGG,			
_		_				EGK			
2	4759 419AB	1				EE0			WIRING, Knock Sensor Jumper
3									WIRING, H/Lamp To Dash (SEE
									ILLUS. 1305), (NOT SERVICED)
4	4760 567AC	4							(Not Serviced)
4	4760 367AC	1							WIRING, Battery Negative, w/Nuits and Bolts
5									SWITCH, Oil Pressure
5	4608 303AB	1				EG0			Switch, oil Flessule
	+000 303AB	1				EER			
6		•							STRAP, Ground
· ·	4581 286AC	1	С	Н		EE0			,
		1	D	Н		EE0			
		1	D			EGJ			
		1	С	H, M		EGJ			
		1	С	Р		EGG			
		1	Υ	S		EER,			
						EGG			
-7	4759 367AC-	1				EG0			WIRING, Starter
-8	4759 995AA-	1				EER	DGX		WIRING, Transmission
-9	4609 121AD-	1							CORD, Engine Block Heater
-10	4609 325AB-	1							HEATER, Engine Block
-11									CAPACITOR, Ignition
	4609 133AA-	2				EER			
		1				EG0			
-12	4759 877AA-	1				EE0			BRACKET, Wiring
-13	4759 877AA-	1				EE0			BRACKET, Wiring
-14	6101 443	2				EE0			NUT AND WASHER, Hex, M5x.80
-15	6102 152	2				EEO			SCREW, Tapping, M8x20
	6102 153AA-	2				EE0			Engine Wiring Bracket attaching

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Wiring-Engine and Related Parts Figure 008-1205

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2				EG0			Engine Wiring Bracket attaching
(3)										
(4)										
3										
2	SERIES P = Limited/E S = 300M	INTREPID-300	M (LH) —— LINE = Chrysler strepid		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0 EGG = 3.5	E = 2.7L V6 D	OHC PI 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE M = LXI X = 300M Sp	INTREPID-300 ES H In D Decial E	trepid = Dodge In = Concorde = 300M	itrepid e			ENGIN EER, EE0 EGG = 3.5 EGJ = 3.5 EGK = 3.5 EGC = ÎMA	L HO V6 MF AGNUMÖ 3.	24V PI 24V 5L V6	200 - All Automatio Hansiii

Wiring-Headlamp to Dash Figure 008-1305

ITEM

PART

NUMBER


QTY

LINE

SERIES

BODY

ENGINE



1				WIRING, Headlamp to Dash
5081 000A	1	D		Without ABS
5081 001A	1	D		With ABS 4 Wheel Disc Brake
5081 002A	1	D		With ABS 4 Wheel Disc Brake, Fog
				Lamps
5081 003A	1	С	H, M	Without ABS
5081 004A	1	Υ		with 4 Wheel Disc Brake
5081 005A	1	С	H, M	With ABS
5081 006A	1	С	Р	With ABS, Speed Sensitive
				Steering
5081 007A	1	Υ		With Headlamp Washers, Export
5081 008A	1	D		Without ABS, Fog Lamps
5081 010A	1	D		With ABS, Underhood Lamp
2				WIRING, Front End Lighting,
				Serviced in Headlamp to Dash
				Harness, (NOT REQUIRED)
-3 5066 164A	\ - 1			HARNESS, Radiator Fan with Relays

TRIM

TRANS

DESCRIPTION

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M M = LXI

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Wiring-Instrument Panel Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I LIVI	NOWBER	WII	LINE	JERIES	ВОВТ	LINGINE	IKANS	TIXIIVI	DESCRIPTION
IOTE;									
	AM/FM Cassette	ej							
1									WIRING, Instrument Panel
	4759 953AD	1	Υ						
	5081 013AA	1	C, D						With Police Package
	4608 999AB	1	Υ						With Satellite Radio
	4759 948AF	1	C, D						With Traction Control
	4759 950AF	1	C, D						With Auto Temp
	4759 953AE	1	C, D						With Auto Temp, Analog Clock
		1	Υ						With Auto Temp, Analog Clock
	4759 954AE	1	Υ						Europe
	5087 051AC	1	C, D						With Police Package Canada
	5087 096AA	1	C, D						Base
	5087 097AA	1	C, D						With Key Less Entry

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M | LYI
 D = Dodg

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Body Left
	4759 681AL	1	D						Without ABS
	4759 682AL	1	D						With ABS
	4759 683AN	1	D						Without ABS, with 120 Watt
									Amplifier
	4759 684AN	1	D						With ABS, with 120 Watt Amplifier
	4759 899AL	1	D						With Power Seats, without ABS
	5087 000AB	1	Υ						With 360 Watt Amp, Satellite Radio
	4759 686AN	1	С	H, M					With 4 Speaker System
	4759 687AO	1	С	H, M					With 4 Speaker System, ABS
	4759 688AP	1	С	H, M					With 6 Speaker System
	4759 689AP	1	С	H, M					With ABS, 6 Speaker System
	4759 690AO	1	С	Р					With 240 Watt Amp
	4759 691AO	1	С	M, P					With 360 Watt Amp
	4759 693AN	1	Υ						With 240 Watt Amp
	4759 695AM	1	Υ						With 360 Watt Amp
	4759 798AK	1	Υ						Export
	4759 799AK	1	Υ						Export with Memory
	5087 160AB	1	Υ						With 360 Watt Amplifier, Satellite
									Radio
2	5081 015AE	1	D						WIRING, Body
3									WIRING, License Lamp
	4759 727AA	1	Υ						
	4759 731AA	1	D						
	4759 729AA	2	С						
4									WIRING, Power Seat
	4759 809AA	1							with Memory
	4760 449AC	1							Left
	5087 155AA	1							Right
-5									WIRING, Heated Seat
	4760 769AD-	1							Left
	5087 156AA-	1							Right
6									WIRING, Headliner
	4759 894AF	1	D						Base with Sunroof
		1	С	Н					Base with Sunroof
	4759 897AF	1	D						With Trip Computor. garage door
									opener, sunroof
		1	Υ						With Trip Computor. garage door
									opener, sunroof
		1	С	Н					With Trip Computor. garage door
									opener, sunroof

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 106AH	1	D						Base without Sunroof
		1	С	Н					Base without Sunroof
	4760 108AH	1	D						With Trip Computor. garage door
									opener, without sunroof
		1	Υ						With Trip Computor. garage door
									opener, without sunroof
		1	С	Н					With Trip Computor. garage door
			_						opener, without sunroof
-7									WIRING, Electric Back Light Feed
	5086 492AA-	1	D						, <u> </u>
	4759 138AB-	1	Υ						
		1	С						
-8									WIRING, High Mounted Stop Lamp
	4604 407	1	Υ	S, X					
	4759 748AA-	1	С						
-9									WIRING, Electric Backlight Ground
	5086 493AA-	1	D						
	4759 137AB-	1	Υ						
		1	С						
10									WIRING, Overhead Console
	4760 644	1	D						
		1	Υ						
		1	С	Н					
		1	С	M					
		1	С	P					
11	1750 00745								WIRING, Front Door
	4759 627AE	1							With Infinity
	4759 723AE	1							With 4 Speaker System
	4759 937AF	1							Middle East
	5081 019AB	1							With Central Locking
	4759 631AF	1							With Security
40	4759 633AG	1							With Memory
12	1750 000 A D								WIRING, Front Door
	4759 626AD	1							With 1 Spectras System
	4759 722AD	1							With Speaker System
	4759 730AD	1							With Memory Jun to 11/10/03
	4759 732AE	1							With Memory [up to 11/19/02
	4759 936AF 4759 732AF	1 1							Middle East With Memory [after 11/19/02
10	4108 132AF	ı							
13	4750 644 AC	2							WIRING, Rear Door
	4759 641AC 4759 643AD	2							Infinity
	4109 043AD	2							пшшц

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART	1 '	1			1			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	4759 671AA-	1							CLIP, Wiring, Body
15									WIRING, Deck Lid
	4759 450AF	1	Υ						without Security Alarm
	4759 451AF	1	Υ						with Security Alarm
	4760 131AH	1	D						without Security Alarm
	4760 662AH	1	D						with Security Alarm
	4760 678AF	1	С						without Security Alarm
	4760 679AF	1	С						with Security Alarm
-16	6505 297AA-	1							NUT, Hex Flange, M5-1.6, Deck Lid
									Wiring Attaching
17									WIRING, Taillamp
	4759 940AB	1	Υ	S					.,
	4759 942AC	1	Y	S					Export
18									WIRING, Headlamp To Dash,(See
•									Illus. 1305), (NOT SERVICED) (No
									Serviced)
19									WIRING, Engine, (See Illus. 1205),
									(NOT SERVICED) (Not Serviced)
20									WIRING, Transmission, (See Illus.
20									1205), (NOT SERVICED) (Not
									Serviced)
21									WIRING, Power Distribution Center,
۷.									(See Illus. 1305), (NOT
									SERVICED) (Not Serviced)
22									WIRING, Junction Block & Fuses,
									(See Illus. 1405), (NOT
									SERVICED) (Not Serviced)
23									WIRING, Instrument Panel, (See
23									Illus. 1405), (NOT SERVICED) (N
									Serviced)
24									•
24									WIRING, Battery, (See Illus. 1205),
25	47E0 270 A A	4							(NOT SERVICED) (Not Serviced)
-25	4759 379AA-	1							WIRING, Headlamp
-26	4700 7E7	4							WIRING, A/C and HEATER
	4760 757	1							MARIE ATO
07	4760 451	1							With ATC
-27	4609 121AD-								CORD, Engine Block Heater
-28	4609 122AB-	1							CLIP, Engine Heater Cord, Block
20	1000 00EAD	4							Heater Cord Support
-29	4609 325AB-	1							HEATER, Engine Block
-30									WIRING, Fog Lamp

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



	PART	1				,			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 632	1	С						
	4760 721	1	Υ	S					
-31									WIRING, Fuel Tank Jumper
	4759 769AD-	1							Export
	4759 947AB-	1							US 50 States
-32	4760 731AG-	1							WIRING, Sunroof
-33									GROMMET, Door Wiring, (NOT
									SERVICED) (Not Serviced)
-34	4760 691	1							BRACKET, Power Distribution Center
-35									WIRING, Power Feed
	4759 875AB-	1	С	Р					
		1	Υ	S					
	5081 017AA-	1	D						
-36	4759 945AC-	1							WIRING, Side Air Bag Overlay
-37	5081 018AA-	1							BRACKET, Power Outlet
-38	5073 039AA-	2							STRAP, Tie, Auxilary Power Harness
-39	4759 876BA-	1							WIRING, Radio Adapter, Steering
									Wheel Audio Control
-40	4759 801AC-	2							HARNESS, Jumper, Side Air Bags
-41	4608 998AA-	2							HARNESS, Jumper, Driver Side Air
									Bag

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Wiring Repair Packages Figure 008-1605

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							,			
	1									WIRING PACKAGE, Underhood
										Connector Repair, For Electrical
										Connector Repair Information visit
										the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp
		5013 930AD								
	_	5083 235AA-								Update kit
	-2	6016 236	1							CLIP, Block Heater Cord, Sun Roof Wiring
	-3	4759 469AA-	- 1							CLIP, Stud
	-4									CLIP, Wiring
		4604 459	1				EER	DGX		Transmission Wiring
			1				EGC,	DGX		Transmission Wiring
							EGG,			
							EGJ, EGK			
		4759 437AA-	. 1				LGK			HVAC Wiring
		4759 595AA-		D						Body Wiring
	-5	4759 453AB-								CLIP, Wiring, Headlamp to Dash
Can Clashian Canasahan Danain Information visit										Wiring Bumper Beam
For Electrical Connector Repair Information visit		4760 305	1							CLIP, Wiring, Oxygen Sensor Down
the World Wide Web at										Stream
the world wide web at	-7									COVER, Insulator, Wiring Protection
		4608 779AA-	- 1							Next Generation Module Insulator,
		4608 776AB-	. 1							Left Next Generation Module Insulator
		56045 607A					EG0			Alternator 'B+'
http://dto.vftis.com/mopar/disclaimer.asp	-8	4759 777AB-					200			COVER, Wiring Protector, Next
, , , , , , , , , , , , , , , , , , , ,										Generation Module right angle
	-9	4759 943AA-	- 1							PLUG, Wiring, Next Generation
										Module Cavity Plug
	-10	5601 8581	1							STRAP, Tie, Transmission Harness
	-11	5019 912AA-								TOOL, Crimping
	-12 -13	5014 757AD	- 1							MANUAL, Connector Repair
	-13	5073 029AA-	- 1							WIRING KIT, Electric Repair Splice kit with crimping tool
		5080 522AA-								Splice kit
	-14	6101 802	AR							NUT, Engine Ground Stud
	-15									STRAP, Ground
		4581 286AC	- 1	С	Н		EE0			Exhaust
			1	D	Н		EE0			Exhaust
	CONCORDI	E-INTREPID-300M	(LH) —							
	SERIES P = Limited S = 300M H = SE M = LXI X = 300M §	I/ES H = Intro D = D =	INE - Chrysler - Chrysler - Dodge I - Concord - 300M	ntrepid	BODY 41 = 4 Door	Sedan	EGG = 3.5 EGJ = 3.5 EGK = 3.5	IE = 2.7L V6 D0 5L HO V6 MP L V6 SOHC 2 5L HO V6 MPI AGNUMÖ 3.5	24V 4V 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

X = 300M Special


EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Wiring Repair Packages Figure 008-1605

		1	1		 		1			
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4760 831AC-					EG0			Engine Ground, Left
		4760 832AE-					EER			Engine Ground, Right
		4760 833AC-					EER			Engine Ground, Left
		4581 286AC-	· 1	Υ	S		EER,			Exhaust
							EGG			
	-16	6502 832	1				EG0			SCREW, Hex Flange Head, Grour
	47	0400 00544	4				FFD			Strap attaching at Head
	-17	6102 085AA-	· 1				EER			SCREW AND WASHER, Hex Hea M8x1.25x20, Ground Strap
										Mounting to Head
	-18	J369 3058	2							STRAP, Retaining, Wiring retaining
		5083 221AA-								WIRING KIT, 22 Way, Female, Ra
	15	5005 ZZ 17 V C	'							Repair
	-20									INSULATOR, FEMALE
		4759 556AG-	- AR							PCM [A]
		4759 557AG-								PCM [B]
		4759 558AG-								PCM [C]
		4759 559AG-	- AR							PCM [D]
	-21									WIRING KIT, 2 Way, Female
For Floatrical Compostor Donair Information visit		5102 409AA-	. 1							Headlamp Low Beam
For Electrical Connector Repair Information visit		5102 410AA-	1							Headlamp High Beam
the World Wide Web at										
the World Wide Web at										
	-									
http://dto.vftis.com/mopar/disclaimer.asp										
	·									
	00110000	INITEDEDIS	4.10							
	CONCORDE- SERIES	INTREPID-300M LI	(LH) —— INE		BODY		ENGIN	 E		TRANSMISSION
	P = Limited/E	ES H =	Chrysler		41 = 4 Door \$	Sedan	EER, EE0	= 2.7L V6 D	OHC	DGX = 4 Speed Automatic
	S = 300M	Intre	epid	tronid			EGG = 3.5	IL HO V6 MP L V6 SOHC 2	1 24V אין 24V	DG0 = All Automatic Transm
	H = SF	1)=	Dodde in	urebia			□(1.1 = ·) ·)·	∟ ∨りょういコ・・		
	H = SE M = LXI X = 300M Sp	D =	Dodge In Concorde 300M	е			EGK = 3.5	L HO V6 MP AGNUMÖ 3.5	I 24V	

Air Bag Modules and Sensors Figure 008-1705

ITEM	NUMBER								
	NOWIDEN	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Air Bag Control
4	1602 274AG	2							[CJ1]
4	1602 318AB	2							[CJ1,ABB]
4	1602 406AC	1							[CGW]



 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Air Bags and Clock Springs Figure 008-1710



	PART NUMBER	O.T.V	LINE	050150	DODY	FNOINE	TDANO	TD184	DECORURTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									OL OOKODDING
1	4649 400AA	1							CLOCKSPRING [RDZ]
	4698 304AC	1							[RDZ]
2	4090 304AC	'							AIR BAG, Driver
_	MF50 DX9BC	1	D						[MUF]
	MF50 WL8BC		C, Y						[L2]
	WII 00 WE0D0	1	C, Y						[L5]
	MF50 XDVBC		C, Y						[D2]
	WII OO AB VBO	1	C, Y						[DV]
	MF50 XTMBC		C, Y						[T5]
	MF52 DX9AI	1	D.						[MUD]
3	4649 116AD	1							AIR BAG, Passenger
4		·							AIR BAG, Seat, Serviced in Seat
-									Back assembly, (NOT SERVICED
									(Not Serviced)
									,

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Spark Plugs-Cables-Coil Figure 008-1905



OHC 24 VAL OHC 24 VAL OHC 24 VAI OHC 24 VAI OH OUTPUT V OHA OUTPUT V OHA OHA OHA OHA OHA OHA OHA OHA OHA OHA	VE LVE MPI			EG0 EG0			WIRING, Engine, See Engine Wiring (NOT SERVICED) (Not Serviced) SPARK PLUG
SOHC 24 VAIC H OUTPUT V SLP13G 6 P1AB 6 OPMC5 6	LVE MPI						(NOT SERVICED) (Not Serviced)
CHOUTPUT V SLP13G 6 D1AB 6 OPMC5 6							(NOT SERVICED) (Not Serviced)
ELP13G 6 91AB 6 0PMC5 6	/6 24V MPI						(NOT SERVICED) (Not Serviced)
91AB 6 0PMC5 6 95AI 6							(NOT SERVICED) (Not Serviced)
91AB 6 0PMC5 6 95AI 6							
91AB 6 0PMC5 6 95AI 6							SPARK PLUG
91AB 6 0PMC5 6 95AI 6							
0PMC5 6 95AI 6				EG0			
95AI 6							Platinum Tip
				EER			
							COIL, Ignition
38AF 6				EER			
				EG0			CODEW Partition (NOT
							SCREW, Pan Head, (NOT
							SERVICED) (Not Serviced) BOLT
21AA 12				EG0			Coil mounting
38AA 12				EER			Coil mounting
							BRACKET, Engine Wiring
,,,,,							CAPACITOR, Ignition
33AA- 2				EER			
1				EG0			
04 6				EG0			TUBE, Spark Plug
16AC- 12				EG0			SPACER, Coil Plug
3	7AB- 1 3AA- 2 1 4 6	7AB- 1 EE0 3AA- 2 EER	7AB- 1 EE0 3AA- 2 EER	7AB- 1 EE0 3AA- 2 EER			

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 08A

Instrument Panel and Radios and Consoles







GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Little	Group-Fig. No.
Instrument Panel	
Instrument Panel - Intrepid	Fig. 08A-105
Instrument Panel Concorde (CH)	Fig. 08A-110
Instrument Panel Concorde Limited [CP], [300M]	Fig. 08A-115
Instrument Panel Cluster	
Cluster Instrument Panel	Fig. 08A-205
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Speakers-Amplifiers	Fig. 08A-310
Antenna	Fig. 08A-315
Consoles	
Console-Floor - Intrepid/Concorde Limited [C-P], [300M]	Fig. 08A-405
Console-Floor - Concorde	Fig. 08A-410
Console-Overhead	Fig. 08Δ-415

Instrument Panel - Intrepid Figure 08A-105




Instrument Panel - Intrepid Figure 08A-105




Instrument Panel - Intrepid Figure 08A-105

PART




Instrument Panel Concorde (CH) Figure 08A-110


PART




Instrument Panel Concorde (CH) Figure 08A-110




Instrument Panel Concorde (CH) Figure 08A-110





Instrument Panel Concorde (CH) Figure 08A-110





Instrument Panel Concorde (CH) Figure 08A-110



















Cluster Instrument Panel Figure 08A-205

PART



Cluster Instrument Panel Figure 08A-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4883 142	1	С	H, M					
		1	Y	S					
		1	D						
		1	С	Р					
		1	Υ	Χ					
6									INDICATOR, Gear Selector, (NOT
									SERVICED) (Not Serviced)
-7									BULB, PC74
	L000 PC74	1	D						
		1	С	Р					
		1	Υ	S					
		1	С	H, M					
		2	Υ	Χ					
-8									LAMP, Bulb And Socket
	L00P C194	1	С	Р					
		1	D						
		1	Υ	S					
		1	С	H, M					
		2	Υ	Χ					
-9	6034 319	4							CLIP, .453Wx.528LGx.017THK
-10	4760 397AD-	1							CLOCK

CONCORDE-INTREPID-300M (LH) - SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid D = Dodge Intrepid

D = Concorde


E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

Radios Figure 08A-305



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RAS=RAD	DIO - AM/FM (CASSE	ΓΤΕ						
	DIO - AM/FM (
	DIO AM/FM C								
RBP= RA	DIO AM/FM C	ASSET	TE						
RBK= RA	DIO AM/FM C	D							
RBT= RAI	DIO AM/FM C	ASSET	TE						
RBB= RA	DIO AM/FM C	ASSET	TE W/CD	CONTROL	-				
RAD= RA	DIO AM/FM C	ASSET	TE W/CD						
RBZ= RA	DIO AM/FM								
NOTE: ite	m see Access	ory Boo	ok. Item 11	For repair	rs order on	function 1	1		
1	5064 383AE	1							RADIO, AM/FM/Cassette With CD, [RBY]
2	5064 335AI	1							RADIO, AM/FM/Cassette With CD
	3004 333711	•							Control, [RBB]
3	56038 555AL	1							RADIO, AM/FM with CD and
									Cassette, [RAZ]
4	5064 354AI	1							RADIO, AM/FM with CD and
									Equalizer, [RBK]
5	5064 384AE	1							RADIO, AM/FM/Cassette With CD,
									[RBT]
6	5064 385AE	1							RADIO, AM/FM/Cassette With CD,
									[RAD]
7									CHANGER, CD, SEE NOTE, (NOT
									SERVICED) (Not Serviced)
8									ADAPTOR, CD changer
	4595 829AA	1	D						
	4595 831AA	1	С	Н					
_		1	С	M					
9	4671 841AA	1							WIRING, Compact Disc Changer


CONCORDE-INTREPID-300M (LH) -SERIES LINE

SERIES
P = Limited/ES H = Chrysler S = 300M H = SE

Intrepid
D = Dodge Intrepid M = LXID = Concorde X = 300M Special E = 300M

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V BODY 41 = 4 Door Sedan EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Speakers-Amplifiers Figure 08A-310




ITEM	PART	OTV	LIME	ernice	DODY	ENGINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Cond	corde								
CP=LHS		_				/7.405050			
	the 4 Disc cha	nger R	eplacemen	t order on	function 11	(2485852	2AG)		
	4 Speaker								
	Speaker Infin								
	Speaker Infin	-							
	11 Speaker Infi	-							
	240 Watt Ampli								
	120 Watt Ampl								CODEW Targing Hay Flagge
1	6102 152AA	2							SCREW, Tapping Hex Flange Head,
•	0400 040	4							M6.3x1.81x20.00
2	6100 048	1							NUT, Hex, M6x1.00
3									AMPLIFIER, Radio
	4760 902AD	1	Υ						[RDS]
	4760 293AF	1							[RDH]
	4760 296AD	1							[RDM]
	4760 688AE	11	C, D						[RDS]
4	6101 331	3							BOLT, M6x1.00x20
5	4760 696AB	1							BRACKET, Amplifier
6	4609 133AA	2				EER			CAPACITOR, Ignition
-7	6101 442	3							U-NUT, M6 x 1.00, M6x1.00,
									Amplfier Bracket Attaching
8	4760 371	1							SPEAKER, Instrument Panel, 2 1/2
									Infinity
9									SPEAKER, Front Door
	4760 650AC	1							2 1/2' Flag speaker [RCJ]
	5026 465AA	1							2 1/2' Flag Speaker [RCE, RCP]
	5081 031AA	1	С	Р					[RCQ,RCZ] 2 1/2' Flag Speaker
		1	Υ	S					[RCQ,RCZ] 2 1/2' Flag Speaker
		1	Υ	Х					[RCQ,RCZ] 2 1/2' Flag Speaker
		1	D						[RCQ] 2 1/2' Flag Speaker
		1	С	H, M					[RCQ] 2 1/2' Flag Speaker
10	5059 122AA	1							SPEAKER, Front Door, 6 1/2' [RCJ]
11									SPEAKER, Sub Woofer
	56038 657AA	1							[RCE,RCP]
		1							[RCQ]
		1							[RCQ,RCZ]
12	5081 033AA	1							SPEAKER, 6.5", [RCD], Front Door
13	4760 685AB	1							SPEAKER, Rear Door, [RCP]
14									SPEAKER, Rear, 6x9
	5059 119AC	2							Rear Shelf [RCD]
	5059 120AC	2							Rear Shelf [RCJ]
		-							5 [
ONCORDE	-INTREPID-300M (LH)							
SERIES	LIN	NE		BODY		ENGIN			TRANSMISSION
P = Limited/E		Chrysler		41 = 4 Door	Sedan		= 2.7L V6 D		DGX = 4 Speed Automatic
S = 300M I = SE	Intre _l D = I	pia Dodge Ir	trepid				L HO V6 MF L V6 SOHC :		DG0 = All Automatic Transm
1 = LXI	D = 0	Concord				EGK = 3.5	L HO V6 MF	1 24V	
C = 300M Sp	pecial E = 3	BOOM				EGC = IMA	AGNUMÖ 3.	oL V6	

Speakers-Amplifiers Figure 08A-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5059 121AB 6035 934AA-								Rear Shelf [RCE, RCP]] SCREW, Tapping, Speaker attaching
5 3										
_3										
2										
14										
8										
8 9 9 9										
	CONCORDE-I SERIES P = Limited/E S = 300M H = SE M = LXI X = 300M Spo	Intrep D = 0 D = 0	Chrysler oid Dodge Int Concorde		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0 EGG = 3.5 EGJ = 3.5L EGK = 3.5l EGC = ÎMA	= 2.7L V6 D	PI 24\/	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

Antenna Figure 08A-315

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Conc	orde								
CP=LHS		_				. <i>.</i> _	- .		
	the 4 Disc cha	inger R	eplacemen	t order on	function 11	I (Z485852	(2AG)		
[RCD] = 4	•								
	Speaker Infin								
	Speaker Infin	•							
	1 Speaker Infi	•							
	240 Watt Ampl								
[RDM] =	120 Watt Ampl	lifier							
1	4760 867AB	1							GROMMET, Antenna Mounting,
									Antenna Mounting
2	4760 858AE	1							BODY AND CABLE, Antenna, Rear
									Mount
3	4760 907AB	1							MAST, Antenna, Black
-4	6502 604	1							NUT, U Multi Thread, M6 x 1.00,
									Mast Antenna Mounting
-5	6102 132AA-	1							SCREW, Hex Head, M6x1x20
6	4760 303AD	1							ANTENNA, Antenna/EBL Module
7	4760 868AD	1							CABLE, Antenna, Body
8	5059 084AA	1							CABLE, Backlite Antenna
9	5026 014AA	1							CABLE, Antenna, Instrument Panel
10	5066 205AC	1							ANTENNA, Satellite, [RSB]
11	5064 020AG	1							RECEIVER, Satellite, [RSB]
12	5059 181AA	1							BRACKET, Satellite Receiver, [RSB]
-13	6100 046	3							NUT AND WASHER, Hex, M5x.80,
									[RSB]
14	5066 207AB	1							CABLE, Antenna, Satellite Radio

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

PART





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•					
	YC52 1DVAB	1	D						[DV]
	YC52 1L5AB	1	D						[L5]
	YC52 1T5AB	1	D						[T5]
	YC55 1DVAB	1	C	Р					[DV]
	. 000 . 2 . 7 . 2	1	Y	S					[DV]
		1	Υ	X					[DV]
	YC55 1L2AB	1	С	Р					[L2]
		1	Υ	S					[L2]
		1	Υ	Χ					[D2]
	YC55 1T5AB	1	С	Р					[T5]
		1	Υ	S					[T5]
5									BRACKET, Console
	4698 786AC	1	D						Rear Mount
		1	С	Р					Rear Mount
		1	Υ	S					Rear Mount
		1	Υ	Χ					Rear Mount
6	6501 483	4							NUT, Hex Flange, M8x1.25
7									BRACKET, Console
	4698 766	1	D						Adapter Bracket
	4698 769	1	Υ	S					Adapter Bracket
		1	Υ	Χ					Adapter Bracket
		1	С	Р					Adapter Bracket
8									SCREW, Hex Flange Head Tapping,
									.164-15x.75
	6034 743	5	С	Р					Console attaching
		4	D	_					
		4	Y	S					
		4	Υ	X					
9	DOSO TLOAD								PANEL, Console
	PC50 TL2AD	1	С	P P					[L2], Right
	PC50 XDVAD		С	•					[DV], Right
	PC50 XT5AD	1	С	Р					[T5], Right
-	PC51 TL2AD PC51 XDVAD	1	C	<u>Р</u> Р					[L2], Left
	PC51 XDVAD			P P					[DV], Left
	PC51 X15AD PC52 WL5AB	1 1	C D	٢					[T5], Left [L5], Right
	PC52 WLSAB		D						[LS], Right
	PC52 XT5AB	1	D						[T5], Right
	PC53 WL5AB		D						[L5], Right [L5], Left
	PC53 XDVAB		D						[DV], Left
	PC53 XT5AB	1	D						[T5], Left
		•							r1, —

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PC50 TL2AD	1	Υ	S					[L2], Right
	T C30 TLZAD	'	Y	<u>X</u>					[D2], Right
	PC50 XDVAD	-	Ϋ́	S					[DV], Right
	1 000 XBVNB	1	Ϋ́	X					[DV], Right
	PC50 XT5AD	1	Ϋ́	S					[T5], Right
	PC51 LAZAD	1	Y	X					[AX], Left
	PC51 MF1AD	1	Y	X					[FK], Left
	PC51 RK5AD	1	Y	X					[K9], Left
	PC51 TL2AD	1	Y	S					[L2], Left
		1	Υ	Х					[D2], Left
	PC51 XDVAD	1	Υ	S					[DV], Left
		1	Υ	Χ					[DV], Left
	PC51 XT5AD	1	Υ	S					[T5], Left
-10									SCREW, Tapping
	6101 946	4	D						Side Panel attaching
		6	Υ						Side Panel attaching
		6	С	Р					Side Panel attaching
-11									LATCH, Armrest Lid
	PR29 DX9AB-	· 1	С	Р					
		1	Υ	S					
		1	D						
		1	Υ	Χ					
-12									LINER, Floor Console
	4595 839AA-	1	С	Р					
		1	Υ	S					
		1	D						
		1	Υ	X					
-13			_						CUPHOLDER, Console
	RD49 TL2AC-		С	P					[L2]
	DD 40 1/21/11	1	Y	S					[L2]
	RD49 XDVAC		С	P					[DV]
	DD40 VT54 C	1	Y	X					[DV]
	RD49 XT5AC-		C	P 0					[T5]
	VO25 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1	Y	S					[T5]
	XQ35 WL8AA		D						[L5]
	XQ35 XDVAA		D	~					[DV]
	RD49 TL2AC- XQ35 XTMAA		Y D	Х					[L2] [T5]
14	AQOO ATIVIAA	- 1	U						RECEPTACLE, Ash Receiver
14	4698 793	1	С	Р					NEOLI IAOLE, ASII NECEIVEI
	1 030 /33	1	Y	S					
		ı	1	<u> </u>					

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4698 794	1	D						
	4698 793	1	Υ	Х					
15	5269 360	1	D						HOOD, Ash Receiver Lamp
16									BASE, Cigar Lighter
	4685 590	1	С	Р					
		1	Υ	Х					
		1	D						
		1	Υ	S					
17									CAP, Cigar Lighter
	4760 856AB	1	D						
	4760 969AA	1	С	Р					
		1	Υ	S					
		1	Υ	Χ					
-18									POWER OUTLET
	4793 554AB-	1	Υ	S					
		1	С	Р					
		1	Υ	Х					
-19									RING, Cigar Lighter Mounting
	4793 555	1	С	Р					
		1	Υ	S					
		1	Υ	Х					
		1	D						
-20									WIRING, Power Feed
	4759 875AB-	1	С	Р					
		1	Υ	S					
	5081 017AA-	1	D						
	4759 875AB-	1	Υ	Χ					
-21									BIN, Floor Console
	TJ33 DX9AB-	11	С	P					Front with power outlet
		1	Υ	Х					Front with power outlet
	TJ34 TL2AA-	1	С	Р					[L2]
		1	Υ	S					[L2]
	TJ34 WL5AB-		D						[L5]
	TJ34 XDVAA-		С	Р					[DV]
		1	Υ	X					[DV]
	TJ34 XDVAB-		D						[DV]
	TJ34 XT5AA-	1	С	Р					[T5]
		1	Υ	S					[T5]
	TJ34 XT5AB-	1	D						[T5]
	TJ34 TL2AA-	1	Υ	Χ					[L2]
-22									ASH RECEIVER, Smokers Packag

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QR25 WL5AA	۸- 1	D						[L5]
	QR25 WL8AA	۸- 1	С	Р					[L2]
	QR25 XDVAA	۸- 1	D						[DV]
		1	С	Р					[DV]
	QR25 XT5AA	1	D						[T5]
	QR25 XTMAA	\ - 1	С	Р					[T5]
	QR25 WL8AA	۸- 1	Υ	S					[L2]
	QR25 XDVAA	۸- 1	Υ	Χ					[DV]
	QR25 XTMAA	\- 1	Υ	S					[T5]
-	QR25 XDVAA	۱- 1	Υ	Х					[D2]

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int


M = LXI

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Console-Floor - Concorde Figure 08A-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
H=Con	corde								
CM=Con	corde LXI								
1									CONSOLE, Rear
	YC53 1DVAA	1	С	M					[DV]
		1	С	Н					[DV]
	YC53 1L5AA	1	С	M					[L5]
		1	С	Н					[L5]
	YC53 1T5AA	1	С	M					[T5]
		1	С	Н					[T5]
2	6034 743	5							SCREW, Hex Flange Head Tapping,
									.164-15x.75
3									PANEL, Console
	PC54 WL5	1	С	H, M					[L5], Right
	PC54 XDV	1	С	H, M					[DV], Right
	PC54 XT5	1	С	H, M					[T5], Right
	PC55 WL5	1	С	H, M					[L5], Left
	PC55 XDV	1	С	H, M					[DV], Left
	PC55 XT5	1	С	H, M					[T5], Left
4									BEZEL, Console Shifter
	SG29 1DVAD	1	С	H, M					[DV]
	SG29 1L5AD	1	С	H, M					[L5]
	SG29 1T5AD	1	С	H, M					[T5]
5									ARMREST, Console
	RD56 1DVAC	1	С	Н					[DV]
	RD56 1L5AC	1	С	M					[L5]
	RD56 1T5AC	1	С	М					[T5]
	RD56 1DVAC	1	С	M					[DV]
	RD56 1L5AC	1	С	Н					[L5]
	RD56 1T5AC	1	С	Н					[T5]
-6									LATCH, Armrest Lid
	PR29 DX9AB-	· 1	С	M					
		1	С	Н					
7									CAP, Floor Console End
	RD53 1DVAB	1	С	М					[DV]
	RD53 1L5AB	1	С	M					[L5]
	RD53 1T5AB	1	С	M					[T5]
	RD53 1DVAB	1	С	Н					[DV]
	RD53 1L5AB	1	С	Н					[L5]
	RD53 1T5AB	1	С	Н					[T5]
-8									LINER, Floor Console
	4595 839AA-	1	С	M					

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Console-Floor - Concorde Figure 08A-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	С	Н					
-9									CUPHOLDER, Console
	RD49 WL5AC-	· 1	С	Н					[L5]
	RD49 XDVAC-	· 1	С	M					[DV]
	RD49 XT5AC-	1	С	Н					[T5]
	RD49 WL5AC-	· 1	С	М					[L5]
	RD49 XDVAC-	· 1	С	Н					[DV]
	RD49 XT5AC-	1	С	M					[T5]
10									BRACKET, Console
	4698 768	1	С	М					Adapter Bracket
		1	С	Н					Adapter Bracket
11									BRACKET, Console
	4698 768	1	С	M					Rear Mount
		1	С	Н					Rear Mount
12	6501 483	4							NUT, Hex Flange, M8x1.25, Console
									Mounting
-13									HOOD, Ash Receiver Lamp
	5269 360	1	С	Н					
		1	С	M					
14									ASH RECEIVER
	JU27 WL5	2	С	Н					[L5]
	JU27 XDV	2	С	Н					[DV]
	JU27 XT5	2	С	Н					[T5]
	JU27 WL5	2	С	M					[L5]
	JU27 XDV	2	С	M					[DV]
	JU27 XT5	2	С	М					[T5]
-15									ASH RECEIVER, Smokers Package
	QR25 WL5AA-	· 1	С	Н					[L5]
	QR25 XDVAA-	· 1	С	Н					[DV]
	QR25 XT5AA-	1	С	Н					[T5]
	QR25 WL5AA-	· 1	С	M					[L5]
	QR25 XDVAA-	· 1	С	M					[DV]
	QR25 XT5AA-	1	С	M					[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



ITE	PART	OTY.		055:50	DOD'Y	FNONE	TD 4110		DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
P=LHS									
H=Conc	orde								
CM=Cond									
1									CONSOLE, Overhead Mini, Less Electronics
	5014 271AA	1	D						
		1	Υ						
		1	С	Н					
		1	С	М					
		1	С	Р					
-2									RETAINER, Overhead Console
	4698 973AA-	1	D						
		1	Y						
		1	С	Н					
		1	С	M					
		1	С	Р					
3	4700 44EDE								MODULE, Overhead Console
	4760 145BF	1	D Y						
		1	r C	Н					
		1 1	C	M					
		1	C	P					
4		1	O	'					MODULE, Compass Temperature
	56042 754AF	1	Υ						WODOLL, Compace Temperature
	56042 756AF	1	Ϋ́						With Garage door opener
	56042 749AG	<u>·</u> 1	C	P					That Carago acor opener
5									LAMP, Reading
	PB83 TL2AB	1	D						, 3
		1	С	Н					
	TK50 1L2AA	1	D						With Sunroof
		1	С	Н					With Sunroof
6									WIRING, Overhead Console
	4760 644	1	D						
		1	Υ						
		1	С	Н					
		1	С	M					
		1	С	Р					
7									BULB, 192
	L000 0192	2	D						
		1	Y						
		1	С	H					

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Console-Overhead Figure 08A-415



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	С	М					
		2	С	Р					
-8									SWITCH, Sunroof
	SX16 1L2AA-	1	D						
		1	Υ						
		1	С	Н					
		1	С	M					
		1	С	Р					
-9									LAMP, Message Center
	4437 661	4	С	Р					
		4	Υ						
-10									LENS, Message Center
	5012 882AA-	1	С	М					
		1	Υ						

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No
Engine Mounting	
Mounting, Engine [EER]	Fig. 009-110
Engine Mounts 3.5L Engine [EGC],[EGG],[EGJ]	Fig. 009-120
Cradle To Body Mounting	Fig. 009-130

Mounting, Engine [EER] Figure 009-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[DGX] = -	4 Speed Auton	natic Tra	ansmission						
[EER] = 2	2.7L V6 DOHC	24V M	PI Engine						
1									CUSHION, Engine Support
	4593 184	1				EE0			Right
	4593 285	1				EE0			Left
2									SHIELD, Engine Mount
	4593 286AB	1				EE0			Left
	4593 288AB	1				EE0			Right
3	6101 763	6				EE0			BOLT AND WASHER, Hex Head,
									M10x1.5
4									BRACKET, Engine Mount
	4593 243	1				EE0			Left
	4593 244	1				EE0			Right
5	4725 363AB	1				EER	DGX		BRACKET, Transmission Case
									Mounting
6	6101 448	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
7	4663 970AB	1							SUPPORT, Transmission
8	4663 952	1							COLLAR, Structural, Oil Pan To Transmission
9	6506 019AA	9							BOLT AND WASHER, Hex Head,
									M10x1.5x30
10	6505 559AA	4							SCREW AND WASHER, Hex Head
11	4663 970AB	1							SUPPORT, Transmission

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Engine Mounts 3.5L Engine [EGC],[EGG],[EGJ] Figure 009-120



E = 300M

X = 300M Special

Cradle To Body Mounting Figure 009-130

|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 730AA	2							SCREW, Hex Head
2									ISOLATOR, Cradle
	4782 240AA	2							With [SGD] Sales Code
	4782 242AA	2							With One Of These Sales Codes
									[SDA, SDC,SDD,SDE,SDB]
3									ISOLATOR, Cradle
	4782 131AB	2							With [SDG] Sales Code, Jounce
									Plate Enginer, Front
	4782 133	2							With One Of These Sales Codes
									[SDA, SDC, SDD], Jounce Plate
									Engine, Front
		2							With [SDE] & With One Of These
									Sales Codes [TRD , TR4],
									Jounce Plate Engine, Front
	4782 143	2							Jounce Plate Engine, Rear
	4782 240AA	2							Rebound Plate Engine, Front
	4782 242AA	2							Rebound Plate Engine, Rear
4									CRADLE, front suspension, See
									Group 13 For Part Number, (NO
									SERVICED) (Not Serviced)

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 2.7L

Engine 2.7L Six Cylinder



2.7L-100 Engine Identification	2.7L-200 Cylinder Head	2.7L-300 Cylinder Block	2.7L-400 Crankshaft, Piston and Drive Plate
X Montrocturing Component Montrol (Note Repair Code Code Code Code Code Code Code Code			
2.7L-500 Camshafts & Valves	2.7L-600 Timing Belt and Cover	2.7L-700 Engine Oiling	2.7L-800 Manifolds

Group – 2.7L

Engine 2.7L Six Cylinder


2.7L-900 Crankcase Ventilation		
San		

GROUP 2.7L - Engine 2.7L Six Cylinder


Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 2.7L Engine	Fig. 2.7L-110
Cylinder Head Cylinder Head 2.7L Engine	Fig. 2.7L-210
Cylinder Block Cylinder Block 2.7L Engine	Fig. 2.7L-310
Crankshaft, Piston and Drive Plate Crankshaft, Piston, and Torque Converter 2.7L Engine	Fig. 2.7L-410
Camshafts & Valves Camshaft and Valves 2.7L Engine	Fig. 2.7L-510
Timing Belt and Cover Timing Chain and Cover 2.7L Engine	Fig. 2.7L-610
Engine Oiling 2.7L Engine	Fig. 2.7L-710
Manifolds Manifold, Intake and Exhaust 2.7L Engine	Fig. 2.7L-810
Crankcase Ventilation Crankcase Ventilation 2.7L Engine	Fig. 2.7L-910

I.D. Location 2.7L Engine Figure 2.7L-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
naine I.C). is located or	on the le	ft bank at	the rear of	the block i	iust below t	the head.		
ES=2.7L	Engine w/MT		Tr Delini	110 102	110 2.2.	uot bei	no nez		· · · · · · · · · · · · · · · · · · ·
1									LABEL, Engine Identification, (NO SERVICED) (Not Serviced)
NCORDE-I	NTREPID-300M	л н)							
ERIES = Limited/ES	LII S H =	INE : Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	= 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M = SE	Intre D =	epid : Dodge In	ntrepid			EGG = 3.5 EGJ = 3.5l	5L HO V6 MF 5L V6 SOHC :	PI 24V 24V	DG0 = All Automatic Transm
= LXI	D =	: Concorde : 300M	e			EGK = 3.5	SL HO V6 MF AGNUMÖ 3.	PI 24V	




Cylinder Head 2.7L Engine **Figure 2.7L-210**



Cylinder Head 2.7L Engine Figure 2.7L-210



Cylinder Block 2.7L Engine Figure 2.7L-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
NOTE: S	ales Code								
[EER] = 2	2.7L V6 DOHC	24 Val	ve MPI En	gine					
-1	5066 698AA-	1				EER			GASKET PACKAGE, Engine Lower
2	5018 727AA	1				EER			BLOCK, Short
3	4448 856	4				EER			DOWEL, Block To Cylinder Head
-4	6034 331	1				EER			PLUG, Hex Socket, 3/8-18NPTx.475
5	4663 942	4				EER			PLUG, Core, 1.50 Diameter
-6	6036 189AA-	AR				EER			PLUG, Core
-7	4663 941	2				EER			PLUG, Core, 1.00 Diameter
-8	6036 191AA-	AR				EER			PLUG, Core
-9	4792 132	2				EER			PLUG, Cylinder Block Oil Hole
-10	6036 190AA-	AR				EER			PLUG, Core
-11	4792 132	2				EER			PLUG, Cylinder Block Oil Hole
12	4609 325AB	1							HEATER, Engine Block
13									BOLT, Hex Head, M6x1.00x20.00,
									(NOT SERVICED) (Not Serviced)
-14	6100 902	2				EER			DOWEL, M6x14
-15	6504 631	8				EER			BOLT
-16	6503 948	AR				EER			BOLT, Hex Flange Head
-17									STRAP, Ground
	4760 832AE-	1				EER			Right
	4760 833AC-	1				EER			Left
-18	5240 849	2				EER			DOWEL, Block To Clutch Housing
-19	6035 743	2				EER			PLUG, Timing Probe Hole
-20	6101 670	1				EER			SCREW AND WASHER, Hex Head,
									M10x1.50x35, Timing Belt Cover
-21	6100 986	2				EER			BOLT, Hex Flange Head, M10-1.
									5x90, Timing Belt Cover
-22	6507 424AA-	4							STUD, Double Ended, Block to trans

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Crankshaft, Piston, and Torque Converter 2.7L Engine Figure 2.7L-410



	PART	1			1	1			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
EER] =	2.7L V6 DOHC	, 24 Val	ve MPI Er	ngine					
1	5018 627AB	6				EER			PISTON PIN AND ROD
2	4897 027AA	1				EER			PISTON RING SET, COMPLETE
									ENGINE, STD.
3	4796 546AC	AR				EER		<u> </u>	BEARING PACKAGE, Connecting
									Rod, Standard
-4	4796 547AC-	AR				EER			BEARING PACKAGE, Connecting
									Rod, .025mm Undersize
-5	4796 548AC-	AR				EER			BEARING PACKAGE, Connecting
									Rod, .25mm Undersize
6	4796 543AB	AR				EER			BEARING KIT, Crankshaft, Standar
-7	5010 154AB-	AR				EER			BEARING KIT, Crankshaft, +.006M
-8	5010 155AB-	AR				EER			BEARING KIT, Crankshaft, +.003M
-9	5010 156AB-	AR				EER			BEARING KIT, Crankshaft,003MM
-10	5010 157AB-	AR				EER			BEARING KIT, Crankshaft,006MM
-11	4796 544AB-	AR				EER			BEARING KIT, Crankshaft, .025mm
									Undersize
-12	4796 545AB-	AR				EER			BEARING KIT, Crankshaft, .25 mm
									Undersize
13	4792 020AB	AR				EE0,			BEARING, Crankshaft Thrust
						EG0			
14	4663 638	1				EER			CRANKSHAFT
15	6505 840AA	1				EER			BOLT
16	4792 430AA	1				EER			DAMPER, Crankshaft
17	6504 720	12				EER			BOLT, Connecting Rod
18									BOLT, Bearing Cap
	6504 629	8				EER			Outer
	6504 630	8				EER			Inner
19	5093 944AA	1			-		-		CONVERTER PACKAGE, Torque
-20	5222 629	1							SEAL, Torque Converter Hub
21	4471 933	1				EER			PLATE, Drive Plate Backing
22	6503 465	8				EER			BOLT, Drive Plate and Flywheel
23	4736 832AB	1				EER			PLATE, Torque Converter Drive
24	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.2
									Drive Plate To Torque Converter
25	4663 664	12				EER		_	RING, Piston Pin
-26	4448 557	1				EER			DOWEL, Crankshaft Sprocket
27									CAP, Serviced in Block, (NOT
									SERVICED) (Not Serviced)

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Camshaft and Valves 2.7L Engine Figure 2.7L-510

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EER] = 2	2.7L V6 DOHC	24 Val	ve MPI En	gine					
1	4792 295AB	24				EER			ROCKER ARM, Inlet and Exhaus
									Valve
2	4663 985	24				EER			ADJUSTER, Valve Lash
3									CAMSHAFT, Exhaust
	4792 058	1				EER			Right
	4792 059	1				EER			Left
4									CAMSHAFT, Intake
_	4792 062	1				EER			Right
	4792 063	1				EER			Left
5	6504 177	20				EER			BOLT, Bearing Cap
6									CAP, CAP, Cam Bearing SERVI
									IN HEAD, (NOT SERVICED) (N
									Serviced)
7	4663 722	24				EER			LOCK, Valve Spring Retainer
8	4663 721	12				EER			RETAINER, Valve Spring
9	4663 801	12				EER			SPRING, Valve
10	4663 904	12				EER			SEAL, Valve Guide
11	4663 899	6				EER			VALVE, Intake, Standard
12	4663 902	6				EER			VALVE, Exhaust, Standard
13	4663 674AC	2				EER			CHAIN, Timing
14	4663 676	2				EER			TENSIONER, Chain
15									GUIDE, Intake/Exhaust Valve,
									Standard Size, SERVICED IN
									HEAD, (NOT SERVICED) (Not
									Serviced)
16									SEAT, Intake and Exhaust Valve
									SERVICED IN HEAD ***, (NOT
									SERVICED) (Not Serviced)
17	6506 407AA	6				EER			BOLT

S = 300M H = SE M = LXI

X = 300M Special

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

D = Concorde

E = 300M

Timing Chain and Cover 2.7L Engine Figure 2.7L-610



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
'	-										
NOTE:											
Timing Ch	Timing Chain Tensioner Package Contains: Timing Chain Guides, Timing Chain, Chain Tensioner, Chain Case Gasket.										
Sales Cod	les:										
[FFR] = 2	7L V6 DOHC	24 Val	ve MPI En	aine							

[EER] =	: 2.7L V6 DOHC	24 Valve MPI Engine		
-1	5183 244AA-	1	EER	TENSIONER PACKAGE, Timing
				Chain, See Note
2	4663 636	1	EER	GUIDE, Timing Chain
3	6101 452	2	EER	SCREW AND WASHER, Hex Head,
				M8x1.25x20
4	6100 297	4	EER	BOLT AND CONED WASHER, Hex
				Head, M8x35x17
5				SPROCKET, Intake Camshaft
	4792 305AB	1	EER	Left
	4792 306	1	EER	Right
6	6505 231AA	4	EER	BOLT, Hex Flange Head, M8x20,
				Camshaft Sprocket
7	4792 104	1	EER	GUIDE, Timing Chain
8	4792 586AA	1	EER	CAP, Primary Tensioner
9	4792 480AA	1	EER	SEAL, Primary Tensioner Retainer
				Сар
10	4792 443AB	1	EER	TENSIONER, Chain
11	4663 634AB	1	EER	ARM, Tensioner
12	4792 208	1	EER	BUSHING
13	6101 723	1	EER	SCREW AND WASHER, Hex Head,
				M8x1.25x50
14	4663 635	1	EER	CHAIN, Timing
15	4663 637	1	EER	GUIDE, Timing Chain
16	4663 632	1	EER	SPROCKET, Crankshaft
17	6505 198AA	1	EER	STUD
18	4792 430AA	1	EER	DAMPER, Crankshaft
19	4792 005AB	1	EER	GASKET, Chain Case Cover
20	4663 614AC	1	EER	COVER, Timing Belt
21	6506 407AA	9	EER	BOLT
-22	6101 670	1	EER	SCREW AND WASHER, Hex Head,
				M10x1.50x35, [M10X1.50X35.00]
-23	6100 986	2	EER	BOLT, Hex Flange Head, M10-1.
- <u></u>				5x90, [M10X1.50X90.00]
24	4609 089AG	1	EER	SENSOR, Camshaft
-25	6504 608	7	EER	BOLT, Hex Flange Head, M6x20

CONCORDE-INTE	REPID-300M (LH) -
SERIES	LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Engine Oiling 2.7L Engine Figure 2.7L-710


PART



Engine Oiling 2.7L Engine Figure 2.7L-710



Manifold, Intake and Exhaust 2.7L Engine Figure 2.7L-810



	PART	O-T)/		050150	DODY				25000000000
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
	2.7L V6 DOHC	24 Val	ve MPI En	gine					
1	4663 760	6		J		EER			GASKET, Intake Manifold
2	6507 054AA	8				EER			BOLT, Hex Flange Head
3	4591 273	1				EER			MANIFOLD, Intake
4									BOLT
	6504 604	1				EER			Manifold to block
	6506 976AA	7				EER			Upper intake to lower
5	4792 379AN	1				EER			PLENUM, Intake Manifold
6	4663 992	2				EER			GASKET, Exhaust Manifold
7	4578 014AA	1				EER			CLIP, Throttle Cable
8	4663 759	3				EER			GASKET, Intake Plenum
9									MANIFOLD, Exhaust
	4663 762AC	1				EER			Right
	4663 763	1				EER			Left
10	6505 429AA	13				EER			SCREW, Hex Flange Head, M8x1.
									25x40
11									SHIELD, Exhaust Manifold
	4663 766AB	1				EER			Upper Right
	4663 767	1				EER			Lower Left
	4663 768	1				EER			Lower Right
	4663 993	1				EER			Upper Left
12	6505 846AA	6				EG0			BOLT, Hex Flange Head, Also for
									EER Engine
-13	6504 968AA-	7				EER			NUT, J
14	5019 080AA	1				EGC,			ACTUATOR, Manifold Tuning Valv
						EGG,			
						EGK			
-15									O RING, Manifold Tuning Valve
									Actuator, Serviced with Actuator,
									(NOT SERVICED) (Not Serviced
-16	6101 946	1				EER			SCREW, Tapping
-17	6101 978	1							SCREW AND WASHER, Hex Hea
									M8-1.25x40
-18	4667 431	2				EER			SEAL, EGR Tube

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


Crankcase Ventilation 2.7L Engine Figure 2.7L-910


PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE: Sa	stan Codo								
	[EER] = 2	.7L V6 DOHC		e MPI En	gine					_
		4573 561AB 4663 792AF					EER EER			/ALVE, PCV HOSE, Cylinder Head To Intake
			'							Manifold PCV
		4591 275 4663 712AC	1 1				EER EER			HOSE, Make Up Air NIPPLE, Crankcase Vent
3 4 1										
\sim / / \sim 2										
	CONCORDE-	INTREPID-300M L	(LH) ——							
	P = Limited/E	S H =	Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	= 2.7L V6 D0	OHC	TRANSMISSION DGX = 4 Speed Automatic
	S = 300M H = SE M = LXI	Intre D = D =	epid Dodge Int Concorde	repid			EGJ = 3.5L	L HO V6 MP L V6 SOHC 2 L HO V6 MP	24V	DG0 = All Automatic Transm
	X = 300M Sp	pecial E =	300M				EGC = ÎMA	L HO V6 MPI AGNUMÖ 3.5	L V6	

Group – 3.5L


Engine 3.5L Six Cylinder





Group – 3.5L

Engine 3.5L Six Cylinder




GROUP 3.5L - Engine 3.5L Six Cylinder

Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 3.5L Engine	Fig. 3.5L-110
Cylinder Head Cylinder Head 3.5L Engine	Fig. 3.5L-210
Cylinder Block Cylinder Block 3.5L Engine	Fig. 3.5L-310
Crankshaft, Piston and Driveplate Crankshaft, Piston, and Torque Converter 3.5L Engine	Fig. 3.5L-410
Camshafts & Valves Camshaft and Valves 3.5L Engine	Fig. 3.5L-510
Timing Belt and Cover Timing Belt and Cover 3.5L Engine	Fig. 3.5L-610
Engine Oiling 3.5L Engine	Fig. 3.5L-710
Manifolds Manifold, Intake and Exhaust	Fig. 3.5L-810
Crankcase Ventilation Crankcase Ventilation 3.5L Engine	Fig. 3.5L-910

I.D. Location 3.5L Engine Figure 3.5L-110

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Engine I.D	D. is located o	n the lef	ft bank at t	the rear of	the block j	ust below t	he head.		
	1									LABEL, Engine Identification, (NOT
										SERVICED) (Not Serviced)
W/ /A/6/100 W/G										
(1)										
	CONCORDE-I	INTREPID-300M	(LH) ——							
	SERIES P = Limited/E	INTREPID-300M LI S H =	NE Chrysler		BODY 41 = 4 Door	· Sedan	ENGIN FER FE0	E = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
	S = 300M	Intre	pid		D001	Jouan	EGG = 3.5	L HO V6 MF	PI 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE M = LXI	D = D =	Dodge In Concorde	trepid e			EGJ = 3.5l EGK = 3.5	_ V6 SOHC L HO V6 MF AGNUMÖ 3.	24V PI 24V	
	X = 300M Sp	ecial E =	300M				EGC = ÎM/	AGNUMÖ 3.	.5L V6	



	3.5L Magnum V							
_	= 3.5L High Outp		24V MPI					
-	3.5L V6 SOHC		. 4\	D .				
-1	: 3.5L High Outp	ut V6 2	4V MPI PO	псе Раска	ige			CASKET DACKAGE Engine
-1	5018 635AD-	1				EGJ		GASKET PACKAGE, Engine
	5016 655AD-	1				EGG,		Upper
		'				EGK		
2						LOIN		COVER, Cylinder Head
_	4792 098	1				EG0		Right
	4792 099	1				EG0		Left
3	4792 088AB	1				EG0		GASKET, Cylinder Cover
4	4792 330	8				EG0		ISOLATOR, Cylinder Head Cover Grommet And Bolt
5	4648 831AA	1				EG0		CAP, Oil Filler
6	4663 892	2				EG0		HEAD, Cylinder, Does Not Include
								Spark Plug Tubes
7								GASKET, Cylinder Head
	4792 752AA	1				EG0		Right
	4792 753AA	1				EG0		Left
8	6504 329	16				EG0		BOLT
9	4556 020	4				EG0		PLUG, Core, 1.25 Diameter
10	4648 604	6				EG0		TUBE, Spark Plug
11	6034 826	2				EG0		PLUG, Hex Socket, 3/8-18NPT
-12	4777 042	3				EG0		SEAL, Spark Plug Tube

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

8 6	7)
4	-
	(11)
2 5	(15)
13 16 17	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•					
NOTE: S	Sales Codes								
[DGX] =	4 Speed Autom	natic Tra	ansmissior	1					
[EGC] =	3.5L Magnum \	V6 SOF	IC 24V						
[EGG] =	3.5L High Outp	out V6 2	24V MPI						
	3.5L V6 SOHC								
[NMC] =	Heavy Duty Er	ngine Co	ooling						
[NMS] =	Severe Duty E	ngine C	Cooling						
-1	-		_						GASKET PACKAGE, Engine
	4897 732AA-	1				EGJ			
		1				EGG,			
						EGK			
2									BLOCK, Short
	4897 435AG	1				EGG,			·
						EGK			
		1				EGJ			
	4897 435AF	1				EGC,			[With NMS,NMC]
						EGG			•
3	4448 856	4				EG0			DOWEL, Block To Cylinder Head
4	4663 941	2				EG0			PLUG, Core, 1.00 Diameter
5	4663 942	4				EG0			PLUG, Core, 1.50 Diameter
6	4663 870	1				EG0			RETAINER, Crankshaft Rear Oil
									Seal
7	6504 436	7				EG0			BOLT, Hex Flange Head, M6x20
8	4663 625	1				EG0			SEAL, Rear Main Crankshaft
9	6100 902	1				EG0			DOWEL, M6x14
10	4556 018AB	3				EG0			PLUG, Cylinder Block Oil Hole, [5,
11	6505 643AA	2				EG0			DOWEL, Block To Clutch Housing
12	5073 039AA	1							STRAP, Tie
13	6504 101	8				EG0			BOLT, Hex Flange Head
14	6102 003	2				EG0			BOLT AND CONED WASHER, He
									Head, M6x16x14, Ground Strap
									attaching
15	4760 831AC	1				EG0			STRAP, Ground
16	4609 325AB	1							HEATER, Engine Block
17									BOLT, Hex Head, M6x1.00x25, (N
									SERVICED) (Not Serviced)
-18	6505 357AA-	8				EG0			BOLT, Cross Bolt and Washer
-19	6507 424AA-	4							STUD, Double Ended, Block to Tra

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Crankshaft, Piston, and Torque Converter 3.5L Engine Figure 3.5L-410


PART



Crankshaft, Piston, and Torque Converter 3.5L Engine Figure 3.5L-410



Crankshaft, Piston, and Torque Converter 3.5L Engine Figure 3.5L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4792 177	1				EG0			CRANKSHAFT
18	6101 984	1				EG0			BOLT
19	4663 176	1				EG0			DAMPER, Crankshaft
20	6036 159AA	12				EG0			NUT, Hex, .375-24
21	6504 101	8				EG0			BOLT, Hex Flange Head
22	5093 944AA	1							CONVERTER PACKAGE, Torque
-23	5222 629	1							SEAL, Torque Converter Hub
24	4471 933	1				EG0			PLATE, Drive Plate Backing
25	6503 465	8				EG0			BOLT, Drive Plate and Flywheel
26	4736 832AB	1				EG0			PLATE, Torque Converter Drive
27	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20
28	6505 357AA	8				EG0			BOLT
29									CAP, Serviced in Block, (NOT
									SERVICED) (Not Serviced)

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg


M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Camshaft and Valves 3.5L Engine Figure 3.5L-510

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Va	lve Guides an	nd Valve	Seats are	serviced i	n Cylinder	Head.			
NOTE: Sa	les Codes								
[EGC] = 3	5L Magnum \	√6 SOF	IC 24V						
[EGG] = 3	.5L High Outp	out V6 2	24V MPI						
[EGJ] = 3.	5L V6 SOHC	24V De	e-Tuned						
[EGK] = 3.	5L High Outp	ut V6 2	4V MPI Po	lice Packa	ge				
1	4573 460	6				EG0			ROCKER ARM, Intake
2	4573 459	6				EG0			ROCKER ARM, Intake
3	4315 823	2				EG0			SHAFT, Rocker Arm
4	4663 998	2				EG0			SHAFT, Rocker Arm
5	4663 071	2				EG0			PEDESTAL, Rocker Shaft
6	4663 996	6				EG0			ROCKER ARM, Exhaust
7									CAMSHAFT
•	4663 886	1				EG0			Right
	4663 887	1				EG0			Left
8	4663 072	4				EG0			PEDESTAL, Rocker Shaft
9	6503 279	20				EG0			BOLT, Hex Flange Head, M8x1.
									25x55
10	4663 073	2				EG0			PEDESTAL, Rocker Shaft
-11	4573 379	4				EG0			DOWEL, Rocker
12	4792 318	2				EG0			SEAL, Camshaft
13	4536 513AB	48				EG0			LOCK, Valve Spring Retainer
14	4556 547	24				EG0			RETAINER, Valve Spring
15	4792 215	12				EG0			SPRING, Intake Valve
16	4792 216AB	12				EG0			SPRING, Exhaust Valve
17	4663 002	24				EG0			SEAL, Valve Guide
18	6502 847	6				EG0			SCREW AND WASHER, Hex Head,
									M8x1.25x25
19	4536 492	2				EG0			SEAL, Camshaft Thrust
20	4556 518	2				EG0	_		PLATE, Camshaft Thrust
21	4663 836	12				EG0			VALVE, Intake, Standard
22	4663 347	12				EG0			VALVE, Exhaust, Standard

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Timing Belt and Cover 3.5L Engine Figure 3.5L-610

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes	10.001	10.04)/						
	3.5L Magnum \								
_	: 3.5L High Outp								
	3.5L V6 SOHC			Dl					
	3.5L High Outp		4V MPI PO	псе Раска	ge	F00			COVED Timin a Delt
1	4663 818	1				EG0			COVER, Timing Belt
2	4573 937	1				EG0			SEAL, Timing Belt Cover
3	4573 919	1				EG0			SEAL, Timing Belt Cover
4	4663 817	1				EG0			COVER, Timing Belt
5	4483 443	2				EG0			GASKET, Water Burer
6	4659 430AB	1				EG0			GASKET, Water Pump
7	4556 535	1				EG0			COVER, Timing Belt
8	4792 335AD	1				EG0			COVER, Timing Belt
9	6502 847	3				EG0			SCREW AND WASHER, Hex Head
40	CEOD 04C	4				F.C.0			M8x1.25x25
10	6502 916	1				EG0			SCREW, Hex Head, M12x1.5x215,
44	0500 047					FC0			Right
11	6502 917	1				EG0			SCREW, Hex Head, M12x1.5x258,
10	GE02 42E	2				FC0			Left
12 13	6503 435 4792 025	2				EG0 EG0			WASHER, Plain, M13x31.00x5.71
14	4792 025 4792 580AA	<u>1</u> 1				EG0			GEAR, Camshaft SPROCKET, Camshaft
15	4792 580AA 4556 546AC					EG0			
		1				EG0			COVER, Crankshaft Sprocket
16 17	4573 347AB	1				EG0			TENSIONER, Belt
17	6100 297	2				EGU			BOLT AND CONED WASHER, He. Head, M8x35x17
18	4663 515AC	1				EG0			TENSIONER, Belt
	4792 353					EG0			
19	4792 333 4536 479	1				EG0			BELT, Timing
20 21	4448 557	<u>1</u> 1				EG0			GEAR, Timing Belt DOWEL, Crankshaft Sprocket
22	4792 317	1				EG0			SEAL, Front Main Crankshaft
23	6506 019AA	2				EG0			BOLT AND WASHER, Hex Head,
23	0300 013AA	2				LGU			M10x1.5x30
-24	6100 279	5				EG0			SCREW AND WASHER, Hex Head
2-7	0100 275	J				200			M6x1x35, Timing Belt Cover to
									Block
-25	6101 770	1				EG0			SCREW AND WASHER, Hex Head
20	3101 770	'							.19-16x1.00, Timing Belt Cover to
									Block
									2.00K

CONCORDE-INTREPID-300M (LH) SERIES LINE
P = Limited/ES H = Chrys

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


LINE
H = Chrysler
Intrepid
D = Dodge Intrepid

E = 300M

D = Concorde

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Engine Oiling 3.5L Engine Figure 3.5L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
NOTE: Sa	ales Codes								
	5.5L Magnum \	V6 SOF	IC 24V						
	3.5L High Outp								
	.5L V6 SOHC								
	.5L High Outp			olice Packa	ige				
	5281 090	1				EG0			FILTER, Engine Oil
2	5300 7563	1				EG0			CONNECTOR, Oil Filter
3									COVER, Oil Pump Back, Serviced in
									Assembly, (NOT SERVICED) (Not
									Serviced)
4									ROTOR SET, Oil Pump
	4897 171AA	1				EGJ			•
		1				EGG,			
						EGK			
		1				EGC,			
						EGG			
5	4792 123	1				EG0			GASKET, Oil Pump
6	6505 388AA	8				EER			SCREW, Flange Head, M6x1x18
7	4663 844	1				EG0			PUMP, Engine Oil
8	6503 159	2				EG0			STUD, Double Ended, M6x1.0x38,
									Oil Pump mounting
9	2843 208	1				EER			PLUNGER, Oil Pressure Relief Valve
10	2402 473AB	1				EER			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EG0			CAP, Oil Pressure Relief Valve
12									PIN, Cotter, .09375 x 1.250 Long,
									(NOT SERVICED) (Not Serviced)
	6503 866	1				EG0			STUD, M8x
14	4792 317	1				EG0			SEAL, Front Main Crankshaft
	6032 920	1				EG0			SEAL, Oil Pick Up Tube
16	6500 070	1				EG0			SCREW AND WASHER, Hex Head,
									M8x1.25x25
17	4663 848	1				EG0			TUBE, Oil Pickup
18	4663 840	1				EG0			GASKET, Oil Pan
19									PAN, Oil
	4663 841AD	1				EG0			
	4792 956AA	1				EG0			[NMC,NMS]
	6506 214AA	1				EG0			PLUG, Oil Drain
	6500 274	2							LOCK NUT, M6x1.0x6
22	4663 862AE	1				EG0			INDICATOR, Engine Oil Level
23	4663 863AD	1				EG0			TUBE, Engine Oil Indicator
-24									O RING, Engine Oil Level Tube


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Engine Oiling 3.5L Engine Figure 3.5L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 905AA-	1				EGJ			
		1				EGG,			
						EGK			
		1				EGC,			
						EGG			
25	6503 692	1				EG0			SCREW, M8-1.25
26	4663 938	1				EG0			TRAY, Windage
27	6504 102	8				EG0			BOLT, Hex Flange Head
28	6100 307	3				EG0			BOLT, Hex Head
29	6504 438	12				EG0			BOLT, Hex Flange Head, M8x35
30	6504 327	2				EG0			BOLT
31	5014 313AA	1				EG0			VALVE PACKAGE, Oil Cooler
									Pressure Control, Includes Valve
									and Quick Connect
32									FITTING, Quick Connect, (NOT
									SERVICED) (Not Serviced)
33									VALVE, Oil Cooler Pressure, (NOT
									SERVICED) (Not Serviced)
34	4792 283	1				EG0			FITTING, Oil Cooler Return Line At
									Oil Pan
35	4698 779AC	1				EG0			LINE, Oil Cooler Supply
36	4698 773AC	1				EG0			LINE, Oil Cooler Return
37	4698 775AC	1				EG0			BRACKET, Oil Cooler Tube
38	6504 030	1				EG0			NUT AND WASHER, Hex, M6x1
39	4592 093AB	1							RETAINER, Oil Cooler Line

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid D = Concorde E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Manifold, Intake and Exhaust Figure 3.5L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOMBER	QII	LINE	JERIES	ВОВТ	LINGINE	IKANO	TIXIIWI	DESCRIPTION
NOTE: 9	Sales Codes								
	3.5L Magnum \	/6 SOF	IC 24V						
_	3.5L High Outp								
-	3.5L V6 SOHC								
-	3.5L High Outp			olice Packa	ige				
1	-								DECAL
	4591 342	1				EGC,			
						EGG			
	4591 926AA	1				EGJ			
	4591 931AA	1				EGK			
2									PLENUM, Intake Manifold
	5080 720AB	1				EGC,			Use with Isolator/Seal and Clip
						EGG,			
						EGK			
	5080 818AB	1				EGJ			
-3	4891 312AA-	2				EGC,			ISOLATOR AND SEAL, EGR Blocke
						EGG,			
						EGJ,			
4	4504 O54 AD	0				EGK			CLID Emission
-4	4591 251AB-	2				EGC, EGG,			CLIP, Emission
						EGJ,			
						EGK			
5						LOIX			GASKET, Intake Plenum
· ·	4663 851	1				EGC,			
		· ·				EGG,			
						EGK			
		1				EGJ			
6	6101 953	7				EG0			BOLT
7	6101 745	6				EG0			SCREW AND WASHER, Hex Head, M8x1.25x55
8	5017 188AA	1				EG0			MANIFOLD, Intake
9	4663 852	2				EG0			GASKET, Intake Manifold
-10	6101 746	2				EG0			SCREW AND WASHER, Hex Head,
									M8x1.25x65, Intake Manifold to Head
11									MANIFOLD, Exhaust
	4792 456AC	1				EG0			Left
	4792 457AC	1				EG0			Right
12	4663 958	2				EG0			GASKET, Exhaust Manifold
13	6505 429AA	12				EG0			SCREW, Hex Flange Head, M8x1.

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Manifold, Intake and Exhaust **Figure 3.5L-810**



Crankcase Ventilation 3.5L Engine Figure 3.5L-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
[EGC]=3	3.5L Magnum Er	ngine							
[EGG]=3	3.5L High Outpu	t Engin	е						
1	4792 649AA	1				EGC,			VALVE, PCV
						EGG,			
						EGK			
2									COVER, Cylinder Head
	4792 098	1				EG0			Right
	4792 099	1				EG0			Left
3	4792 256	1				EG0			HOSE, Make Up Air
4	4663 792AF	1				EER			HOSE, Cylinder Head To Intake Manifold PCV
-5	4792 645AC-	1				EG0			HOSE, PCV Heated

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 011 Exhaust





Illustration Title Group-Fig. No. **Exhaust System**


Exhaust System [EER],[EGC],[EGG],[EGJ]



011–100 Exhaust System		
Z Z		
W. S.		

Fig. 011-110


Exhaust System [EER],[EGC],[EGG],[EGJ] Figure 011-110



	PART							
ITEM	NUMBER	QTY	LINE	SERIES	BODY ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes	4: - Tu						
_	4 Speed Auton			n				
_	2.7L V6 DOHC							
_	3.5L Magnum \ 3.5L High Outp							
	3.5L V6 SOHC							
-	3.5L V6 SOHC			olico Dockog				
_	3.5L nigh Outp All 2.7L V-6 Ga			Olice Fackage	7			
_	All 3.5L 6 Cylin	_						
1	4581 014AB	2	girie					CLAMP, Exhaust Manifold
-	4301 U14AD	2						
2	4504 704AD	4			F00			CONVERTER, Catalytic
	4581 734AB	1			EG0			Right
	4581 735AB	1			EG0			Left
	4581 736AB	1			EE0			Right
•	4581 737AB	1			EE0			Left
3	4581 010AB	1						BRACKET, Exhaust Pipe
4	6101 503	2						SCREW AND WASHER, Hex Hea
_								M10x1.5x25
5								MUFFLER AND RESONATOR,
								Exhaust
	4581 371AJ	1	C, D	Н	EE0			
	4581 377AC	1		_	EGK			
	4581 375AK	1	Υ	S	EE0			
		1			EGG			
		1			EGC,			
					EGJ			
6								CLAMP, Exhaust
	4695 220AB	2	C, D	Н	EE0			57.2mm
		2			EGK			57.2mm
		2	Υ	S	EE0			57.2mm
		2			EGG			57.2mm
		2			EGC,			57.2mm
					EGJ			
	4848 935AA	1			EGK			63.5mm
		1	С	H, M	EGJ			63.5mm
		1	С	Р	EGG			63.5mm
		1			EGC			63.5mm
		1	D	Р	EGG			63.5mm
		1	D		EGJ			63.5mm
		1	Υ	S	EER,			63.5mm
					EGG			
7								PIPE AND RESONATOR, Exhaus
NCOPDE	-INTREDID 200M	/I H/\ -						
SERIES		(LH) —— NE		BODY	ENG			TRANSMISSION
= Limited/ = 300M		Chrysler		41 = 4 Door S		0 = 2.7L V6 D		DGX = 4 Speed Automatic
= JUUIVI	Intre	pia Dodge Ir	tranid			3.5L HO V6 MI .5L V6 SOHC		DG0 = All Automatic Transm
= SE	D = 1	Dodde II	iticpiu					

AR = Use as required -= Non illustrated part # = New this model year

Exhaust System [EER],[EGC],[EGG],[EGJ] Figure 011-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4581 361AF	1	D	Х		EGG			
	4581 362AE	1	Y	S		EER,			
						EGG			
	4581 364AO	1	D	Н		EE0			
	4581 447AB	1	D	Р		EGG			
	4581 458AB	1				EGC			
		1	D			EGJ			
	4581 378AB	1				EGK			Right
	4581 379AC	1				EGK			Left
	4581 442AC	1	С	Н		EE0			
	4581 443AC	1	C	H, M		EGJ			
	4581 448AB	1	C	P		EGG			
8									SCREW, Tapping, M8x20
	6102 153AA	2	C, D						, , , , , , , , , , , , , , , , , , , ,
		2	Ý	S					
9									STRAP, Ground
	4581 286AC	1	С	Н		EE0			,
		1	D	Н		EE0			
		1	D			EGJ			
		1	С	H, M		EGJ			
		1	C	P		EGG			
		1				EGC			
		1				EGK			
		1	D	Р		EGG			
		1	Υ	S		EER,			
						EGG			
10									ISOLATOR, Exhaust Support
	4581 004	1							
	4581 006AB	1				EGK			Tail Pipe Rear Support
		1	С	Н		EE0			Tail Pipe Rear Support
		1	D	Н		EE0			Tail Pipe Rear Support
		1	С	H, M		EGJ			Tail Pipe Rear Support
		1	С	Р		EGG			Tail Pipe Rear Support
		1				EGC			Tail Pipe Rear Support
		1	D	Р		EGG			Tail Pipe Rear Support
		1	D			EGJ			Tail Pipe Rear Support
		1	Υ	S		EER,			Tail Pipe Rear Support
						EGG			
11									BRACKET, Exhaust
	4581 005AC	1	C, D						
		1	Υ	S					

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year

Exhaust System [EER],[EGC],[EGG],[EGJ] Figure 011-110



Group – 013 Frames and Bumpers






GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No
Frames	
Frame, Front	Fig. 013-115
Frame, Rear	Fig. 013-120
Front Bumper and Fascia	
Fascia, Front	Fig. 013-210
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-310

Frame, Front Figure 013-115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
For addit	tional compone	nts refe	r to Sheet	Metal Illust	tration 210				
1	4580 349AH	1							BRACE, Front Strut Tower to Towe
2									REINFORCEMENT, Front Side Rai
	4580 752AD	1							Right
	4580 311AE	1							Left
3	6506 710AA	4							SCREW AND WASHER, Hex Head
									M8-1.25x22.00
4	4580 698AS	1							RAIL, Front Right
5	4580 699AS	1							RAIL, Front Left
6									CROSSMEMBER PACKAGE, Uppe
									Radiator Mounting
	5003 854AH	1	C, Y						
	5003 851AH	1	D						
7									PANEL PACKAGE, Headlamp
									Mounting
	5003 852AD	1							Right
	5003 853AD	1							Left
-8									SUPPORT, Headlamp Panel
	4580 546	1							Right
	4580 547	1							Left
-9	6504 463	8							SCREW AND WASHER
10	4580 064AC	1							CROSSMEMBER, Steering Gear
11	5012 966AE	1							CROSSMEMBER, Front Suspension
12									ISOLATOR, Cradle, Front, Upper
	4782 131AB	2							Jounce Plt., C-P Models, Front
	4782 133	2							Jounce Plt., C-H,D,Y Models, Fro
13									ISOLATOR, Cradle, Front, Lower
	4782 240AA	2							Rebound Plt., C-P Models, Front
	4782 242AA	2							Rebound Plt., C-H,D,Y Models,
									Front
14	4782 239AA	2							ISOLATOR, Cradle, Rear, Upper
15									ISOLATOR, Cradle, Rear, Lower
	4782 143	2							Engine Cradle, Rear
	4782 237AA	2							Rebound Engine Cradle
16	6505 731AA	2							SCREW, Front
17	6505 730AA	2							SCREW, Hex Head

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Frame, Rear Figure 013-120

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	For additional co			o Sheet Me	tal Illustrat	ion 210			
_	SUSPENSION			`F					
	SUSPENSION								
_	= SUSPENSION	- 4-vvг	IL INDEF.	TOUKING					CAR El la Bar Ball
1	1500 000AR								CAP, Floor Pan Rail
	4580 090AB	1							Right Left
2	4580 091AB	1							Left RRACKET Tonsion Strut
2	1500 000AD	4							BRACKET, Tension Strut
	4580 028AB	1							Right
2	4580 029AB	1							Left
3									CAP, Side Rail
	4580 042AC	1							Right
	4580 043AC	1							Left
4		_							REINFORCEMENT, Floor Pan
	4580 336AB	1							Right
	4580 337AD	1							Left
5									RAIL, Rear
	4580 302	1	D, Y						Right
	4580 303	1	D, Y						Left
	4580 436	1	С						Right
	4580 437	1	С						Left
6									RAIL, Frame Side
	4580 298AG	1	D, Y						Short, Right
	4580 299AF	1	D, Y						Short, Left
	4580 434AG	1	C						Long, Right
	4580 435AF	1	С						Long, Left
7	4580 062AC	2							EXTENSION, Rail Flange
8									EXTENSION, Body Side Sill, Inner
	4580 446AG	1							Right
	4580 447AG	1							Left
9									CROSSMEMBER, Rear Suspension
*	4581 208	1							[SDG]
	4581 227	1							[SDA,SDB.SDC,SDD]
-10	4780 739AA-		Y						CROSSMEMBER, Rear Frame, Re
	7700 700,		•						Cargo Area, Tubular, EUROPE,
									Rear Cargo Area, Tubular
									EUROPE
									EUNOIL

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Fascia, Front Figure 013-210

PART


	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS TRI	M DESCRIPTION
(40)		ales Codes:		: > = : 10 = 1	-· ·				
		BRACKET - FF				_			
$ \overbrace{(16)} $	[MDE] = 1	BRACKET - FF		VIDE LICE	ENSE PLATE	E			DD/FT DD Francisco (D Lala)
(38)	1	6504 700	6						RIVET, Blind Expansion (R-Lok)
	2	4000 000 A A	4						SHIELD, Radiator
		4806 028AA	1	D					Red, Right
		4806 029AA	1	D	ш				Red, Left
		4805 212AB 4805 213AB	1	D D	H H				White, Right White, Left
(25)		4805 204AB	1	D	Fi				Yellow, Right
		4805 204AB 4805 205AB	1	D					Yellow, Right Yellow, Left
		4805 205AB 4805 244AC	1	С					Blue, Right
(4)		4805 245AC	1	C					Blue, Left
		4805 246AC	1	Y	S, X				Green, Right
		4805 240AC 4805 247AC	1	Ϋ́	S, X S, X				Green, Left
	-3	6505 145AA-	4	•	0, 1				SCREW AND WASHER, Hex Head,
	J	0000 170/0.	7						M8 x 1.25 x 23.00
	4	4574 812AC	1						REINFORCEMENT, Front Bumper
	5	6504 521	4						PIN, Push
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6		•						FASCIA, Front, Primed
$\begin{array}{c c} & & & & & & & & & & & & & & & & & & &$	-	4574 843AB	1	D	Н				1,1000, , 1,1011, 1,11112
		4574 834AB	1	D					Fog Lamps
		4806 014AA	1	D					Fog Lamps, Brakes, anti-lock 4
									Wheel Disk
		4574 828	1	С					
		4805 403AC	1	Υ	S				
(12)		4574 820AB	1	Υ	S				Headlamp Washer
		5083 698AA	1	Υ	Χ				
6	7								PLUG, Front Fascia, Without Fog
						<u> </u>			Lamps
		4806 126AA	1	С	Н				Right
(5)		4806 127AA		С	Н				Left
(40) (39)	-8	4860 379AA-	2	Y	S, X				PIN, Push In, M8 X 1.25 X 20,
23									Fascia Attaching, Fascia attaching
	-9	4780 663AA-	2	Y	S, X				BUMPER, Hood
	-10			_					ABSORBER, Front Energy
		4574 842	1	D	Н				
		4574 833AB-	1	D					Fog Lamps
		4574 829	1	С	V				
		4574 819	1	Y	X				
5)			1	Y	S				
27) 36) (24)									
/ - (00) ~ / (=-)	CONCORDE	-INTREPID-300M ((LH) ——		DODY		FNOINE		TRANSMICCION
7 20	SERIES P = Limited/	/ES H = (Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0 =	2.7L V6 DOHC	TRANSMISSION DGX = 4 Speed Automatic
	S = 300M H = SE	Intre	pid [*] Dodge In				EGG = 3.5L	. HO V6 MPI 24\ V6 SOHC 24V	V DG0 = All Automatic Transm
	M = LXI	D = 0	Concorde	inepia e			EGK = 3.5L	HO V6 MPI 24\	V
	X = 300M S	Special E = 3	300M				EGC = ÎMAC	GNUMÖ 3.5L V	6
	AR = Use	as required -=	Non illı	istrated na	rt #= New t	this model ve	ear		September 19, 2005


Fascia, Front Figure 013-210



Fascia, Front Figure 013-210

PART





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
IOTE:S	ales Codes:								
	BRACKET - FF	RONT L	ICENSE F	PLATE					
MDE] =	BRACKET - FF	RONT V	VIDE LICE	NSE PLAT	Έ				
1									FASCIA, Rear, Primed
	4574 903AC	1	D						
	4574 896	1	С						
	4805 153	1	Υ						
	4574 893	1	Υ						with Rear License Lamp
	5083 699AA	1	Υ	Χ					Special
-2									ABSORBER, Rear Energy
	4574 902	1	D						
	4574 895	1	С						
	4574 894	1	Υ						
	4805 154	1	Υ						with Rear License Lamp
	4805 788AA-	1	Υ	Χ					Special
-3	4805 400AA-	2	С						SEAL, Fascia, Rear
-4	4805 336AA-	2	С	H, M					GROMMET, Fascia
-5									CLIP, Fascia
	4805 333AA-	4	С						
		2	Υ	S					
		2	Υ	Χ					
-6	6505 520AA-	2							SCREW, Hex Head, M4.2 x 1.7
									33.50
-7	6505 161AA-	2							NUT, Plastic Snap In, For M6.3
									Screw
8	6504 700	6							RIVET, Blind Expansion (R-Lok)
									Fascia to Splash Shield
9	6504 521	9							PIN, Push
10	4805 405AB	2							FASTENER, Fascia
11									BRACE, Bumper Fascia
	4805 222AA	1	Y						Right
	4805 223AA	1	Υ						Left
12									BRACKET, Fascia
	4805 094AB	1	D						Right
	4805 095AB	1	D	_					Left
	4805 198AA	1	Y	S					
		1	Y	X					
13									RIVET, Bracket to Quarter Pane
									(.187X.670), (NOT SERVICED
									(Not Serviced)
14									REINFORCEMENT, Fascia

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Fascia, Rear Figure 013-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11_	Nomber	α	LINE	OLIVIEO	5051	LIVOINE	TRAITO	1111111	
	4805 066AC	1	D						
	4805 077AC	1	С						
15									REINFORCEMENT, Rear Bumper
	4805 109AC	1	Υ	S					
		1	Υ	Χ					
16									BOLT, M8
	6506 110AA	4	C, D						
		2	Υ	S, X					
17	6102 167AA	6							NUT AND WASHER
-18									KIT, License Plate, Fastener
	4574 930AB-	1	D	Н					
	4574 925AB-	1	D						Fog Lamps
	4574 931AB-	1	С	H, M, P					
	4574 923AB-	1	Υ	S					
-19									SCREW, Hex Flange Head Tapping
									M6.3 x 1.81 x 20.00
	6504 975AA-	7	D						
		6	С	H, M, P					

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


Group – 014
Fuel





Group – 014


Fuel



GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube Fuel Tank Filler Tube	Fig. 014-210
Fuel Lines Fuel Lines and Fuel Filter	Fig. 014-310
Fuel Rail Fuel Rail	Fig. 014-410
Fuel Pump and Sending Unit Fuel Pump and Level Unit	Fig. 014-510
Throttle Body Throttle Body 3.5L Engine [EGC],[EGG],[EGJ]	Fig. 014-610 Fig. 014-630
Throttle Controls Throttle Controls and Pedal	Fig. 014-710
Air Cleaner Air Cleaner and Intake System	Fig. 014-810
Speed Control Speed Control	Fig. 014-1010

Fuel Tank Figure 014-110



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										_
	1	5080 752AA	1							TANK, Fuel
_	2	5080 751AA	1							VALVE KIT, Fuel Control
	3									WIRING, Fuel Tank Jumper
		4759 769AD	1							[NA3,NA1,NAM] Export
		4759 947AB	1							[NAS] U.S. 50 States
_	4	4581 037AC	1							SHIELD, Heat, Side
	5	4581 231	1							SHIELD, Heat, Rear
	6									SCREW, Hex Flange Head, M8-1.
										25x45, (NOT SERVICED) (Not
_										Serviced)
	7	4581 035	1							STRAP, Fuel Tank, Left
	8	4581 036	1							STRAP, Fuel Tank, Right
	9	5019 003AB	1							MODULE KIT, Fuel Pump/Level Unit
_										
					<u> </u>		<u> </u>	<u> </u>		·

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Fuel Tank Filler Tube Figure 014-210

	talled. Dealer Re				 		Ji itali ili	g Gas Cap and Lock Cylinder
	Locking Gas Ca	-		9	 	•		
1	4581 390AA	1						TUBE, Fuel Filler
2	6502 450	1						CLAMP, HOSE CLAMP
3	5278 632AF	1						CAP, Fuel Filler
4								TETHER, Fuel Filler Cap
	4682 676	1						
	5278 461AA	1						[XJH]
5	5015 636AB	1						CAP KIT, Fuel Tank Locking
-6	5257 132	1	С					TUMBLER, Ignition Number 1
-7	5257 133	1	С					TUMBLER, Ignition Number 2
-8	5257 134	1	С					TUMBLER, Ignition Number 3
-9	5257 135	1	С					TUMBLER, Ignition Number 4
10	6033 718	3						SCREW, Tapping, .19-16x.625
11								SCREW, .19-16x1.00, (NOT
								SERVICED) (Not Serviced)



 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Fuel Lines and Fuel Filter Figure 014-310



ТЕМ	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									TUBE, Fuel Supply
	4581 134AC	1							[NAS] U.S.50 State
		1							
2	4581 384AA	1							TUBE, Fuel Vapor
-3	5010 229AA-	1							CLIP, Fuel Line
4	5010 230AA	1							CLIP, Fuel Line
5	5010 231AB	1							CLIP, Fuel Line
6	5083 036AA	1							TUBE, Fuel Supply, Steel Tube
7	5083 037AA	1							TUBE, Fuel Vapor, Steel Tube
-8	5011 478AB-	1							CLIP, Fuel Line
-9	5012 488AA-	1							CLIP, Fuel Line
·10	5010 228AA-	1							CLIP, Fuel Line

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Fuel Rail Figure 014-410



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE: Sa	ales Codes								
•	[EER] = 2	.7L V6 DOHC	24 Val	ve MPI						
	[EE0] = A	II 2.7L V-6 Ga	s Engin	es						
	[EG0] = A	ll 3.5L 6 Cylin	der Eng	gines						
	1									RAIL, Fuel
_		4591 991AA	1				EE0			
		4591 759AB	1				EG0			
	2									INJECTOR, Fuel
		4591 658AA	6				EG0			
		4591 756AC	6				EER			
	3									O RING KIT, Fuel Injector
		4897 125AA	6				EG0			
			6				EER			
	4									CLIP, Fuel Injector
		4418 257AB	6				EG0			
		4591 629AB	6				EE0			
	5									SCREW, Hex Flange Head, M4.8x1.
										59x15.74, (NOT SERVICED) (Not
										Serviced)

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Fuel Pump and Level Unit Figure 014-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sale	es Codes								
[ABD] = N	liddle East Eq	uipmen	t						
1									INSULATOR, (NOT SERVICED) (Not
									Serviced)
2									MODULE KIT, Fuel Pump/Level Unit
	5019 003AB	1							
	5134 210AA	1							[ABD], Export
3	5003 959AC	1							LEVEL UNIT KIT, Fuel, Also
									Serviced With Fuel Module
4	5003 960AA	1							FILTER KIT, Fuel
5	4695 226	1							NUT, Fuel Pump Level Unit
6									O RING, Fuel Pump and Level Unit
	4581 239	1							[NAS] U.S.50 State
		1							_

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Throttle Body 3.5L Engine [EGC],[EGG],[EGJ] Figure 014-610

1	2	4
	6	
6		

	Sales Codes						
_	3.5L Magnum \						
	3.5L High Outp						
	3.5L V6 SOHC	24V De	-Tuned				
1							THROTTLE BODY
	5102 020AA	1			EGJ		
		1			EGC,		
					EGG,		
					EGK		CENCOD Through Design
2	4606 083	4			EGJ		SENSOR, Throttle Position
	4000 003	1 1			EGC,		
		1			EGC, EGG,		
					EGK		
3					LOK		SCREW, Throttle Position Senso
· ·	4778 462	2			EGJ		CONEW, Thromas I comon Conec
		2			EGC,		
					EGG,		
					EGK		
4							GASKET, Throttle Body
	4792 265	1			EGC,		·
					EGG,		
					EGK		
		1			EGJ		
5							SOLENOID, Linear IACV
	4861 325AC	1			EGJ		
		1			EGC,		
					EGG,		
					EGK		
6	5000 0 40 t t	_					SCREW, Linear IACV Solenoid
	5083 049AA	2			EGJ		
		2			EGC,		
					EGG, EGK		

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Throttle Body 2.7L Engine [EER] Figure 014-630

	PARI								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE: S	ales Codes								
[EER] = 2	2.7L V-6 DOHC	24 Va	Ive MPI						
1	4591 596AC	1				EER			THROTTLE BODY
2	4897 247AA	1				EER			SENSOR KIT, Throttle Position
3	4591 081	1				EER			GASKET, Throttle Body
4	6507 115AA	3				EER			BOLT, Hex Head, Throttle Body
									mounting
5	4861 325AC	1				EER			SOLENOID, Linear IACV



M = LXIX = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Throttle Controls and Pedal Figure 014-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes								
	Speed Autom			1					
	2.7L V6 DOHC								
	3.5L Magnum \								
	3.5L High Outp								
	3.5L V6 SOAC			olico Backa	.00				
[EGK] = \ 1	5.5L riigir Outp	ut vo z	4 V IVIFI FU	JIICE FACKA	.ge				CABLE, Throttle Control
'	4591 233AB	1				EGC,			CABLE, Throttle Control
	1001 200/12	•				EGG,			
						EGJ,			
						EGK			
	4591 244	1				EER			
2		•							BRACKET, Throttle Control Cable
	4591 171	1				EER			,
	4591 647AB	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
3									SCREW AND WASHER, Hex Head M6x1x16
	6501 755	2				EGC,			
						EGG,			
						EGJ,			
						EGK			
		1				EER			
4									NUT, M6x1, (NOT SERVICED) (No Serviced)
5	4591 687AA	1							CLIP, Cable
6									BRACKET, Throttle Body Support
	4591 314	1				EER			
	4591 751AA	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
7	6505 311AA	1							SCREW, Hex Head, M8x1.25x20
8	6101 445	1							NUT AND WASHER, Hex Nut-Con
9	4591 740AA	1							Washer, M8 x 1.25 BRACKET, Accelerator Shaft and
									Pedal
10	6502 843	2							NUT AND WASHER, Hex Nut-Con
									Washer, M6 x 1.00
ONCORDE SERIES) INTREPID-300M. ۱۱۱			BODY		ENGIN	 E		TRANSMISSION
= Limited/I	ES H = 0	Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D		DGX = 4 Speed Automatic
= 300M = SE = LXI		pid Dodge In Concorde 300M				EGJ = 3.5I EGK = 3.5	SL HO V6 MF L V6 SOHC : L HO V6 MF AGNUMÖ 3.9	24V PI 24V	DG0 = All Automatic Transm

Throttle Controls and Pedal Figure 014-710



Air Cleaner and Intake System Figure 014-810

58
10—000

	PART	1 '		'	1	'			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: S	Sales Codes								
EER] = '	2.7L V6 DOHC	, 24V M	/PI						
	3.5L Magnum \								
_	3.5L High Outp	-							
	3.5L V6 SOHC								
EGK] =	3.5L High Outpo	ut V6 <i>2</i>	24V MPI Pr	olice Packa	age				
1	4591 099AB	1							AIR CLEANER
-2	4591 100AC-	- 1							ELEMENT, Air Cleaner
-3	4897 633AA-	· 1							GASKET, Air Inlet
-4	4268 295	1							GROMMET, Air Cleaner Bracket
5	4897 630AA	2							GROMMET, Air Cleaner Bracket
6	4591 128	1							RESONATOR, Air Cleaner
7									RESONATOR, Throttle Body
	4591 109AE	1				EER			
	4591 129AE	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
8									SENSOR, Charge Air Temp
	4606 487AB	1				EER			
		1				EGC,			
						EGG,			
						EGJ,			
						EGK			
9	4591 105AB	1				EER			BRACKET, Resonator
10									SCREW, Hex Flanged Head, M8x
									25, (NOT SERVICED) (Not
									Serviced)
11	4759 333AB	1							BRACKET, Battery Wiring, With A
				 _					Cleaner mounting
12	6102 160AA	2							SCREW, Hex Flange Head
-13	6505 788AA-					EE0			STUD, Heater Tube Bracket
-14	6500 136	2				EG0			SCREW AND WASHER, Hex Hea
							 _		M6x1x14, Heater Tube Attaching
-15	6504 809	2							NUT/RIVET, M8X1.25X21.60,
									Attaching, Air Duct

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-									
	NOTE: Sa	loo Codoo								
		Speed Auton	natic Tra	nemiceior	2					
		7L V6 DOHC			1					
		.5L Magnum								
		.5L Magnum .5L High Outp								
		5L V6 SOHC								
		.5L High Outp			olica Packa	ano.				
	1	.or riigir Outp	out vo 2-	T V IVII I I V	once i acke	ige				CABLE, Speed Control
		4591 138AC	1				EER			CABLE, Opeed Control
		4591 148AC	1				EGC,			
		4001 140/10	'				EGG,			
							EGJ,			
							EGK			
	-2									NUT, Hex Flange Serration, M6x1
		6502 493	2				EER			Cable to Servo
(13)			2				EGC,			Cable to Servo
							EGG,			
							EGJ,			
$ // \square $							EGK			
	3									SERVO, Speed Control
		4669 977	1				EER			·
			1				EGC,			
							EGG,			
							EGJ,			
8——())							EGK			
	4									HARNESS, Speed Control Vacuum
		4578 040AA	1				EER			
(12) - (12)	•	4578 041AA	1				EGC,			
							EGG,			
							EGJ,			
	_						EGK			
3-1	5	4550 04045								BRACKET, Speed Control Servo
		4578 018AB	1				EER			
			1				EGC,			
10							EGG,			
							EGJ, EGK			
	6						EGN			NUT, Hex Flange Serration, M6x1
		6502 493	2				EER			NOT, Flex Flange Seriation, Mox1
	,	0002 400	_				LLIX			
9	CONCORDE-I SERIES	NTREPID-300M LI	(LH) —— NF		BODY		ENGIN	 IF		TRANSMISSION
	P = Limited/E	S H=	Chrysler epid		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D0	OHC	DGX = 4 Speed Automatic
	S = 300M H = SE	Intre	epid Dodae Int	trepid			EGG = 3.5 EGJ = 3.5	SL HO V6 MP L V6 SOHC 2	ı 24V 4V	DG0 = All Automatic Transm
	M = LXI	D =	Dodge Int Concorde				EGK = 3.5	L HO V6 MPI	24V	
	X = 300M Specific	ecial E =	300M				EGC = IM	AGNUMÖ 3.5	L V6	

Speed Control Figure 014-1010



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				EGC,			
						EGG,			
						EGJ,			
						EGK			
7	4591 687AA	1							CLIP, Cable
8	5073 039AA	1							STRAP, Tie
9	4591 160	1							RESERVOIR, Speed Control
									Vacuum
10	4591 161	1							HARNESS, Vacuum Speed Control
11									NUT AND WASHER, M6x1, (NOT
									SERVICED) (Not Serviced)
12									SCREW AND WASHER, Hex Head
									M6x1x14, (NOT SERVICED) (Not
									Serviced)
13									HARNESS, Speed Control Vacuum
	4578 040AA	1				EER			
	4578 041AA	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
-14									BUMPER, Speed Control
	4592 025	1				EER			
		1				EGC,			
						EGG,			
						EGJ,			
						EGK			
-15	4663 031	1							CAP, Vacuum, Vacuum line withou
									Speed Control

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


Group – 017 Rear Suspension




Illustration Title Group-Fig. No.


Rear Suspension

Suspension, Rear Fig. 017-110







NOTE: Sales Cobes SORD-SUSPENSION - HEAVY DUTY		ITEM	NUMBER	QTY	LINE	SERIES E	BODY ENGIN	E TRANS TI	RIM DESCRIPTION
SINH-GISPH-RISON. H-PAVY DUTY									
SECOLTTOLINES SECOLTTOLINES SECOLTTOLINES SECOLUTION SECOLUT		NOTE: Sa	ales Codes						
SOUTH STATE STAT		[SDB]=SU	JSPENSION -	HEAVY	DUTY				<u> </u>
SDE-EUGPHSION - SPORT	\sim 1 \sim \sim	[SDC]=TC	DURING						
SDC 3-49VIL-INCEPT TOURNED Spring Group types found on Individual webical Siziles: Coole Liading. NuT AND WASHER, Hor Nut-Corned Windows, Mal x 1-25 DAMPER, Smrt, Rear Suspension SDC 1 SDC	(4)								
1 6502 964 1 NUT AND WASHER, Nor Nu Concel Washer, May 1, 25 DAMPER, Strut, Rear Suspension Washer, May 1, 25 DAMPER, Strut, Rear Suspension (SING) (
1 6502 964 1 NUT AND WASHER, Nor Nu Concel Washer, May 1, 25 DAMPER, Strut, Rear Suspension Washer, May 1, 25 DAMPER, Strut, Rear Suspension (SING) (
1	$\bigcirc 3 \qquad \forall \qquad $			g Group t	ypes four	nd on Individua	al vehical Sales	Code Listing.	
4762 567AA 1 SDE			6502 964	1					Washer, M8 x 1.25
### 4782 P87AA 1									
## 1 SDB SD									
## 4895 000AE 1 SOA SOC 3 #895 001AE 1 SISOLATOR, Spring, Lower 4 #591 181 1 SISOLATOR, Spring, Lower 4 #591 181 1 SISOLATOR, Spring, Lower 4 #591 181 1 SISOLATOR, Spring, Lower 5 #505 688AA 1 SISOLATOR, Spring, Lipper 5 #685 688AA 1 SISOLATOR, Spring, Uipper 7 #4895 000AB 1 SISOLATOR, Spring, Uipper 7 #4895 000AB 1 SISOLATOR, Spring, Uipper 8 #581 214AD 1 SISOLATOR, Spring, Uipper 9 #581 214AD 1 SISOLATOR, Spring, Uipper 1 #585 000AB SISOLATOR, Spring, Uipper 1 #581 214AD 1 SISOLATOR, Spring, Uipper 1 #581 215AD 1 SISOLATOR, Spring, Uipper 2 #581 08AB 1 SISOLATOR, Spring, Uipper 3 #581 08AB 1 SISOLATOR, Spring, Uipper 2 #581 08AB 1 SISOLATOR, Spring, Uipper 3 #581 08AB 1 SISOLATOR, Spring, Uipper 4 #581 08AB 1 SISOLATOR, Spring, Uipper 4 #581 08AB 2 SISOLATOR, Spring, Uipper 4 #581 08AB 2 SISOLATOR, Spring, Uipper 5 **SPRING, Spring, Uipper 5 *									
# 4895 007AE 1 SDO] # 4895 007AE 1 BUMPER, Jounce # 4 SSE 181 BUMPER, Jounce # 4 SSE 181 SDO] (SDO] # 495 182AB 1 SDO] (SDO] # 495 182AB 1 SDO] (SDO] # 5 6505 688AA 1 SDO] (SDO] # 6 4895 007AC 1 Dumper # 6 4895 007AC 1 Dumper # 7 4895 003AB 1 SDO, TSO, TSO, TSO, TSO, TSO, TSO, TSO, TS									
3 4855 002AA 1 SUCATOR, Spring, Lower BUMPER, Jounce 4 SUPPER, Jounce 1 SUCATOR, Spring, Lower BUMPER, Jounce 1 SUCATOR, Spring, Upper Sucator Bumper Bu				1					
4 5881 187 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(37)			1					
A581 181 1		3 ∆	4093 002AA	'					
4581 182AB 1 (SDD) [SDB] (SDB] (SDB) [SDB] (SDB] (SDB) [SDB] (SDB) [SDB] (SDB] (SDB) (SDB) (SDB] (SDB)			4581 181	1					
4581 183 1 NUT. Hav Flange Lock, M14x2, Strut Damper MOUNT, Strut, Upper 1 4985 003AB 1 SOLATOR, Spring, Upper 2 4985 003AB 1 SOLATOR, Spring, Upper 3 4581 214AD 1 SPRING, Rear Coli 1 SDC, ZAV, ZNVI 2 SDC, ZAV, ZNVI 2 SDC, ZAV,				1					
Second Season				1					
8 SPRING, Rear Coil 4581 214AD 1 [SDC, ZAU, ZNU] [SDD, ZPU, ZBU] [SDD, ZPU, ZBU] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDB, ZEV, ZFV] [SDB, ZEV, ZEV] [SDB, ZEV, Z				1					
8 SPRING, Rear Coil 4581 214AD 1 [SDC, ZAU, ZNU] [SDD, ZPU, ZBU] [SDD, ZPU, ZBU] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDB, ZEV, ZFV] [SDB, ZEV, ZEV] [SDB, ZEV, Z									Damper
8 SPRING, Rear Coil 4581 214AD 1 [SDC, ZAU, ZNU] [SDD, ZPU, ZBU] [SDD, ZPU, ZBU] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDD, ZEV, ZFV] [SDB, ZEV, ZFV] [SDB, ZEV, ZEV] [SDB, ZEV, Z		6	4895 007AC	1					MOUNT, Strut, Upper
8 SPRING, Rear Coll 4581 214AD 1 [SDC, ZAU, ZNU] [SDD, ZPU, ZBU] [SDD, ZEV, ZBV] [SDD, ZEV, Z	(36)	7	4895 003AB	1					
1		8							
1 (SDG, ZCU, ZRU) SDD, ZEV, ZPV] SDD, ZEV, ZEV] SD			4581 214AD	1					
4581 215AD 1 SDC, ZAV, ZNVJ SDC, ZAV, ZAV, ZAV, ZAV, ZAV, ZAV, ZAV, ZAV				1					
1	(17)		4504 04545	1					
1 [SDG, ZCV, ZRV] [SDE, ZSW, ZDW] [SDE, ZSW, ZSW] [SDE, ZSW, ZDW] [SDE, ZSW, ZDW] [SDE, ZSW, ZDW] [SDE, ZSW, ZSW] [SDE, ZSW, Z			4581 215AD	1					
4782 668AA 1 [SDE, ZSW, ZDW] 4782 780AA 1 [SDE, ZSW, ZDW] 9 4581 048AB 1 SHIELD, Strut 10 6506 115AA 2 BOLT, Lateral Link To Knuckle 111 4581 258AB 2 LINK, Lateral Control, with Adjustment 12 KNUCKLE, Rear 4581 068AB 1 Right 4581 069AB 1 Left 13 6502 938 2 SCREW, Hex Head, M10x1.5x62.50, Strut Knuckle Pinch CONCORDE-INTREPID-300M (LH) SERIES LINE 29 Englise Line 20 Finding Line 20 SCREW, Hex Head, M10x1.5x62.50, Strut Knuckle Pinch	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1					
10 4782 780AA 1 SDB, ZTX, ZEX			4782 668AA	1					
31 10 6506 115AA 2 10 6506 115AA 2 11 4581 258AB 2 BOLT, Lateral Link To Knuckle LINK, Lateral Control, with Adjustment KNUCKLE, Rear Right 4581 069AB 1 13 6502 938 2 CONCORDE-INTREPID-300M (LH) SERIES II. SITRIE BODY Adjustment KNUCKLE, Rear Right Left 13 6502 938 2 SCREW, Hex Head, M10x1.5x62.50, Strut Knuckle Pinch CONCORDE-INTREPID-300M (LH) SERIES II. SITRIE BODY ENGINE TRANSMISSION DGX = 4 Speed Automatic	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
10 6506 115AA 2 BOLT, Lateral Link To Knuckle LINK, Lateral Control, with Adjustment 12 Adjustment 12 KNUCKLE, Rear Right 4581 069AB 1 Left 13 6502 938 2 SCREW, Hex Head, M10x1.5x62.50, Strut Knuckle Pinch 13 6502 938 2 ENGINE CONCORDE-INTREPID-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION DGX = 4 Speed Automatic	$(32) \qquad (32) \qquad (32) \qquad (33) \qquad (33) \qquad (33) \qquad (34) \qquad (34) \qquad (34) \qquad (35) \qquad (35) \qquad (35) \qquad (36) \qquad $	9							
11 4581 258AB 2 LINK, Lateral Control, with Adjustment 12 KNUCKLE, Rear 4581 068AB 1 Right 4581 069AB 1 13 6502 938 2 SCREW, Hex Head, M10x1.5x62.50, Strut Knuckle Pinch CONCORDE-INTREPID-300M (LH) SERIES LINE CONCORDE-INTREPID-300M (LH) SERIES LINE ENGINE TRANSMISSION DGX = 4 Speed Automatic	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10	6506 115AA	2					
12 KNUCKLE, Rear Right Left SCREW, Hex Head, M10x1.5x62.50, Strut Knuckle Pinch SERIES LINE BODY ENGINE TRANSMISSION SERIES Line Body ER EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic DGX = 4 Spee	(12)	11	4581 258AB	2					LINK, Lateral Control, with
4581 068AB 1									Adjustment
29 4581 068AB 1 4581 069AB 1 Left 4581 069AB 1 13 6502 938 2 SCREW, Hex Head, M10x1.5x62.50, Strut Knuckle Pinch CONCORDE-INTREPID-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION DGX = 4 Speed Automatic		12							
28 CONCORDE-INTREPID-300M (LH) SERIES LINE BODY SERIES LINE BODY SERIES LINE BODY ENGINE TRANSMISSION DGX = 4 Speed Automatic	(19)								
CONCORDE-INTREPID-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION DGX = 4 Speed Automatic									
CONCORDE-INTREPID-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic		13	6502 938	2					
CONCORDE-INTREPID-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic									Strut Knuckie Pinch
CONCORDE-INTREPID-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic	21)								
SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan									
(23) P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic	(24)	CONCORDE-	-INTREPID-300M	(LH)		PODY	FAL	CINE	TDANICMICCION
(25)————R	$(23) \qquad (23)$	P = Limited/E				41 = 4 Door Se	dan EER, E	E0 = 2.7L V6 DOH	C DGX = 4 Speed Automatic
(21) H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V	(25)	S = 300M H = SE	Intro	epid	ranid		EGG =	3.5L HO V6 MPI 2	4V DG0 = All Automatic Transm
M = LXI D = Concorde EGK = 3.5L HO V6 MPI 24V		M = LXI	D =	Concorde	rehin		EGK =	3.5L HO V6 MPI 24	ıv
X = 300M Special E = 300M EGC = ÎMAGNUMÖ 3.5L V6								IMAGNUMO 3.5L \	



Suspension, Rear Figure 017-110



Group – 019 Steering




019-100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–500 Power Steering Pump
		ê de la companya de l	
019–700 Power Steering Hoses			

GROUP 19 - Steering

Illustration Title	Group-Fig. No
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering	Fig. 019-210
Steering Gear Gear, Rack And Pinion, Power And Attaching Parts	Fig. 019-310
Power Steering Pump	
Pump, Assys. And Attaching Parts 2.7, 3.5L Engines	Fig. 019-510
Power Steering Hoses	
Hoses, Power Steering 2.7L Engines	Fig. 019-710
Hoses, Power Streering 3.5L Engines	Fig. 019-715

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									



ales C	odes:			
	DODGE Identifica	tion T	gs	
	CHRYSLER Ident			
1				WHEEL, Steering
	LJ72 1X8	1	D	Luxury, [O0]
	LJ72 WL8	1	C, Y	Luxury, [L5]
	LJ72 XDV	1	C, Y	Luxury, [DV]
	LJ72 XTM	1	C, Y	Luxury, [T5]
	LK70 1L8	1	C, Y	Leather, [L5]
	LK70 1DV	1	C, Y	Leather, [DV]
	LK70 1X9	1	D	Leather, [O0]
	LK70 XTM	1	C, Y	Leather, [T5]
	TG91 1X9BA	1	D	Leather, Radio Controls [O0]
	TG91 1DVBA	1	C, Y	Leather, Radio Controls [D2] [D
	TG91 1L8BA	1	C, Y	Leather, Radio Controls [L2] [L9]
	TG91 1TMBA	1	C, Y	Leather, Radio Controls [T5]
	TY10 1DVBA	1	·	Leather, Woodgrain, Radio
				Controls [DV]
	TY10 1L8BA	1		Leather, Woodgrain, Radio
				Controls [L2]
	TY10 1TMBA	1		Leather, Woodgrain, Radio
				Controls [T5]
2				AIR BAG, Driver
	MF50 DX9CB	1	D	[O0] [MUF]
	MF52 DX9CB	1	D	[O0] [MUD]
	MF50 WL8CB	1	C, Y	[L2] [L5]
	MF50 XDVCB	1	C, Y	[D2] [DV]
	MF50 XTMCB	1	C, Y	[T5]
3				COVER, Air Bag Module, With
				Switches
	5083 295AA	1	D	[MUF] Canada
	5083 303AA	1	D	[L2] [L5]
	5083 304AA	1	D	[DV] [D2]
	5083 305AA	1	D	[T5]
	5083 307AA	1	D	[MUD]
4	6505 087AA	2		SCREW, Hex Head, M4.2x1.41,
				Speed Control Switch
5	6505 300AA	2		SCREW, Air Bag to Steering Wh
6	5026 006AA	1		SWITCH, Speed Control, Right

CONCORDE-INTREPID-3	00M (LH)
SEDIES	LINE

SERIES
P = Limited/ES
S = 300M
H = SE LINE H = Chrysler M = LXI


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5026 007AA	1							SWITCH, Speed Control, Left
-8									SWITCH, Remote Radio
	56045 563AA	- 1							Left
	56045 564AA	- 1							Right
-9	4759 876BA-	1							WIRING, Radio Adapter
10	6506 846AA	1							NUT, Lock, Steering Wheel
11									CLOCKSPRING
	4649 400AA	1				7 Circuit, with Audio Controls			
	4698 304AD	1							5 Circuit, without Audio Controls
12	0154 817	2							SCREW, Clockspring Mounting .164-
									32x.750
13									LABEL, Air Bag Warning
	4787 437AA	2							English and French [Canada], Sun
									Visor
	4649 281AA	2							Seat Side, English and French
									[Export]
	4649 282AA	2							Seat Side, [English]
	5023 548AA	2							English and Arabic [Middle East],
									Sun Visor

X = 300M Special


H = Chrysler


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, Y						[L5] [CUF]
	LJ79 XDV	1	C, Y						[DV] [CUF]
	LJ79 XTM	1	C, Y						[T5] [CUF]
20									SHROUD, Steering Column, Lower,
									with Floor Shift
	LJ84 DX9	1	D						[O0] [CUF]
	LJ84 WL8	1	C, Y						[L2] [CUF]
		1	C, Y						[L5] [CUF]
	LJ84 XDV	1	C, Y						[DV] [CUF]
	LJ84 XTM	1	C, Y					[T5] [CUF]	
-21	6503 375	2							SCREW AND WASHER, Round
									Head, M4x.7x10, Steering Column
									Cover To Column
22	4602 273AC	1							MODULE, Immobilizer
23	0154 817	2							SCREW, Smart Key Immobilizer
									Attaching
-24	5014 187AA-	1							TRIM RING, Ignition Key Cylinder
25	4580 409AE	1							BEAM, Steering Column Support
-26	4649 101AA-	1							INTERLOCK, steering column
-27	4761 170	1							CABLE, Park Interlock
-28									CABLE, Gear Selector
	4578 168AB-	1							With Floor Console
	4578 169AB-	1							
-29	5086 367AA-	1							BRACKET, Steering Column

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Gear, Rack And Pinion, Power And Attaching Parts Figure 019-310

PART







ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes								
	STEERING - PO								
	STEERING - SP								
[SBP]=S	STEERING - PE	RFORN	MANCE						
	SUSPENSION -								
[SDD]=S	SUSPENSION -	PERFO	DRMANCE						
[SDE]=	SUSPENSION -	SPOR	Т						
1									GEAR, Power Steering
	5083 091AA	1							[SBP, SDE]
	5003 933AB	1							[SBA]
	5003 940AB	1							[SBP, SDB, SDD]
	5073 185AA	1							[SBC]
2	6505 368AA	4							SCREW, Steering Gear Mounting
									M10x1.50x85.00
3									LINE, Rack And Pinion, Serviced in
									Gear Assembly, (NOT SERVICE
									(Not Serviced)
4									LINE, Rack And Pinion, Serviced in
									Gear Assembly, (NOT SERVICEI
									(Not Serviced)
5	5086 282AA	2							TIE ROD, Steering, Outer
6	5003 931AB	1							SLEEVE KIT, Tie Rod, Contains:
									Sleeve, Clamp, Bolt, Nut
7	6505 822AA	2							NUT, Tie Rod Pinch
8	5072 586AA	1							REPAIR PACKAGE, Steering Gear
9									TIE ROD, Steering
	5017 460AA	1							Inner Right
	5017 461AA	1							Inner Left
10	6502 544	2							NUT, Hex Lock, M10x1.25, Tie Ro
									End
-11	5019 611AA-	1							SOLENOID, Steering Control Valve
									[SBC]
									F1

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Pump, Assys. And Attaching Parts 2.7, 3.5L Engines **Figure 019-510**



Hoses, Power Steering 2.7L Engines Figure 019-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	ales codes								
[EER]=2.	7L V6 DOHC 2	24 Valve)						
1	5011 239AA	1		-				RESERVOIR, Power Steering Pump, with Cap	
2	5011 231AB	1		EER CAP, Power Steering Reservoir				CAP, Power Steering Reservoir	
3	4772 536AE	1							HOSE, Power Steering Return,
				Cooler to Reservoir					Cooler to Reservoir
4	6504 217	2							CLAMP, Hose, M18.5, Return Hose
									Attaching
5	4782 203AL	1							LINE, Power Steering
6	6504 406	2							SCREW
7	4782 283AA	1				EE0			TUBE, Power Steering Pump,
									Pressure
8	5101 846AA	1							COOLER, Power Steering, Kit
9	6500 274	2		LOCK NUT, M6x1.0x6				LOCK NUT, M6x1.0x6	
10	4782 229AC	1							CLIP, Cooler, Cooler Line Retention
		•							

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Hoses, Power Streering 3.5L Engines Figure 019-715

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ales codes								
[EGC]='l	MAGNUM' 3.5L	V6 SO	HC 24V						
[EGG]=3	.5L High Outpu	ıt V6							
[EGJ]=3.	5L V6 SOHC 2	4 VALV	/E						
[EGK]=3	.5L HIGH OUTI	PUT V6	24V MPI						
1	4772 456AD	1				EG0			RESERVOIR, Power Steering Pump with Cap
2	5011 231AB	1				EG0			CAP, Power Steering Reservoir
3	4782 219AB	1				EG0			BRACKET, Power Steering
4	6035 102	1				EG0			SCREW, Hex Flange Head Tapping, .25-14x.75
5	6102 142AA	2				EGC,			SCREW, Hex Head, M6x1x15
						EGG,			
						EGJ,			
						EGK			
6	4772 682AC	1				EG0			HOSE, Power Steering
7	4772 536AE	1							HOSE, Power Steering Return,
									Cooler to Reservoir
8	6504 217	2							CLAMP, Hose, M18.5, Return Hose
									Attaching
9	4782 203AL	1							LINE, Power Steering
10	6504 406	2							SCREW, Power Steering Hose To
									Rail
11	4782 209AB	1				EG0			TUBE, Power Steering Pump,
									Pressure
12	4782 260AC	1							COOLER, Power Steering
13	6500 274	2							LOCK NUT, M6x1.0x6
14	4782 229AC	1							CLIP, Cooler, Cooler Line Retention

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 42LE

Automatic Transaxle 4 Speed




42LE-100	42LE-200	42LE-300	42LE-400
Transaxie Assembly	Case and Extension	Oil Pump	Gear Train
42LE-700	42LE-800	42LE-1200	
Valve Body	Differential	Gearshift Controls	

GROUP 42LE - Automatic Transaxle 4 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly Transaxle Assembly, Seal & Gasket Package [DGX]	Fig. 42LE-110
Case and Extension Transaxle Mounting & Related Parts [DGX] Structural Collar [DGX] Case & Related Parts [DGX]	Fig. 42LE-210 Fig. 42LE-220 Fig. 42LE-230
Oil Pump Oil Pump & Reaction Shaft [DGX]	
Gear Train Clutch, Input Shaft [DGX] Transfer Shaft [DGX] Gear Train [DGX]	Fig. 42LE-410 Fig. 42LE-420 Fig. 42LE-430
Valve Body Valve Body [DGX] Accumulator Piston & Springs [DGX] Parking Sprag [DGX]	Fig. 42LE-710 Fig. 42LE-720 Fig. 42LE-730
Differential Differential Case & Gears [DGX]	Fig. 42LE-810
Gearshift Controls Gearshift Controls, Floor & Column Shift [DGX]	Fig. 42LE-1210

Transaxle Assembly, Seal & Gasket Package [DGX] Figure 42LE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q I I	LINE	OLIVILO	1 5051	LIVOINE	INANO	11111111	DESCRIPTION
Sales Co	des								
	Speed Automa	tic Trar	nsmission -	- 42LE					
-	7L V6 24V DO								
-	5L V6 24V SO	•	•	ine					
EGG]=3	.5L V- 24V Hig	h Outpu	ut Engine						
EGJ]=3.	5L V6 24V SOI	HC Eng	jine						
EGK]=3.	5L V6 24V Hig	h Outpi	ut Engine -	Police Pa	ckage				
1									TRANSAXLE PACKAGE, WITH
									TORQUE CONVERTER
	5097 862AB	1				EGC,	DGX		Stamp # [04800862AA]
						EGG,			
	5007 004AD	4				EGJ	DCV		Ctores # [0.400000.4.8.4.]
	5097 984AB	1				EER, EGK	DGX		Stamp # [04800984AA]
-2	5093 944AA-	1				LGK			CONVERTER PACKAGE, Torque
-3	5103 048AA-	1					DGX		SEAL AND GASKET PACKAGE,
									Transmission
						<u></u>			

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Transaxle Mounting & Related Parts [DGX] Figure 42LE-210

PART

8 8 8 8
10 (6)
1)

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
NOTE: Sales Co	adaa.								
		24// [5	aina						
-	.7L V-6 DOHC		•						
	II 3.5 & 3.2L V6	-	es						TUDE Transmission Oil Filler
1	4593 199AC	1							TUBE, Transmission Oil Filler
2	6030 608	1							SEAL, Oil Filler Tube
3	5093 944AA	1							CONVERTER PACKAGE, Torque
4	6507 424AA	4							STUD, Double Ended
5									ENGINE, Complete, See Engine
									Group, (NOT SERVICED) (Not
									Serviced)
6									TRANSAXLE, See Illustration 110,
									(NOT SERVICED) (Not Serviced)
7	6501 742	2							SCREW, Hex Head, M12x1.75x50
8	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.2
9	6501 714	1							SCREW AND WASHER, Hex Head
									M6x1x18
10	4765 014AE	1							INDICATOR, Transmission Fluid
									Level
11									PLATE, Torque Converter Drive
	4736 832AB	1				EG0			
		1				EER			
-12									PLATE, Drive Plate Backing
	4471 933	1				EG0			1 E/11E, Blive I late Backing
	447 1 300	1				EER			
13		<u>'</u>				LLIX			BOLT, Drive Plate and Flywheel
13	6503 465	8				EG0			DOLI, DIIVE I late and Hywneel
	0000 400								
		8				EER			

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde

E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Structural Collar [DGX] Figure 42LE-220

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 019AA	9							BOLT AND WASHER, Hex Head,
									M10x1.5x30
2	4663 952	1							COLLAR, Structural, Oil Pan To
									Transmission
3									TRANSAXLE, See Illustration # 110
									(NOT SERVICED) (Not Serviced)
4									ENGINE, Complete, See Engine
									Group, (NOT SERVICED) (Not
									Serviced)



M = LXIX = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 H = Chrysler


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6




















Oil Pump & Reaction Shaft [DGX] Figure 42LE-310

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE:									
	Sales Cod	des								
	[DGX]=4 S	Speed Autom	atic Trar	nsmission -	- 42LE					
		7L V6 24V D0								
		5L V6 24V S0			ine					
		5L V- 24V Hi								
		SL V6 24V SC SL V6 24V Hi			Police Pa	ckage				
(10)	-1	DE VO 24V TII	gii Outpt	at Engine	· r olice r a	ckage				SEAL AND GASKET PACKAGE,
(8)										Transmission Oil Pump
		4883 272	1				EGC,	DGX		·
							EGG,			
							EGJ			
			1				EER,	DGX		
	2						EGK			PUMP, Transmission Oil
		5019 691AA	1				EGC,	DGX		FOWF, Hansinission Oil
		0010 001747	•				EGG,	DOX		
							EGJ			
			1				EER,	DGX		
							EGK			
	3									SEAL, Ring Reaction Support, 2 1/16
		4471 874	4				EGC,	DGX		O.D.
		4471 074	7				EGG,	DGX		
							EGJ			
			4				EER,	DGX		
							EGK			
6	4	0500 044								BOLT, Hex Head, M8x1.25x19
		6500 211	6				EGC,	DGX		
							EGG, EGJ			
5			6				EER,	DGX		
							EGK			
	5									BALL, Check
		0147 482	2				EGC,	DGX		Reaction Shaft
							EGG,			
4			2				EGJ EER,	DGX		Reaction Shaft
			2				EGK,	DGX		Reaction Shart
(3)							2011			
·	CONCORDE	INTREDIT 2005	1 /1 LIN							
	SERIES	INTREPID-300M	INE		BODY		ENGIN	IE		TRANSMISSION
	P = Limited/E S = 300M	Intr	Chrysler epid		41 = 4 Door	Sedan	EER, EE0 EGG = 3.5	= 2.7L V6 D 5L HO V6 MI	OHC PI 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE M = LXI	D =	Dodge In Concorde	ntrepid			EGJ = 3.5	L V6 SOHC	24V	
	X = 300M Sp	pecial E =	: 300M				EGC = ÎM	IL HO V6 MF AGNUMÖ 3.	5L V6	

Oil Pump & Reaction Shaft [DGX] Figure 42LE-310

ITEM

PART

NUMBER


QTY

LINE

SERIES

BODY

ENGINE



P = Limited/ES

X = 300M Special

S = 300M

H = SE

M = LXI

41 = 4 Door Sedan

H = Chrysler

D = Concorde

E = 300M

D = Dodge Intrepid

Intrepid

DGX = 4 Speed Automatic DG0 = All Automatic Transm


TRIM


DESCRIPTION

TRANS


EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V


EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6












	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4504 55040					F00	DOV		D
	4531 556AC-	1				EGC,	DGX		Reverse Over Drive Clutch
						EGG,			
						EGJ	DOV		Davis Over Drive Obstate
		1				EER, EGK	DGX		Reverse Over Drive Clutch
20						LOIL			SNAP RING
	4377 195	1				EGC,	DGX		[1.53 - 1.58 MM] Thick
						EGG,			
						EGJ			
		1				EER,	DGX		[1.53 - 1.58 MM] Thick
						EGK			
-21									SNAP RING, Reverse Clutch, 1.77-
									83mm
	4412 871	1				EGC,	DGX		[1.77 - 1.83 MM] Thick
						EGG,			
						EGJ			
		1				EER,	DGX		[1.77 - 1.83 MM] Thick
						EGK			
-22									SNAP RING, Reverse Clutch, 2.02-
									07mm
	4412 872	1				EGC,	DGX		[2.02 - 2.07 MM] Thick
						EGG,			
						EGJ			
		1				EER,	DGX		[2.02 - 2.07 MM] Thick
						EGK			
-23									SNAP RING, Reverse Clutch, 2.27-
									32mm
	4412 873	1				EGC,	DGX		[2.27 - 2.32 MM] Thick
						EGG,			
						EGJ			· · · ·
		1				EER,	DGX		[2.27 - 2.32 MM] Thick
0.4						EGK			DI ATE AND WAQUED DAOKAGE
24									PLATE AND WASHER PACKAGE,
	E040 000 A A					F00	DOY		Thrust
	5018 923AA	1				EGC,	DGX		
						EGG,			
						EGJ	DCY		
		1				EER,	DGX		
25						EGK			HIR AND SHAET Organize Chital
									HUB AND SHAFT, Overdrive Clutch

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005






		PART								
ITE	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4659 993	1				EGC,	DGX		
							EGG,			
							EGJ			
			1				EER,	DGX		
							EGK			
2	26									PLATE, Transmission O/Drive Clutch
		3836 237AB	AR				EGC,	DGX		[1.70 - 1.77 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[1.70 - 1.77 MM]
							EGK			
		3836 238AB	AR				EGC,	DGX		[1.92 - 1.99 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[1.92 - 1.99 MM]
							EGK			
		3836 239AB	AR				EGC,	DGX		[2.14 - 2.21 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[2.14 - 2.21 MM]
							EGK			
		3836 240AB	AR				EGC,	DGX		[2.36 -2.43 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[2.36 -2.43 MM]
							EGK			
		3836 241AB	AR				EGC,	DGX		[2.58 - 2.65 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[2.58 - 2.65 MM]
							EGK			
		4431 665AB	AR				EGC,	DGX		[1.55 - 1.66 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[1.55 - 1.66 MM]
							EGK			
		4431 666AB	AR				EGC,	DGX		[1.81 - 1.88 MM]
							EGG,			
							EGJ	DCV		
			AR				EER,	DGX		[1.81 - 1.88 MM]
							EGK			

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



		PART								
IT	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4431 667AB	AR				EGC,	DGX		[2.03 - 2.10 MM]
		4431 007 AB	AIX				EGG,	DGX		[2.03 - 2.10 [8]]
							EGJ			
			AR				EER,	DGX		[2.03 - 2.10 MM]
			7				EGK	20%		[2.00 2.10 1]
		4431 668AB	AR				EGC,	DGX		[2.25 - 2.32 MM]
							EGG,			,
							EGJ			
			AR				EER,	DGX		[2.25 - 2.32 MM]
							EGK			
		4431 669AB	AR				EGC,	DGX		[2.47 - 2.54 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[2.47 - 2.54 MM]
							EGK			
		4446 670AB	AR				EGC,	DGX		[2.69 - 2.76 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[2.69 - 2.76 MM]
							EGK			
		4446 671AB	AR				EGC,	DGX		[2.91 - 2.98 MM]
							EGG,			
							EGJ			
			AR				EER,	DGX		[2.91 - 2.98 MM]
							EGK			
2	27									SNAP RING, Underdrive Clutch, Flat
		4659 980	1				EGC,	DGX		[1.53 - 1.58 MM]
							EGG,			
							EGJ			
			1				EER,	DGX		[1.53 - 1.58 MM]
_							EGK			DIGG. CL. L
2	28	4504 670					F00	DOY		DISC, Clutch
		4531 678	4				EGC,	DGX		
							EGG,			
			4				EGJ	DCV		
			4				EER, EGK	DGX		
	<u>2</u> 9						EGN			PLATE, Transmission O/Drive Clutch
2		4659 053	4				EGC,	DGX		I LATE, ITALISHIISSIUH O/DHVE CIUICH
		TUUU UUU	7				EGC, EGG,	DGA		
							EGJ,			
							EGJ			


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	<u> </u>	LINE	OLIVIEO	5051	LIVOINE	TIVANO	111111	DEGGKII HOK
		4				EER,	DGX		
						EGK			
30									SNAP RING
	6501 715	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
31									RETAINER AND SEAL,
									Transmission U/Drive Spring
	4431 612	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
32									SPRING, Drive Lower Case
	4377 177	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			5.050.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
33	4404 040					500	D.0.\(PISTON, Underdrive
	4431 610	1				EGC,	DGX		
						EGG,			
						EGJ	DCV		
		1				EER, EGK	DGX		
34						EGK			SNAP RING
34	6507 226AA	1				EGC,	DGX		SNAF KING
	0301 ZZOAA	ı				EGC,	DGV		
						EGJ,			
		1				EER,	DGX		
		ı				EGK	DOX		
35									SEAL, Piston Outer, 140mm OD
55	4659 871	1				EGC,	DGX		
		·				EGG,	,,		
						EGJ			
		1				EER,	DGX		
						EGK	- · -		
36						-			RETAINER, Transmission Input Clutch


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





PART



DESCRIPTION


SNAP RING

SNAP RING

SPRING, Overdrive Piston

Piston, Transmission

O RING, Reverse & O/Drive Clutch



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4531 903	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
51									SEAL, Reverse Servo Piston
	4659 056	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
52									SEAL, Reverse Servo Piston
	4659 056	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
-53									PISTON, 2nd and 4th Clutch
	4431 647	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

1 41 42 43 45 46 47	
48 51 50	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	des								
	Speed Autom	atic Tran	nemission	- 421 E					
_	7L V6 24V DC			7266					
-	5L V6 24V S0	-	-	ine					
	5L V- 24V Hig								
	5L V6 24V SC								
	5L V6 24V Hi			- Police Pa	ckage				
1		g	g						SHIM, Transfer Shaft, 3.53 - 3.55m
	4567 151	AR				EGC,	DGX		,
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-2									SHIM, Transfer Shaft, 3.56 - 3.58m
	4567 152	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-3									SHIM, Transfer Shaft, 3.59 - 3.61mi
	4567 153	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-4									SHIM, Transfer Shaft, 3.62 - 3.64mi
	4567 154	AR				EGC,	DGX		
						EGG,			
		4.5				EGJ	DOV		
		AR				EER,	DGX		
_						EGK			CLUM Transfer Chaft 2.05 2.07
-5	1567 155	ΛD				ECC	DCV		SHIM, Transfer Shaft, 3.65 - 3.67mi
	4567 155	AR				EGC,	DGX		
						EGG, EGJ			
		۸D				EGJ EER,	DCV		
		AR				EGK,	DGX		
-6						LGK			SHIM, Transfer Shaft, 3.68 - 3.70mi
-0									Orman, Transier Snart, 5.00 - 5.70mm

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int M = LXI


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
	4567 156	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-7	4507.457	4.5				F00	DOY		SHIM, Transfer Shaft, 3.71 - 3.73mm
	4567 157	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		,				EGK	DOX		
-8						-			SHIM, Transfer Shaft, 3.74 - 3.76mm
	4567 158	AR				EGC,	DGX		
						EGG,			_
						EGJ			
		AR				EER,	DGX		
						EGK			
-9	4507.450	4 D				F00	DOY		SHIM, Transfer Shaft, 3.77 - 3.79mm
	4567 159	AR				EGC, EGG,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
						EGK			
-10									SHIM, Transfer Shaft, 3.80 - 3.82mm
	4567 160	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
44						EGK			CLIMA Transfer Chaff 2.02 2.05
-11	4567 161	AR				EGC	DGX		SHIM, Transfer Shaft, 3.83 - 3.85mm
	4567 161	AIN				EGC, EGG,	DGA		
						EGJ			
		AR				EER,	DGX		
						EGK			
-12									SHIM, Transfer Shaft, 3.86 - 3.88
									mm
	4567 162	AR				EGC,	DGX		
						EGG,			
						EGJ			

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

M = LXIX = 300M Special H = Chrysler


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR				EER,	DGX		
						EGK			
-13		. –							SHIM, Transfer Shaft, 3.89 - 3.91mm
	4567 163	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
						EGK			
-14									SHIM, Transfer Shaft, 3.92 - 3.94mm
	4567 164	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DCV		
		AR				EER, EGK	DGX		
-15						LGK			SHIM, Transfer Shaft, 3.95 - 3.97mm
	4567 165	AR				EGC,	DGX		,,,
						EGG,			
						EGJ			
		AR				EER,	DGX		
40						EGK			OLUM Transfer Obeth 0.00 4.00mm
-16	4567 166	AR				EGC,	DGX		SHIM, Transfer Shaft, 3.98 - 4.00mm
	4307 100	AIX				EGG,	DGX		
						EGJ			
		AR				EER,	DGX		
						EGK			
-17									SHIM, Transfer Shaft, 4.01 - 4.03mm
	4567 167	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		7 (1)				EGK	DOX		
-18									SHIM, Transfer Shaft, 4.04 - 4.06mm
	4567 168	AR				EGC,	DGX		
						EGG,			
		4.5				EGJ	DCV		
		AR				EER, EGK	DGX		
-19						EGN			SHIM, Transfer Shaft, 4.07 - 4.09mm
10									or man, transier orialt, 4.07 - 4.0911111

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg


M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 169	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
00						EGK			OLUM Transfer Obert AAO AAO
-20	4F67 170	AR				EGC,	DGX		SHIM, Transfer Shaft, 4.10 - 4.12m
	4567 170	AK				EGC, EGG,	DGA		
						EGJ			
		AR				EER,	DGX		
						EGK			
-21									SHIM, Transfer Shaft, 4.13 - 4.15m
	4567 171	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-22	4505 :					- 60	D.C.\(SHIM, Transfer Shaft, 4.16 - 4.18m
	4567 172	AR				EGC,	DGX		
						EGG,			
		AR				EGJ EER,	DGX		
		AIX				EGK,	DGA		
-23						LOIN			SHIM, Transfer Shaft, 4.19 - 4.21m
	4567 173	AR				EGC,	DGX		.,
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-24									SHIM, Transfer Shaft, 4.22 - 4.24m
	4567 174	AR				EGC,	DGX		
						EGG,			
		^ F				EGJ	DOY		
		AR				EER,	DGX		
-25						EGK			SHIM, Transfer Shaft, 4.25 - 4.27m
-23	4567 175	AR				EGC,	DGX		Ornivi, Hansier Shait, 4.25 - 4.27111
	+007 170	AIX				EGG,	DOX		
						EGJ			
		AR				EER,	DGX		
						EGK	-		
-26									SHIM, Transfer Shaft, 4.28 - 4.30m

M = LXIX = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 176	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-27									SHIM, Transfer Shaft, 4.31 - 4.33mm
	4567 177	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
20						EGK			CLUM Transfer Chaft 4.24 4.20mm
-28	4567 470	AR				EGC,	DGX		SHIM, Transfer Shaft, 4.34 - 4.36mm
	4567 178	AK				EGC,	DGA		_
						EGJ			
		AR				EER,	DGX		
						EGK			
-29									SHIM, Transfer Shaft, 4.37 - 4.39mm
	4567 179	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-30									SHIM, Transfer Shaft, 4.40 - 4.42
	4567 180	AR				EGC,	DGX		mm
	4507 160	AK				EGC, EGG,	DGX		
						EGJ,			
		AR				EER,	DGX		
		7111				EGK	Вол		
-31									SHIM, Transfer Shaft, 4.43 - 4.45mm
	4567 181	AR				EGC,	DGX		,
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-32									SHIM, Transfer Shaft, 0.681 - 0.
									707mm
	4539 677	AR				EGC,	DGX		
						EGG,			
						EGJ			

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int

M = LXIX = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR				EER,	DGX		
						EGK			
-33									SHIM, Transfer Shaft, 4.46 - 4.48mm
	4567 182	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		7113				EGK	DOX		
-34									SHIM, Transfer Shaft, 4.49 - 4.51mm
	4567 183	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
0.5						EGK			OLUM Transfer Obeth 4.50 A.54
-35	4567 184	AR				ECC	DGX		SHIM, Transfer Shaft, 4.52 - 4.54mm
	4507 104	AK				EGC, EGG,	DGX		
						EGJ			
		AR				EER,	DGX		
						EGK			
-36									SHIM, Transfer Shaft, 4.55 - 4.57mm
	4567 185	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DCV		
		AR				EER, EGK	DGX		
-37						LGK			SHIM, Transfer Shaft, 4.58 - 4.60mm
	4567 186	AR				EGC,	DGX		,
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-38	4507.407					F00	DOY		SHIM, Transfer Shaft, 4.61 - 4.63mm
	4567 187	AR				EGC, EGG,	DGX		
						EGJ,			
		AR				EER,	DGX		
						EGK			_
-39									SHIM, Transfer Shaft, 4.64 - 4.66mm

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

M = LXIX = 300M Special H = Chrysler


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
L.IVI	HOMBER	العا	FIINE	LOLINES	l BODT	LINGINE	IIIANO	LIXIIVI	DEGGRIFTION
	4567 188	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-40									SHIM, Transfer Shaft, 4.67 - 4.6
	4567 189	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
41									BEARING CUP, Transfer Gear
	4539 863	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
10						EGK			DEADNIG COME TO 1
42	4500.000					F00	DOV		BEARING CONE, Transfer Gear
	4539 862	1				EGC,	DGX		
						EGG,			
		1				EGJ EER,	DGX		
		ı				EGK	DGX		
43						LGK			NUT, Transfer Shaft, M33 x 1.50
10	6502 447	1				EGC,	DGX		Tion, Transfer Chart, Wee X 1.00
	0002 111	•				EGG,	20/1		
						EGJ			
		1				EER,	DGX		
						EGK			
44									SPROCKET, Transfer Shaft
	4659 834	1				EER,	DGX		
						EGK			
	4659 233	1				EGC,	DGX		
						EGG,			
						EGJ			
45									WASHER, Sprocket
	4539 901	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			SNAP RING

M = LXIX = 300M Special

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

BODY 41 = 4 Door Sedan



	PART	077/		050150	DODY		TD 4110		DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0500 440	0				F00	DOV		
	6502 448	2				EGC,	DGX		
						EGG,			
						EGJ	DOV		
		2				EER,	DGX		
47						EGK			CHAIN Transmission Drive
47	4050 400	0				F00	DCV		CHAIN, Transmission Drive
	4659 190	2				EGC,	DGX		
						EGG, EGJ			
		2					DGX		
		2				EER,	DGX		
48						EGK			SEAL PACKAGE, Transfer Shaft
40	4728 303	1				EGC,	DGX		SLAL FACINAGE, Hallster Stiall
	4720 303	- 1				EGC,	DGA		
						EGJ,			
		1				EER,	DGX		
		'				EGK	DGX		
49						LGK			BEARING CUP, Transfer Shaft
73	4567 293	1				EGC,	DGX		DEARING COI , Transier Shart
	4007 200	•				EGG,	ВОХ		
						EGJ			
		1				EER,	DGX		
		•				EGK	Вол		
50						2011			BEARING CONE, Transfer Shaft
00	4567 292	1				EGC,	DGX		DEFINATION CONTENTION CHAIN
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK	_		
51									SHIM, Transfer Shaft, 0.681 - 0.
									707mm
	4539 677	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-52									SHIM, Transfer Shaft, 0.708 - 0.
									734mm
	4539 678	AR				EGC,	DGX		
						EGG,			
						EGJ			

M = LXIX = 300M Special


CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	No	~		02.11.20	2021	2.1012		1	DESCRIPTION
		AR				EER,	DGX		
						EGK			
-53									SHIM, Transfer Shaft, 0.735 - 0
	4539 679	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DCV		
		AR				EER, EGK	DGX		
-54						LOIX			SHIM, Transfer Shaft, 0.762 - 0
	4539 680	AR				EGC,	DGX		70011111
	1000 000	7.11.				EGG,	DOX		
						EGJ			
		AR				EER,	DGX		
						EGK			
-55									SHIM, Transfer Shaft, 0.789 - 0
		. –					501		815mm
	4539 681	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		7.11.				EGK	DOX		
-56									SHIM, Transfer Shaft, 0.816 - 0
									842mm
	4539 682	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
-57						EGK			SHIM, Transfer Shaft, 0.843 - 0
-57									869mm
	4539 683	AR				EGC,	DGX		30011111
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-58									SHIM, Transfer Shaft, 0.870 - 0

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg


M = LXIX = 300M Special H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4539 684	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-59									SHIM, Transfer Shaft, 0.897 - 0
									923mm
	4539 685	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-60									SHIM, Transfer Shaft, 0.924 - 0
									950mm
	4539 686	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-61									SHIM, Transfer Shaft, 0.951 - 0
									977mm
	4539 687	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
00						EGK			OLUM Transfer Obst. 0.070
-62									SHIM, Transfer Shaft, 0.978 - 1
	4500 000	۸۵				F00	DOV		004mm
	4539 688	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DCV		
		AR				EER, EGK	DGX		
-63						LGN			SHIM, Transfer Shaft, 1.005 - 1
-03									031mm
	4539 689	AR				EGC,	DGX		001111111
	7009 009	AIX				EGC, EGG,	DGA		
						EGJ			
		AR				EER,	DGX		
		ΛN				EGK,	DGX		
-64						LGK			SHIM, Transfer Shaft, 1.032 - 1
-U -1									058mm

M = LXIX = 300M Special


CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6 BODY 41 = 4 Door Sedan

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					_		_	1	
	4539 690	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-65									SHIM, Transfer Shaft, 1.059 - 1.
									085mm
	4539 691	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-66							501/		SHIM, Transfer Shaft, 1.086 - 1.1
	4539 692	AR				EGC,	DGX		
						EGG,			
		4 D				EGJ	DOV		
		AR				EER, EGK	DGX		
-67						EGK			SHIM, Transfer Shaft, 1.113 - 1.
-67									139mm
	4539 693	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
68									GEAR, Differential Ring
	4567 617	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg


M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
(53) (3)	NOTE:	100								
		Speed Automa	atic Trans	mission	- 42LE					
$(43)^{(44)}^{(45)}$		L V6 24V DC								
(1) (12) (42) T T T (12) (42) T T T (12) (42) T T T T (12) (42) T T T T T (12) (42) T T T T T T T T T T T T T T T T T T T		5L V6 24V SC			ine					
		5L V- 24V Hig 5L V6 24V SO								
		5L V6 24V Hig	_		- Police Pac	kage				
	1									CARRIER AND BEARING, Planet
		5014 201AA	1				EGC,	DGX		Pinion
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		3014 201AA	'				EGG,	DGX		
							EGJ			
(57) (57) (57) (57) (57) (57) (57) (57)			1				EER,	DGX		
	2						EGK			BEARING CONE, Output Shaft
		4412 235AB	1				EGC,	DGX		BEARING CONE, Calpat Chair
1							EGG,			
			1				EGJ EER,	DCV		
			ı				EGK,	DGX		
	3									SNAP RING
58) - (81)		6501 853	1				EGC,	DGX		Low & Reverse Clutch Piston
59							EGG, EGJ			
(59)			1				EER,	DGX		Low & Reverse Clutch Piston
60							EGK			
(66)	4	4440.004	4				F00	DOV		SPRING, Low/Reverse Clutch Piston
(67)		4412 261	<u> </u>				EGC, EGG,	DGX		
(68)							EGJ			
(71) (69)			1				EER,	DGX		
	5						EGK			SEAL PACKAGE, Transmission
80)	Ü									Clutch
(79)		4882 917	1				EGC,	DGX		Low & Reverse Clutch Piston
78	-						EGG, EGJ			
			1				EGJ EER,	DGX		Low & Reverse Clutch Piston
							EGK			
76	6									PISTON, Low and Reverse Clutch
(75)										
74										
	CONCORDE-	INTREPID-300M	(I H) ———							
$\int_{-\infty}^{\infty} \frac{\sqrt{3}}{\sqrt{3}}$	SERIES P = Limited/E	LI	NE Chrysler		BODY 41 = 4 Door	Sadan	ENGIN	NE) = 2.7L V6 D)UHC	TRANSMISSION DGX = 4 Speed Automatic
(72)	S = 300M	Intre	epid		71 = 4 DUUI	Jeuan	EGG = 3.5	5L HO V6 MF	PI 24V	DG0 = All Automatic Transm
	H = SE M = LXI	D =	Dodge Intre Concorde	еріа			EGK = 3.5	SL V6 SOHC SL HO V6 MF	PI 24V	
	X = 300M Sp	ecial E =	300M					AGNUMÖ 3.	5L V6	Santambar 10, 2005





TRIM


DESCRIPTION


DGX = 4 Speed Automatic


DG0 = All Automatic Transm






















DESCRIPTION



Gear Train [DGX] Figure 42LE-430



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 794	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			2002
68	0005 000					F00	DOV		SNAP RING
	6035 238	2				EGC,	DGX		
						EGG,			
		2				EGJ EER,	DGX		
		2				EGK,	DGX		
69						LGK			CARRIER, Planetary Pinion
03	4567 539AB	1				EGC,	DGX		OARTHER, Flanetary Fillion
	+007 0007 KB					EGG,	DOX		
						EGJ			
		1				EER,	DGX		
		·				EGK	20/1		
-70									THRUST BEARING
	4412 209	1				EGC,	DGX		Front Planet Pinion Carrier
						EGG,			
						EGJ			
		1				EER,	DGX		Front Planet Pinion Carrier
						EGK			
71									SNAP RING
	6035 238	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			
72									SNAP RING
	4505 591	1				EGC,	DGX		[2nd & 4th] Clutch Piston Retainer
						EGG,			
						EGJ			
		1				EER,	DGX		[2nd & 4th] Clutch Piston Retainer
=-						EGK			DETAINED DAOIGAGE G. LO
73									RETAINER PACKAGE, 2nd & 4th
	4002.070	4				ECC	DCY		Clutch Piston
	4883 078	1				EGC,	DGX		
						EGG, EGJ			
						EGJ			

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005







Gear Train [DGX] Figure 42LE-430




	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE:									
	Sales Cod									
(3)————————————————————————————————————		peed Automa			- 42LE					
		L V6 24V DO L V6 24V SO			ino					
$= \begin{array}{c c} \hline \\ \hline \\ \hline \\ \hline \end{array}$		L V- 24V Higl			IIIC					
		_ V6 24V SOI								
	[EGK]=3.5	L V6 24V Hig	h Output	Engine -	Police Pag	ckage				
	1	4004 000AB					F00	DOV		GASKET PACKAGE, Valve Body
	•	4864 696AB-	1				EGC, EGG,	DGX		
(24) (10)							EGJ,			
			1				EER,	DGX		
21 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							EGK			
	2									VALVE BODY
	;	5012 907AA	1				EGC, EGG,	DGX		
							EGJ			
(17) (20)			1				EER,	DGX		
							EGK			
	3									SEAL, Manual Valve Lever
	•	4412 836	1				EGC, EGG,	DGX		
							EGJ,			
			1				EER,	DGX		
(18)							EGK			_
	4	4500 005	4				F00	DCV		LEVER, Manual Valve
	•	4539 665	1				EGC, EGG,	DGX		
							EGJ			
			1				EER,	DGX		
15)	_						EGK			0005144
	5	6506 245AA	1				EGC,	DGX		SCREW
(27)	,	JUUU 27UAA	'				EGC, EGG,	DOX		
							EGJ			
			1				EER,	DGX		
	6						EGK			SENSOR Manual Valva Lavar
	6									SENSOR, Manual Valve Lever
	CONCORDE-I	NTREPID-300M (LI	(LH) ———		BODY		ENGIN	IF		TRANSMISSION
	P = Limited/E S = 300M	S H = 0 Intre	Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 E 5L HO V6 M	OHC	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE	D = 1	Dodge Intre	epid			EGJ = 3.51	L V6 SOHC	24V	DOU = All AUTOMATIC HANSIII
	M = LXI X = 300M Special	D = 0 ecial E = 3	Concorde 300M				EGK = 3.5 EGC = ÎM/	IL HO V6 MI AGNUMÖ 3.	71 24V 5L V6	
	45 !!									




	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							EER,	DCV		
			<u> </u>				EGK,	DGX		
(3)————————————————————————————————————	13	6506 245A	A 1				EGC,	DGX		SCREW
(5) (6)							EGG, EGJ			
			1				EER, EGK	DGX		
	14									RETAINER, Transmission Filter Retaining
(24) (16) (19)		4567 419	2				EGC,	DGX		Retaining
							EGG, EGJ			
			2				EER, EGK	DGX		
	15	4539 787	1				EGC,	DGX		GASKET, Transmission Solenoid
7 -8		1000 101	•				EGG, EGJ			
(17) (20)			1				EER,	DGX		
	16						EGK			SPRING, Accumulator
		4471 880	1				EGC, EGG,	DGX		[2nd & 4th] Accumulator Outer
(18)			1				EGJ EER,	DGX		[2nd & 4th] Accumulator Outer
	17						EGK			SOLENOID AND SWITCH, Valve
		4500 700					500	DOY		Body Control
		4539 766	1				EGC, EGG,	DGX		
15			1				EGJ EER,	DGX		
(27)	18						EGK			SCREEN, Transmission Regulator
		3878 313	1				EER,	DGX		Valve
10		23, 2 0 10	1				EGK EGC,	DGX		
			ı				EGG,	DGX		
(13)—3 %	19						EGJ			SEAL, Accumulator
	CONCORDE-I	INTREPID-300	M (LH) —— LINE		BODY		ENGIN			TRANSMISSION
	P = Limited/E S = 300M H = SE M = LXI X = 300M Sp	S H In D D	= Chrysler strepid = Dodge Ir = Concorde = 300M	ntrepid	41 = 4 Door	Sedan	EER, EE0 EGG = 3.5 FGJ = 3.5	= 2.7L V6 D 5L HO V6 MF L V6 SOHC 2 IL HO V6 MP AGNUMÖ 3.5	PI 24V 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
				uctrated no	rt #= New t	thic model				September 19, 2005






Accumulator Piston & Springs [DGX] Figure 42LE-720



ITEM	PART NUMBER	R QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•						
NOTE:									
Sales Co									
_	Speed Auto			- 42LE					
_	.7L V6 24V 3.5L V6 24V	-	-	ina					
	3.5L V- 24V			1116					
_	.5L V6 24V	•	•						
_	3.5L V6 24V	-	-	- Police Pa	ckage				
1									SPRING, Accumulator
	4567 575	1				EGC,	DGX		
						EGG,			
		4				EGJ	DOV		
		1				EER, EGK	DGX		
2						EGN			SPRING, Accumulator
_	4471 880	1				EGC,	DGX		or mino, Accumulate.
		•				EGG,	20		
						EGJ			
		1				EER,	DGX		
						EGK			
3									SEAL, Accumulator
	4446 544	2				EGC,	DGX		
						EGG,			
		2				EGJ EER,	DGX		
		2				EGK			
4						LOIX			PISTON, 2nd and 4th Accumulator
	4446 620	1				EGC,	DGX		,
						EGG,			
						EGJ			
		1				EER,	DGX		
_						EGK			
5	1101.017								COVER, Accumulator
	4431 617	1				EGC,	DGX		
						EGG, EGJ			
		1				EER,	DGX		
		<u> </u>				EGK			
6									O RING, Accumulator, Transmission
	E-INTREPID-30								TRANSMISSION
SERIES = Limited/	/ES	LINE H = Chrysler		BODY 41 = 4 Door	r Sedan	ENGIN EER, EE0	NE □ = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M = SE		Intrepid D = Dodge Ir				EGG = 3.5	5L HO V6 MF 5L V6 SOHC 2	PI 24V	DG0 = All Automatic Transm
l = LXI		D = Concorde				EGK = 3.5	SL HO V6 MP	PI 24V	
= 300M S	special	E = 300M				EGC = ÎM/	AGNUMÖ 3.	5L V6	


Accumulator Piston & Springs [DGX] Figure 42LE-720

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TILW	NOMBER] (11)	LINL	SERIES	ВОВТ	LINGINE	INANO	TIXIIVI	DESCRIPTION
		6501 549	1				EGC,	DGX		
			1				EGJ EER,	DGX		
			'				EGK			ONAR RING
	/	6501 695	1				EGC,	DGX		SNAP RING
							EGG, EGJ			
			1				EER, EGK	DGX		
										-
4										
3										_
(5)										
6										
	CONCORD	INTREDIC 2004	1 /1 LV							
7——	P = Limited/	E-INTREPID-300M L /ES H =	- Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	= 2.7L V6 D	ОНС	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
	S = 300M H = SE M = LXI	D = D =	epid = Dodge Inf = Concorde	trepid			FGJ = 3.51	L HO V6 MF - V6 SOHC : L HO V6 MP	24V	DG0 = All Automatic Transm
	X = 300M S	special E =	: 300M				EGK = 3.5I EGC = ÎMA	AGNUMÖ 3.	5L V6	Sontombor 10, 2005



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Cod									
	Speed Automa			- 42LE					
	'L V6 24V DO 5L V6 24V SC	_		ino					
	5L V- 24V Hig			irie					
	L V6 24V SO								
_	5L V6 24V Hig	-		Police Pa	ckage				
1		,	3		3 3 3				GUIDE PACKAGE, Parking Sprag
									Pawl
	4883 505AA	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
2							501/		SPRING, Parking Sprag Return
	4431 653	1				EGC,	DGX		
						EGG, EGJ			
		1				EGJ EER,	DGX		
		'				EGK,	DGX		
3						LOIN			ROD, Parking Sprag
	4431 634	1				EGC,	DGX		102, I alking oplag
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
4									SNAP RING, Rod
	6035 256	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
F						EGK			SCDEW AND WASHED Door On
-5									SCREW AND WASHER, Park Sp Shaft, M5X0.8X12
	6503 384	1				EGC,	DGX		Griant, INIOAU.OA 12
	3300 007	•				EGG,	JOA		
						EGJ,			
						EGK			
		1				EER,	DGX		
						EGK			
	INTREPID-300M			2027		511011			TD ANGLES CO.
SERIES = Limited/E		NE Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	IE = 2.7L V6 D0	ОНС	TRANSMISSION DGX = 4 Speed Automatic
= 300M	Intre	pid	trani-l		2	EGG = 3.5	SL HO V6 MP	PI 24V	DG0 = All Automatic Transm
= SE = LXI		Dodge In Concorde				EGK = 3.5	L V6 SOHC 2 L HO V6 MP	1 24V	
		300M				E00 ÎM	AGNUMÖ 3.5	-1 \/C	

Differential Case & Gears [DGX] Figure 42LE-810




NOTE:	1							
Sales Coo		-4:- T		401 5				
_	Speed Autom			- 42LE				
	'L V6 24V D0 5L V6 24V S0	_	-	ina				
	5L V- 24V Hiç			1110				
	L V6 24V SC	-	_					
	5L V6 24V Hi			Police Pa	ckage			
1		, 1	3					DIFFERENTIAL, Transaxle
	4539 661	1				EGC,	DGX	·
						EGG,		
						EGJ		
		1				EER,	DGX	
						EGK		
2								CIRCLIP, Half Shaft
	4593 012	2				EGC,	DGX	
						EGG,		
		0				EGJ	DOY	
		2				EER, EGK	DGX	
3						EGN		OUTPUT SHAFT, Transaxle
	4539 748	1				EGC,	DGX	COTT OT STIALT, TTAITSANE
	1000 7 10	•				EGG,	Βολ	
						EGJ		
		1				EER,	DGX	
						EGK		
4								LOCK, Drive Shaft
	2852 883	1				EGC,	DGX	
						EGG,		
						EGJ		
		1				EER,	DGX	
_						EGK		0005144 0
5								SCREW, Special Shouldered,
	6502 024	10				ECC	DGX	M10x1x29
	6502 034	12				EGC, EGG,	DGX	
						EGJ,		
		12				EER,	DGX	
		14				EGK	JOA	
6								CASE, Transfer Front

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

M = LXIX = 300M Special

Differential Case & Gears [DGX] Figure 42LE-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 505	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			DUOLING O
7	4507.005	0				F00	DCV		BUSHING, Support Case
	4567 225	2				EGC,	DGX		
						EGG, EGJ			
		2				EER,	DGX		
		2				EGK	DGX		
8						LGK			THRUST WASHER PACKAGE, Axle
O									Differentail
	4131 293	1				EGC,	DGX		2
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
9									GEAR PACKAGE, Differential
	5016 367AA	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
10	0454507					F00	DOY		PIN, Shift Fork
	0154 567	1				EGC,	DGX		
						EGG, EGJ			
		1				EER,	DGX		
		'				EGK	DGX		
11						LOIK			WASHER, Pinion Gear
• •	2852 912	2				EGC,	DGX		Wite in Ent, i mieni Gear
		_				EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			
12	6501 714	1							SCREW AND WASHER, Hex Head,
				<u> </u>		<u> </u>			M6x1x18
13									CASE, Transfer Front

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



Differential Case & Gears [DGX] Figure 42LE-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 505	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			5110111110
14	4505.005						501/		BUSHING, Support Case
	4567 225	2				EGC,	DGX		
						EGG,			
		2				EGJ	DCV		
		2				EER,	DGX		
15						EGK			GEAR Differential Ring
13	4567 617	1				EGC,	DGX		GEAR, Differential Ring
	4507 017					EGC,	DGX		
						EGJ,			
		1				EER,	DGX		
		'				EGK	DGA		
16						LGK			CIRCLIP, Half Shaft
10	4593 012	2				EGC,	DGX		Ontolin , rian orian
	4000 012	_				EGG,	ВОХ		
						EGJ			
		2				EER,	DGX		
		_				EGK	DOX		
17									O RING, CV Joint
	6502 363	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			
18									SNAP RING
	6502 482	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
19									BEARING, Differential
	4539 879	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
20									OUTPUT SHAFT, Transaxle

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



Differential Case & Gears [DGX] Figure 42LE-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	NOMBER	Q I I	LINE	OLKIES	ВОВТ	LIVOIVE	INANO	TIXIII	DECORIT HON
	4567 216	1				EGC,	DGX		
	4007 210					EGG,	DOX		
						EGJ			
		1				EER,	DGX		
						EGK			
21									BEARING CONE, Output Shaft
	4412 235AB	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
-22									SNAP RING
	6502 482	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			DEADING Differential
23	1700 E41	2				FCC	DCV		BEARING, Differential
	1790 541	2				EGC, EGG,	DGX		Side Cone
						EGG, EGJ			
		2				EER,	DGX		Side Cone
		_				EGK	DOX		Side Corie
24									BEARING, Differential
	1790 541	2				EGC,	DGX		Case Cone
						EGG,			
						EGJ			
		2				EER,	DGX		Case Cone
						EGK			
25									O RING, CV Joint
	6502 363	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
0.0						EGK			OFAR RW # 1011
26	4500 440	^				F00	DOY		GEAR, Differential Side
	4593 110	2				EGC,	DGX		
						EGG, EGJ			
		2					DGX		
		۷				EER, EGK	DGV		
27						LOIN			PINION, Differential

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



Differential Case & Gears [DGX] Figure 42LE-810



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4593 112	2				EGC,	DGX		
							EGG,			
							EGJ			
			2				EER,	DGX		
							EGK			
	28									SHAFT, Differential Pinion
		2852 913	2				EGC,	DGX		
							EGG,			
							EGJ			
			2				EER,	DGX		
							EGK			

M = LXI

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Gearshift Controls, Floor & Column Shift [DGX] Figure 42LE-1210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales C	odes:								
[CVW]=	Leather Wrap								
1	4578 171AB	1							LEVER, Gearshift, With [DHD]
-2	4578 148AA-	1							SHIFTER, Transmission, Without
									[DHD]
3									KNOB, Gearshift
	4593 490AA	1							Without [CVW]
	4593 491AA	1							With [CVW]
-4	6504 104	1							SCREW, Set, Shift Knob, M5x0.8x1
-5	6502 756	5							NUT, Hex Lock, M8x1.25
6	4295 369	1							CLIP, Clutch Cable, Shift Control
									Cable, M27x31.75Lg.
7	4578 168AB	1							CABLE, Gear Selector
8	4578 013AC	1							CABLE, Ignition Interlock
9									COLUMN, Steering, Reference See
									Group 19, (NOT SERVICED) (Not
									Serviced)
10									CABLE, Gear Selector
	4578 169AB	1							
	4578 168AA	1							[CUF]
11	4761 170	1							CABLE, Park Interlock
12	6503 078	1							CLIP, Moulding, Shift Cable, Colum
									Shift, M25.20x16.50Lg.
-13	6505 405AA-	1							STUD, Shift Cable Reatainer

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 022 Wheels, Covers and Jacks






GROUP 22 - Wheels, Covers and Jacks


Illustration Title	Group-Fig. No
Wheels and Hardware	
Wheels and Hardware	Fig. 022-110
Wheel Covers and Center Caps	
Covers, Wheel	Fig. 022-210
Jack Stowage	
Jack and Spare Tire Stowage	Fia. 022-310

Wheels and Hardware Figure 022-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
NOTES: S	ales Codes:											
		Tire										
[TBC] = Compact Spare Tire [TBX] = Full Size Aluminum Spare Tire												
[TRG] = P225/55R17 BSW AS Performance Tire												
[TRU] = P225/60R16 BSW AS Fellothiance Tile												
	225/55R17 BS											
	15/45ZR18 BS		_									
	6x7.0 Black V											
	6x7.0 Steel W											
	6' Aluminum (Wheels									
	" Aluminum S			els								
_	7' Aluminum C	-		70.0								
	7x6.0 Alumini			els								
	17x7.0 Alumin											
	II Aluminum W		. J JIQQ									
	6' Aluminum		Vheels									
	16x6.5 Alumin											
	6' Aluminum V		0010									
	8x7.0 Alumin		eels									
	ire Pressure N			,								
1	110 1 1000010 1	7101111011	ng Diopiay						WHEEL, Steel			
	4782 244AC	4							[WCS,WLZ], 16 x 7			
	4782 793AB	4							[WDH], 16 x 7			
	4782 175AB	1							[TBC] 16X4.0 CONVENIENCE			
•	+702 173AB	'							SPARE			
2									WHEEL			
	4782 575AB	4							[WD9], 16 x 7			
	4782 296AB	4							[WGW], 17 x 7, 10 Spoke			
	4782 425AB	4							[WGE], 17 x 7, 10 Spoke			
	UU48 PAKAB								[WN2], 16 x 7, 5 Spoke			
	TU70 PAKAB	4							[WNW], 16 x 7, 9 Spoke			
3	1070 FARAB	4							WHEEL, Aluminum			
	WA54 PAKAB								•			
	4782 289AB	4							[WFS], 17 x 7, 6 Spoke, Painted [WF7], 17 x7 6 Spoke Chrome			
	4762 269AB XY49 PAKAA	4 1							[WNG], 16 x 7 Genesis			
	XY49 PAKAA UW21 XZAAA								[WPW], 18 x 7.5, Painted			
4	UVVZIAZAAA	. 1							CAP, Wheel Center			
	4782 783AA	4							[WF7,WGE,WD9]			
	4782 783AA 4284 004											
	4284 004 4782 787AA	4 4							[WNG] [WNW,WN2]			
	4782 792AA	4							[WMH,WDH] And Police Packag			
	4782 792AA 4782 314AA	4							[WGW]			
•	+702 314AA	4							[wGw]			
CONCORDE-II	NTREPID-300M (LH) ——										
SERIES	LIÑ	١Ē		BODY		ENGIN			TRANSMISSION			
P = Limited/E3 S = 300M	S H = 0 Intrep	Chrysler oid		41 = 4 Door	Sedan		= 2.7L V6 D 5L HO V6 MF		DGX = 4 Speed Automatic DG0 = All Automatic Transm			
H = SE	D = i	Dodge In				EGJ = 3.5	L V6 SOHC	24V	200 - All Automatic Hansin			
M = LXI		Concorde				FOK 25	L HO V6 MF	31.041/				

Wheels and Hardware Figure 022-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4782 905AA	4							[WPW]
	RG98 PAKAA	4							[WFS]
5	6502 738	20							NUT, Wheel Chrome, M12x1.5,
									[WLZ]
6									NUT, Wheel, M12x1.5
	6507 498AA	20							[WDH]
	6504 672	20							[WCS]
7									STEM, Wheel Valve
	2401 840	1							Wheel Covers
	2073 355	5							
8	52088 990AC	5							SENSOR, Tire Pressure, valve stem
9	5083 124AA	5							CAP, valve stem
-10	4897 346AA-	5							VALVE CORE, WHEEL SENSOR
									VALVE, ALUMINUM
-11	5083 123AA-	5							GROMMET
-12	52088 961AA-	5							NUT
-13	52109 664AA-	. 1							MAGNET
14									LABEL, Tire Pressure
	4782 251AA	1							P225/60 R16 BSW A/S TOURING
	4782 248AA	1							P225/55R17 95S AS TOURING
	4782 256AA	1							P225/55R17 95S AS TOURING,
									FRENCH
	4782 299AA	1							P225/55R17 95V AS PERF.

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

PART ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION
NOTE-Salas Cadas:
NOTE:Sales Codes: [W6F] = WHEEL COVERS - 16' [W6G] = WHEEL COVERS - 16' 1
CONCORDE-INTREPID-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI D = Concorde EGK = 3.5L HO V6 MPI 24V X = 300M Special E = 300M EGC = ÎMAGNUMÖ 3.5L V6

Jack and Spare Tire Stowage Figure 022-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 807AB	1							SUPPORT, Spare Tire Cover
2									COVER, Spare Tire
	4580 451AE	1	С						
	4580 458AE	1	D, Y						
3									CUP, Spare Tire Retention
	52059 414AC	1	С						
		1	D, Y						
4	6504 599	1							NUT, M10x1.50, Wing, Jack Hold
									Down
5	4772 481AB	1							JACK, Scissors
-6	4772 483AB-	1							WRENCH, Wheel Lug Nut
-7									LABEL, Tire Pressure
	4782 248AA-	1							[TR1] P255/55R17 30 PSI, English
	4782 251AA-	1							[TRU] P255/60R16 32 PSI, English
	4782 299AA-	1							[TRG] P255/55R17 95V 30 PSI,
									English
-8									FASTENER, (NOT SERVICED) (Not
									Serviced)
9	4782 177	1							SPACER, Spare Tire, 16 x 4
									Convenience Spare
10	6505 614AA	1							BOLT, Square Neck, M8 x 1.25 x
									226.50

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 23D


Wiper/Lock Cylinder and Keys

023D-100 023D-200



GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders and Double Bitted Lock Cylinder Repair Components	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer System	Fig. 23D-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: A	LL LOCK CYL	INDERS	S ARE UN	CODED					
1									KEY, Blank
	5018 689AA	1	D						Without Sentry
	5018 690AA	1	D						With Sentry
	5018 868AA	1	С						Without Sentry
	5040 00044	1	Y						Without Sentry
	5018 869AA	1	Y						With Sentry
2		1	С						With Sentry CYLINDER, Ignition Lock
	5003 843AB	1	С						CTLINDER, Ignition Lock
	3003 643AB	1	Y						
		1	D						
3		•							TUMBLER, Ignition Number 1,
									Sidebar
	5010 879AA	1	С						
		1	Υ						
		1	D						
-4									TUMBLER, Ignition Number 2,
									Sidebar
	5010 880AA-	1	С						
		1	Υ						
		1	D						
-5									TUMBLER, Ignition Number 3,
									Sidebar
	5010 881AA-	1	С						
		1	Y						
		1	D						TUNDUED 1 ''' N. 1 . 1
-6									TUMBLER, Ignition Number 4,
	5010 882AA-	1	С						Sidebar
	3010 662AA-	1	Y						
		1	D						
7		•	D						SPRING, Ignition Tumbler, Sidebar
	5010 883AB	1	С						Critic, ignition rumbior, classar
	00.0000712	1	Y						
		1	D						
8									CYLINDER, Deck Lid Lock
	4778 145	1	С						
		1	Υ						
		1	D						
9									CYLINDER, Door Lock

CONCORDE-INTREPID-300M (LH) - SERIES LINE

P = Limited/ES S = 300M H = SE

X = 300M Special

M = LXI

H = Chrysler Intrepid


E = 300M


D = Dodge Intrepid D = Concorde


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm











		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-								
		5011 040AA	1	С						Right or Left
_			1	D						Right or Left
			1	Υ						Right or Left
	10									TUMBLER, Door and Deck Number
										1, Wide
		4778 117	1	С						
			1	Υ						
			1	D						
_	-11									TUMBLER, Door and Deck Number
										2, Wide
		4778 118	1	С						
			1	Y						
	-12		1	D						TUMPLED Door and Dook Number
	-12									TUMBLER, Door and Deck Number 3, Wide
		4778 119	1	С						3, wide
		4770 113	1	Y						
_			1	<u>.</u> D						
	-13		-	_						TUMBLER, Door and Deck Number
										4, Wide
		4778 120	1	С						
-			1	Y						
			1	D						
	14									SPRING, Door and Deck Tumbler
		4778 121	1	С						
			1	Υ						
			1	D						
	15			_						CYLINDER, Glove Box Lock
_		4778 448	1	C Y						
			1							
	16		1	D						TUMPLED Ignition Number 1
	16	5257 132	1	С						TUMBLER, Ignition Number 1
		5257 132	1	Y						
			1	D						
	-17		•	D						TUMBLER, Ignition Number 2
	• •	5257 133	1	С						. • =
_			1	Y						
			1	D						
	-18									TUMBLER, Ignition Number 3
_		5257 134	1	С						

CONCORDE-INTREPID-300M (LH)
SERIES LINE

P = Limited/ES S = 300M H = SE

X = 300M Special

M = LXI

Intrepid

H = Chrysler D = Dodge Intrepid

E = 300M


D = Concorde


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm














		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
			1	Υ						
-			<u>'</u> 1							
	-19		•	J						TUMBLER, Ignition Number 4
	. •	5257 135	1	С						
		0201 100	1	Y						
-			1	D						
	20									SPRING, Lock Cylinder Tumbler
		4746 873	1	С						,
			1	Υ						
-			1	D						
	21									CAP, Door Lock Cylinder, Bright
		4778 149	1	С						
			1	Υ						
-			1	D						
	22	4778 150	1	С						SHUTTER, Door, Deck and Liftgate,
										Bright
	23	4378 793	1	С						SPRING, Cylinder Return
_	24									SPRING, Lock Cylinder Return
		4378 798	1	С						
			1	Υ						
			1	D						
	25									CAP, Serviced with Cylinder, Deck
										Lid P/N 4778145, (NOT
										SERVICED) (Not Serviced)
_	26									CLIP, Latch
		4658 444	1	С						Purple
			1	Υ						Purple
			1	D						Purple
_		4658 445	1	С						Orange
			1	Υ						Orange
			1	D						Orange
	27									LEVER, Front Door Cylinder
_		4717 288	1	С						
			1	Y						
			1	D						
	28	1700 007 A D		_						LEVER, Deck Lid Cylinder
-		4780 387AB	1	С						
		4780 457AA	1	Y						
		4400 440	1	D						DETAILED I I O II I
	29	4480 116	1							RETAINER, Lock Cylinder
-	-30	4878 786AA-	1							RETAINER, Door Lock Cylinder
	31									TRANSMITTER, Keyless Entry

CONCORDE-INTREPID-300M (LH)
SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

Intrepid

E = 300M

H = Chrysler D = Dodge Intrepid

D = Concorde


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm




2



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4602 260AA	2							
	4602 261AB	2							Export
32									RECEIVER, Keyless Entry
	4602 415AC	1							[GXW], Export
	56045 755AB	1							[GXR]
33	4602 273AC	1							MODULE, Immobilizer
-34	8350 4802	2							BATTERY, Transmitter
-35									CAP KIT, Fuel Tank Locking
	5015 636AB-	1	Υ						
		1	С						
		1	D						
36									CLIP, Retainer, (NOT SERVICE
									(Not Serviced)
-37									SCREW, Self Tapping, M6x1x1
	6505 907AA-	2	D, Y						Deck Lid Lock Cylinder Brack
									ataching
		2	С						Deck Lid Lock Cylinder Brack
									ataching





CONCORDE-INTREPID-300M (LH) - SERIES LINE

P = Limited/ES H = Chrysler S = 300M H = SE Intrepid


D = Dodge Intrepid M = LXID = Concorde X = 300M Special E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

Windshield Wiper and Washer System Figure 23D-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Co	ncorde								
CP=LH									
1	5011 198AA	1							LINKAGE, Wiper Arm
-2	5011 199AB-	1							MOTOR, Wiper
-3	5011 200AA-	1							LINK, Drive Wiper
-4	5011 201AA-	1							LINK, Slave
5	5011 202AA	1							GROMMET, WIPER FRAME
6	6504 559	2							SCREW AND WASHER, Hex Head,
									M6x1.00x45.00, Wiper Module
									attaching
7	6505 683AA	1							SCREW AND WASHER, HEX
									HEAD, M8 X 1.25 X 75.00
8	6504 954AA	2							NUT & WASHER, Hex, M10 X 1.25
9	4630 783	2							CAP, Wiper Arm Nut
10									ARM, Wiper
	5011 204AB	1							Right
	5011 205AB	1							Left
11									BLADE, Wiper
	5011 206AC	1							Right
	5011 207AB	1							Left
12									REFILL, Wiper Blade
	5011 208AB	1							Right
	5011 209AA	1							Left
13									NOZZLE, Washer, Windshield
	4805 466AB	1	Υ						Right
	4805 467AB	1	Υ						Left
	5101 940AA	1							
14	4805 166	1							CONNECTOR, Washer Hose, Y
15	4805 409AA	2							CLIP, Washer Hose
16	5018 127AA	1							HOSE, Windshield Washer, 50 foot
									roll make up as required
17	5011 825AA	1							COUPLING, Flexible
18	6034 716	1							SCREW AND WASHER, Hex Flange
									Head, .25-14x.875
19									RESERVOIR, Washer
	5011 819AA	1							With headlamp washers, Export
	5011 823AB	1							
-20	6101 737	3							SCREW, M6x1.0x18
-21	6506 133AA-	4							SCREW, Reservoir mounting
-22	6503 641	AR							SCREW, M7X1.25X16.00
-23	5011 809AA-	1							GROMMET, Windshield Washer
									Pump

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Windshield Wiper and Washer System Figure 23D-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-24									GROMMET, Washer Reservoir
	5013 755AA-	1							Fluid level sesnor
	4863 704	1							Inlet Connector
25	6101 712	1							NUT, U, M6x1, Wiper Module
									attaching
26	55077 241AB	1							PUMP, Washer, Windshield
27	5011 821AA	1							PUMP, Washer, Headlamp
-28	5011 809AA-	1							GROMMET, Windshield Washer
									Pump
-29	5011 822AA-	1							GROMMET, Headlamp Washer
									Pump
30	4882 797	1							SENSOR, Washer Fluid Level
31	4797 694	1							CAP, Washer Reservoir
32	5011 827AA	1							FILLER, Mouth
33	5011 810AA	1							INLET, Connector
34									NOZZLE, Washer, Headlamp
	4805 072AD	1							Right
_	4805 073AD	1							Left
-35	4805 071AC-	1	Υ						HOSE, Washer, Headlamp
-36	6505 570AA-	4							SCREW, Pan Head, M4 x 0.70 x 10
									00, Headlamp Washer Attaching

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – 024

Air Conditioning & Heater




D24–100 Air Conditioner and Heater Units Air Conditioner and Heater Plumbing D24–500 Air Conditioning Compressor Mounting D24–600 Air Ducts and Outlets

GROUP 24 - Air Conditioning & Heater

Illustration Title	Group-Fig. N
Air Conditioner and Heater Units	
Air Conditioning Unit	Fig. 024-110
ATC Unit	Fig. 024-120
Air Conditioner and Heater Plumbing	
A/C Plumbing	Fig. 024-210
Plumbing, Heater	Fig. 024-220
Air Conditioner and Heater Controls	
Controls, Air Conditioning and Heater	Fig. 024-310
Air Conditioning Compressor	
Compressor and Related Parts	Fig. 024-415
Air Conditioning Compressor Mounting	
Compressor Mounting	Fig. 024-515
Air Ducts and Outlets	
Air Distribution Ducts	Fig. 024-610
Air Distribution Outlets	Fig. 024-625

Air Conditioning Unit Figure 024-110



	PART								
ITEN	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5010 979AE	1							HOUSING, A/C And Heater
-2	4596 099AC-	1							TUBE, Drain
3	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3							STUD, A/C Heater Housing
5	5061 426AA	3							WASHER, A/C Unit Mounting Stud
6	4734 770AC	1							ACTUATOR, Blend Door
7	4734 772AC	1							ACTUATOR, Mode Door
8	4734 984AC	1							ACTUATOR, Recirculation Door
9	5010 981AA	1							HOUSING, Air Inlet
10	6101 308	1							NUT, U, M6x1
11	4885 845AA	1							RESISTOR, Blower Motor
12	4760 757	1							WIRING, A/C and HEATER
13	4885 148AC	1							MOTOR, Blower with Wheel
14	4885 057AB	1							COVER, Blower Motor
15	4734 733AB	1							DUCT, Floor Distribution
16	5011 078AB	1							CORE, Heater
17	5093 737AB	1							EVAPORATOR KIT, Air Conditioning
-18	4734 726	1							PROBE, Air Conditioning
19	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
20	5093 736AA	1							VALVE KIT, Expansion
-21									O RING, Expansion Valve
	4885 802AA-	1							[15.5mm]
	4885 803AA-	1							[10.25mm]
22	4734 122AB	2							SCREW, Expansion Valve Mounting
23	5010 977AB	1							SEAL KIT, A/C And Heater Unit
-24	4596 510AA-	1							LABEL, A/C Spec, Belt Rtg. & Fan
									Caution
-25		1							NUT, M6x1.00, Unit to Plenum
-26		1							SEAL, Heater Core Tubes
-27	4734 385	1							SCREW AND WASHER, Control
		_							Lever
-28	4885 929AA-	2							CLIP, Air Conditioning Wire

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special


H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

ATC Unit Figure 024-120



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•					•	•	•	
	1	5010 979AE	1							HOUSING, A/C And Heater
-	-2	4596 099AC-	1							TUBE, Drain
	3	4734 227	18							SCREW, Hex Head, M4.8-1.59x19
	4	4644 225	3							STUD, A/C Heater Housing
	5	5061 426AA	3							WASHER, A/C Unit Mounting Stud
_	6	4734 770AC	1							ACTUATOR, Blend Door
	7	4734 772AC	1							ACTUATOR, Mode Door
	8	4734 984AC	1							ACTUATOR, Recirculation Door
	9	5010 981AA	1							HOUSING, Air Inlet
_	10	6101 308	1							NUT, U, M6x1
	11	4760 451	1							WIRING, A/C and HEATER
	12	4885 148AC	1							MOTOR, Blower with Wheel
	13	4885 057AB	1							COVER, Blower Motor
_	14	4734 733AB	1							DUCT, Floor Distribution
	15	5011 078AB	1							CORE, Heater
	16	5093 737AB	1							EVAPORATOR KIT, Air Conditioning
_	-17	4734 913AE-	1							MODULE, ATC Blower Control
	18	4734 726	1							PROBE, Air Conditioning
	19	5061 264AB	1							VALVE, Expansion
	-20									O RING, Expansion Valve
_		4885 802AA-	1							[15.5mm]
		4885 803AA-	1							[10.25mm]
	21	4734 122AB	2							SCREW, Expansion Valve Mounting
	22	5010 977AB	1							SEAL KIT, A/C And Heater Unit
_	23	4734 227	18							SCREW, Hex Head, M4.8-1.59x19
	-24	4596 510AA-	1							LABEL, A/C Spec, Belt Rtg. & Fan Caution
	-25	6505 224AA-	1							NUT, M6x1.00, Unit to Plenum
	-26	4734 385	1							SCREW AND WASHER, Control
-			•							Lever
	-27	4885 929AA-	2							CLIP, Air Conditioning Wire

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

PART

2 10 27 10 27 10 27 10 28 16 28 16 23 20 20	
25 23 1 23 1 20 19	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: I	Tou Hooten Dive		- III	7 040 O	aalaat Da	C.	.		
Sales C	For Heater Plum	nbing se	e illustrati	on 7-310 C	oolant Red	covery Sys	tem.		
	oues. 2.7L V6 DOHC	24 \/\	VE MDI						
	2.7L V6 24V W								
	'MAGNUM' 3.5								
	3.5L HIGH OU			<u> </u>					
	3.5L V6 SOHC								
	3.5L HIGH OU			1					
1	0.02 0 0 0	• .	· - · · · · · ·	•					LINE, A/C Liquid
	5003 979AA	1				EE0			
		1				EG0			
2									O RING, A/C Line
	5066 560AA	1				EE0			,
		1				EG0			
3	5010 962AA	1				EE0			VALVE, Charging
4	5019 242AA	1				EE0			CAP, A/C Check Valve
5									O RING, High Pressure
	5072 462AA	1				EG0			
		1				EE0			
6									SCREW, [M6.3X1.81X25.00], (NOT SERVICED) (Not Serviced)
7									DRIER, Air Conditioning Filter, With
,									Bracket and Tube
	5101 762AA	1				EE0			Bracket and Tabe
	0.0.70=7.0.7	1				EG0			
8	5061 264AB	1							VALVE, Expansion
9	4596 529AB	1				EE0			LINE, A/C Suction, Evaporator
10	4882 136	1				EE0			O RING, A/C Suction Line, 3/4
-11	5264 638	1				EE0			VALVE, Charging
-12	5019 242AA-	1				EE0			CAP, A/C Check Valve
13	4698 751AB	1				EE0			LINE, A/C Suction, Compressor
14	4796 564	2				EE0			O RING, A/C Line
15	4596 531AB	1				EG0			LINE, A/C Suction
16	4882 136	1				EG0			O RING, A/C Suction Line, 3/4
17	4796 564	1				EG0			O RING, A/C Line, 5/8
18	6101 445	2							NUT AND WASHER, Hex Nut-Con
									Washer, M8 x 1.25
19									LINE, A/C Discharge
	4758 330AE	1				EG0			
	4758 335AE	1				EE0			
20									O RING, A/C Line

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int

M = LXIX = 300M Special

A/C Plumbing Figure 024-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I ⊏IVI	NOWIDER	QII	LINE	SERIES	БОЛТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
	4796 565	2				EG0			
		2				EE0			
-21	5264 638	1				EE0			VALVE, Charging
22									TRANSDUCER PACKAGE, A/C
									Pressure
	5019 881AA	1				EG0			
		1				EE0			
23	6101 467	2							NUT, Hex Flange, M8x1.25
24									SCREW AND WASHER, Hex Hea
									M8x1.25x95
	6502 425	3				EG0			
		3				EE0			
25									CONDENSER KIT, Air Conditionin
	5014 111AB	1							[NMS,NMC,NMD]
	4758 305AC	1							[NMB]
-26	4761 512	1							SCREW, Condenser Tube Bracke
									Plastic
27	6102 160AA	2							SCREW, Hex Flange Head
28	6504 342	1							NUT, Hex Flange Lock

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes:								
	2.7L V6 DOHC								
	2.7L V6 24V W/								
	'MAGNUM' 3.5L								
	3.5L HIGH OUT			1					
[EGW] =	= 3.2L V6 SOHC	24 VA	LVE MPI						
1	4758 269AC	1							BOTTLE, Pressurized Coolant
2	4596 444AA	1							CAP, Coolant Recovery Bottle,
									Export
3	4596 198	1							CAP, Radiator
4	6034 716	1							SCREW AND WASHER, Hex Flang
									Head, .25-14x.875
5	6502 018	1				EG0			CLAMP, Hose, M28.9 x 1.60
6	4592 126	1				EE0			CLAMP, Hose
7	6100 574	1				EE0			BOLT AND CONED WASHER, Hex
									Head, M8x20x17
8									TUBE, Heater Return, w/Hose
	4767 150AC	1				EG0			
	4767 152AC	1				EE0			
-9	4792 308	1				EER			CLIP, Heater Hose
10	HHR00 034AA	. 1							HOSE 1FT, Heater, 3/4", Return
									(Roll Stock)
-11	6505 692AA-	1				EG0			O RING
12	4596 266AC	1				EE0			BRACKET, Heater Tube To Block
13									HOSE, Heater Supply
	4767 170AB	1				EG0			
	4767 172AI	1				EE0			
14									HOSE, Bottle Supply, Serviced with TUBE ASSY- POSTIVE
									CRANKCASE VENTILATION
									HEATED - 4792645AB, (NOT
									SERVICED) (Not Serviced)
15	6101 467	1				EER			NUT, Hex Flange, M8x1.25

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc
 H = Chrysler

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6 BODY 41 = 4 Door Sedan

Controls, Air Conditioning and Heater Figure 024-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	'								
1									CONTROL, A/C And Heater
	4698 198AC	1	C, Y						
		1	D						
2									KNOB, A/C And Heater Control - Rotary
	5011 272AA	1	C, Y						•
		1	D						
-3									BULB AND SOCKET, Heater and A/C Control
	5013 815AA-	1	D						
		1	C, Y						
4									CONTROL, A/C And Heater, Auto Temp Control
	4698 199AD	1	D						
		1	С						
		1	Υ						
5									KNOB, A/C And Heater Control -
									Rotary
	5011 272AA	1	D						
		1	C, Y						
-6									BULB AND SOCKET, Heater and
									A/C Control
	5013 815AA-	1	D						
		1	C, Y						

CONCORDE-INTREPID-300M (LH) -SERIES LINE

SERIES
P = Limited/ES S = 300MH = SE M = LXI

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid D = Concorde E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


Compressor and Related Parts Figure 024-415

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		Nomber	<u> </u>	LINE	DEMIED	5051	LIVOINE	IKANO	11(1111)	DEGGINI HON
	NOTE:Saf	les Codes:								
		2.7L V6 DOHC								
		MAGNUM' 3.5								
		3.5L HIGH OU			ľ					
		5.5L V6 SOHC								
	[EGK] =3.	.5L HIGH OUT	PUT V	6 24V MPI						OLLITOLI OVERLIALII IZIT. AZO
	1								(CLUTCH OVERHAUL KIT, A/C
	$\overline{(4)}$ $\overline{(6)}$	4723 011AB	1				EE0			Compressor
		4725 011AB	1				EG0			
9 9 12 12	(7)		·				200			MANIFOLD KIT, A/C Compressor
	\sim \ \	5010 168AA	1				EE0			, ,
		5010 169AA	1				EG0			
	$\frac{3}{3}$;	SEAL, Manifold To Compressor
		4728 854	1				EE0			
\perp			1				EG0			
(1)										VALVE CORE, High Flow, A/C
	8	4700.045					FF 0			Compressor
(2)		4723 015	1				EE0			
	3		1				EG0		,	CAP, High Flow Valve Core, A/C
$ \overbrace{10} 9 $									<u>'</u>	Compressor
$(1) \qquad \qquad (10) \qquad (10)$		4723 017	1				EE0			Compressor
Ψ		20 011	1				EG0			
	6								,	VALVE CORE, Low Flow, A/C
										Compressor
		4723 016	1				EE0			
			1				EG0			
									(CAP, Low Flow Valve Core, A/C
	- CO	4700.040	4				FF 0			Compressor
	3	4723 018	1 1				EE0 EG0			
	8		1				EGU		,	VALVE, High Pressure Relief,
										Servicd in Manifold for 1999, (NOT
										SERVICED) (Not Serviced)
	9								(COMPRESSOR, Air Conditioning
		4698 723AD	1				EE0			
		4758 322AC	1				EG0			_
	10								(COIL, Stator, A/C Compressor Clutch
		4797 390	1				EE0			
			1				EG0			DINIEW INDICATE A 12 C
(13)	11									PULLEY HUB KIT, A/C Compressor
	CONCORDE-	-INTREPID-300M ((LH) ——		BODY					TDANICMICCION
	SERIES P = Limited/E		Chrysler		BODY 41 = 4 Door	Sedan	ENGINI EER, EE0 :	= 2.7L V6 DO	HC	TRANSMISSION DGX = 4 Speed Automatic
	S = 300M H = SE	Intre	pid				EGG = 3.5	L HO V6 MPI	24V	DG0 = All Automatic Transm
	M = LXI	D =	Dodge In Concorde	шеріа Э			EGK = 3.5l	. V6 SOHC 24 _ HO V6 MPI	24V	
i	X = 300M Sp	pecial E = 3	300M				EGC = ÎMA	GNUMÖ 3.5L	_ V6	

Compressor and Related Parts Figure 024-415



Compressor Mounting Figure 024-515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes:								
[EER] = 2	2.7L V6 DOHC	24 VAI	LVE MPI						
	MAGNUM' 3.5								
	3.5L HIGH OU			1					
	3.5L V6 SOHC								
[EGK] =3	.5L HIGH OUT	PUT V	6 24V MPI						
1									SCREW AND WASHER, Hex Head, M8x1.25x95
	6502 425	3				EG0			WOX1.23X33
	0002 120	3				EE0			
2	4792 291AB	1				EG0			BRACKET, A/C Compressor
-3	6505 653AA-	1				EG0			STUD, Compressor Bracket and Belt
									Guide mounting
-4	6506 019AA-	1				EG0			BOLT AND WASHER, Hex Head,
									M10x1.5x30, A/C Compressor Brkt
									Mounting to Cyl. Head and Timing
									Cover, Lower
-5	6101 467	2							NUT, Hex Flange, M8x1.25, Belt
									guide mounting, Belt Guide
									Mounting
									_

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M X = 300M Special

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Air Distribution Ducts Figure 024-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4698 533AB	1							DUCT, Defroster
2	6101 946	1							SCREW, Tapping, Duct Attachi
3	4758 350AB	1							DUCT, Heat Distribution
4	6501 925	1							PIN, Splash Shield, Duct Mount
5	4758 351AD	1							DUCT, Heat Distribution
6	4758 352	1							DUCT, Floor Console, Front
7	4758 353	1							DUCT, Floor Console, Carpet
									Module, Front
8	4758 349AB	1							DUCT, Floor Console, Center
9	4698 690	1							DUCT, Instrument Panel, Unde
									Column
10	4734 733AB	1							DUCT, Floor Distribution
11									DUCT, Air Distribution, Center
	4698 518	1	D						
	4698 685	1	С						C-P
		1	Υ						
	4698 687	1	С						[C-H, C-M]
12									DUCT, Air Distribution, Left
	4698 520	1	D						
	4698 675	1	С						C-P
		1	Y						
	4698 682	1	С						[C-H, C-M]
13									DUCT, Air Distribution, Right
	4698 519	1	D						
		1	С						C-H
	4698 684	1	С						C-P
		1	Υ						
14	1000 50115		_						DUCT, Demister, Right
	4698 534AB	1	D 0						0.11
		1	С						C-H
15		1	Y						DUCT Dominton Left
15	4600 602AP	4	Ь						DUCT, Demister, Left
	4698 683AB	1	D C						C-H
		-	Y						С-П
-16		1	Ť						DUCT, Air Distribution
-10	4698 684	1	С						
	4698 685	<u>1</u> 1	C						Right Left
	4698 684	1	Y						Right
	4698 685	1	Ϋ́						Left
	7090 000	ı	I						Leit

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Air Distribution Outlets Figure 024-625



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GRILLE, Demister, Right
	PD56 WL8	1	D						[L5]
	PD56 XDV	1	D						[DV]
	PD56 XTM	1	D						[T5]
	PD56 WL8	1	С						[L5] C-H,M
	PD56 XDV	1	С						[DV] C-H,M
	PD56 XTM	1	С						[T5] C-H,M
2									GRILLE, Demister, Right
	QH88 XDV	1	С						[D2,DV] C-P
	QH88 XTM	1	С						[T5] C-P
	QH88 XDV	1	Υ						[D2,DV]
	QH88 XTM	1	Υ						[T5]
3									GRILLE, Demister, Left
	PD57 WL8	1	D						[L5]
	PD57 XDV	1	D						[DV]
	PD57 XTM	1	D						[T5]
4									GRILLE, Demister, Left
	PD61 WL8	1	С						[L2,L5]
		1	Υ						[L2,L5]
	PD61 XDV	1	С						[DV,D2]
		1	Y						[DV,D2]
	PD61 XTM	1	С						[T5]
		1	Υ						[T5]
5									OUTLET, Air Conditioning & Hear
									Center
	QT04 WL8AA	3	С						[L2]
		3	Υ						[L2]
	QT04 XDVAA	3	С						[D2,DV]
		3	Y						[D2,DV]
	QT04 XTMAA		С						[T5]
		3	Υ						[T5]
6									OUTLET, Air Conditioning & Heat
									Center
	QU67 WL8AB		С						[L5]
	QU67 XDVAB		С						[DV]
	QU67 XTMAB	1	С						[T5]
7									OUTLET, Air Conditioning & Hear
									Center
	QU69 WL8AA		D						[L5]
	QU69 XDVAA		D						[DV]
	QU69 XTMAA	2	D						[T5]

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300MH = SE

X = 300M Special

M = LXI

H = Chrysler Intrepid D = Dodge Intrepid

E = 300M


D = Concorde

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

Air Distribution Outlets Figure 024-625



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8									OUTLET, Air Conditioning & Heate
									Woodgrain
	QT02 WL8AA	2	С						[L2]
		2	Υ						[L2]
	QT02 XDVAA		С						[D2,DV]
		2	Υ						[D2,DV]
	QT02 XTMAA	2	С						[T5]
		2	Υ						[T5]
9									OUTLET, Air Conditioning & Heate
									Left
	QU68 WL8AB	1	С						[L5]
	QU68 XDVAB	1	С						[DV]
	QU68 XTMAB	1	С						[T5]
10									OUTLET, Air Conditioning & Heate
									Left
	QU71 WL8AA	. 1	D						[L5]
	QU71 XDVAA	. 1	D						[DV]
	QU71 XTMAA	. 1	D						[T5]
11									OUTLET, Air Conditioning & Heate
									Right side
	QU66 WL8AB	2	С						[L5]
		2	D						[L5]
	QU66 XDVAB	2	С						[DV]
		2	D						[DV]
	QU66 XTMAB	2	С						[TM]
		2	D						[TM]

CONCORDE-INTREPID-300M (LH)
SERIES LINE

SERIES P = Limited/ES S = 300MH = SE

X = 300M Special

M = LXI

H = Chrysler Intrepid D = Dodge Intrepid

E = 300M


D = Concorde


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm


Group – 025 Emission Systems





GROUP 25 - Emission Systems

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels	Fig. 025-110
Vacuum Canister	
Emission Harness	Fig. 025-310
Vapor Canister and Leak Detection Pump	Fig. 025-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	les Codes								
	7L V6 DOHC	24V M	PI						
-	.5L Magnum \								
[EGG] = 3	.5L High Outp	out V6 2	24V MPI						
[EGJ] = 3.	5L V6 SOHC	24V De	e-Tuned						
[EGK] = 3.	5L High Outp	ut V6 2	4V MPI Po	olice Packa	ige				
[XC9] = Ne	ext Model Yea	ar VIN 7	Fracking						
1									LABEL, Emission
	4578 240AA	1				EER			[NAS] U.S. 50 State
	4578 242AB	1				EGJ			[NAS-XC9] U.S. State
•	4578 243AA	1				EGC,			[NAS] U.S. 50 State
						EGG,			
	4570, 400 4 4					EGK			[NIAC: VC0] C F0 Ct-t-
	4578 402AA 4578 400AA	1				EGJ EER			[NAS+XC9] U.S. 50 State [NAS+XC9] U.S. 50 State
	4578 400AA 4578 403AA	1 1				EGC,			[NAS+XC9] U.S. 50 State
•	4376 403AA	'				EGC, EGG,			[NAS+XC9] 0.3. 50 State
						EGK			
	5032 954AA	1				EGJ			[NAM] Mexico
	5032 955AA	1				EGG			[NAM] Mexico
	4578 241AA	1				EER			[NA1] Export
	4578 244AA	1	C, Y			EGG			[NA1] Export
	4578 401AA	1				EER			[NA1+XC9] Export
	4578 404AA	1	C, Y			EGG			[NA1+XC9] Export

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300MH = SEM = LXI

X = 300M Special

LINE H = Chrysler Intrepid D = Dodge Intrepid

D = Concorde E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Emission Harness Figure 025-310

2	

	PART			!					
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ı∩te∙ Sa	les Codes								
	L Engine								
	L Engine w/M	/ITV							
EGC]=3.5	iL Magnum Er	ngine							
EGG]=3.5	L High Outpu		ıe						
_	2L Engine								
	4578 209AD	1							HARNESS, Vapor
	4591 733AA								SOLENOID, Proportional Purge
-3 4	4578 099AB-	1							BRACKET, Proportional Purge
4									Solenoid, Solenoid Bracket
-4									TUBE, Vacuum, To LDP in Tank, (NOT SERVICED) (Not Serviced
									(NOT SERVICED) (NOT SERVICED
_			_		_		_	_	-
ONCORDE-II SERIES	NTREPID-300M ((LH) ——		BODY		ENGIN			TRANSMISSION


S = 300M H = SE M = LXI

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Vapor Canister and Leak Detection Pump Figure 025-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[NAB]=Le	aded Fuel								
	States Emiss	ions							
1									CANISTER, Vapor
	4891 428AC	1							Natural Vacuum Leak Detection
	4891 386AD	1							[NAS]
	4581 388AC	1							[NA3,NA1,NAM]
2									DETECTOR, Natural Vacuum Leak
									Detection, Serviced With Item 1,
									(NOT SERVICED) (Not Serviced)
3									SCREW, Tapping, .19-16x.375,
									(NOT SERVICED) (Not Serviced)
4	4581 352AB	1							FILTER, Fuel Vapor Canister, With
									Leak Detection Pump
-5	4581 386AA-	1							FILTER, Air, Without Leak Detection
									Pump
6	4581 240AA	1							BRACKET, Leak Detection Pump
7									HOSE, Vent Valve to Filter, Service
									With Filter, (NOT SERVICED) (No
									Serviced)
-8	6101 978	1							SCREW AND WASHER, Hex Head
									M8-1.25x40
-9	4581 354AA-	1							VALVE, Onboard Vapor Recovery
									Control, Service Manual calls this
									Flow Management Valve.

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – DLH

Doors and Related Parts






GROUP DLH - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell and Hinges	Fig. DLH-108
Door, Front Exterior Handle and Links	Fig. DLH-110
Door, Front Glass and Regulators	Fig. DLH-120
Door, Front Bezels and Speakers	Fig. DLH-130
Rear Door	
Door, Rear Shell and Hinges	Fig. DLH-205
Door, Rear Exterior Handle and Links	Fig. DLH-210
Door, Rear Glass and Regulators	Fig. DLH-220
Door, Rear Bezels	Fig. DLH-230
Exterior Mirror	
Mirror, Exterior	Fig. DLH-510
Weatherstrips and Seals	
Weatherstring Front and Rear Door	Fig. DI H-610

Door, Front Shell and Hinges Figure DLH-108



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	5003 224AD	1	D						Right
	5003 225AD	1	D						Left
	5003 226AG	1	C, Y						Right
	5003 227AG	1	C, Y						Left
2									PANEL, Door Outer
	4574 230AD	1	D						Right
	4574 231AD	1	D						Left
	4574 272AD	1	C, Y						Right
	4574 273AD	1	C, Y						Left
3									WATERSHIELD, Front Door
	4780 148AE	1							Right
	4780 149AE	1							Left
4	6505 762AA	4							STUD, M8-1.25x52
5	6505 567AA	8							NUT, Flange
6									HINGE, Front Door Upper
	4574 274AB	1							Right
	4574 275AB	1							Left
7									HINGE, Front Door Lower
	4574 300AB	1							Right
	4574 301AB	1							Left
8	6505 546AA	6							SCREW AND WASHER, Hex Head,
									M8x1.25x30
-9	6505 530AA-	8							SCREW, Hex Flange Head, Hinge to
									Body
10									CHECK STRAP, Front Door
	4574 332AH	1							Right
	4574 333AH	1							Left
-11	4780 506AC-	2							SEAL, A-Pillar, Check Strap
12	6101 736	2							NUT AND WASHER, Hex, M6x1
13	6504 055	4							SCREW, Hex Head, M6x1x16
14									PROTECTOR KIT, Door Edge, Front,
									(NOT SERVICED) (Not Serviced)
15									WEATHERSTRIP, Front Door
									Opening
	4574 336	1							Right
	4574 337	1							Left
-16	4780 529AA-	2							TAPE, Acess Hole

98Q093 105

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M M = LXIX = 300M Special

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Door, Front Exterior Handle and Links Figure DLH-110



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									HANDLE, Front Door Exterior,
_										Includes pink Clip
		LF02 AXRAE	1							[XR], Right
		LF03 AXRAE	1							[XR], Left
		LF02 SW1AE	1							[W1], Right
_		LF03 SW1AE	1							[W1], Left
		LF02 WELAE	1							[EL], Right
		LF03 WELAE	1							[EL], Left
		LF02 WS2AE	1							[S2], Right
_		LF03 WS2AE	1							[S2], Left
		LF02 XBQAE	1							[BQ], Right
		LF03 XBQAE	1							[BQ], Left
		LF02 YBWAE	1							[BW], Right
_		LF03 YBWAE	1							[BW], Left
		LF02 YJRAE	1							[JR], Right
		LF03 YJRAE	1							[JR], Left
_		LF02 ZDRAE	1							[DR], Right
		LF03 ZDRAE	1							[DR], Left
		LF02 ZKJAE	1							[KJ], Right
		LF03 ZKJAE	1							[KJ], Left
_		LF02 ZMQAE	1							[MQ], Right
		LF03 ZMQAE	1							[MQ], Left
		LF02 BB8AE	1							[B8], Right
		LF03 BB8AE	1							[B8], Left
_		XE82 AP4AB	1							[P4], Without Lock Cylinder, Right
		XE82 AXRAB	1							[XR], Without Lock Cylinder, Right
		XE82 SW1AB	1							W1], Without Lock Cylinder, Right
		XE82 WELAB	1							[EL], Without Lock Cylinder, Right
_		XE82 WS2AB	1							[S2], Without Lock Cylinder, Right
		XE82 XBQAB	1							[BQ], Without Lock Cylinder, Right
		XE82 YBWAE	3 1							[BW], Without Lock Cylinder,
										Right
_		XE82 YJRAB	1							[JR], Without Lock Cylinder, Right
		XE82 ZDRAB	1							DR], Without Lock Cylinder, Right
		XE82 ZKJAB	1							[KJ], Without Lock Cylinder, Right
		XE82 ZMQAB	1							[MQ], Without Lock Cylinder,
_										Right
		XE82 BB8AB	1							[B8], Without Lock Cylinder, Right
	2									LINK, Outside Handle To Latch,
										Front Door
_		4574 152	1							Right
		4574 153	1							Left
C		INTREPID-300M			DCD'/					TRANSMISSION
F	SERIES P = Limited/l	LIN ES H=0	NE Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0	E = 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
S	S = 300M	Intre	pid				EGG = 3.5	SL HO V6 MF	PI 24V	DG0 = All Automatic Transm
	l = SE l = LXI		Dodge Ir Concord					L V6 SOHC : L HO V6 MF		
	(= 300M Sp		300M	-				AGNUMÖ 3.		

Door, Front Exterior Handle and Links Figure DLH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
3									LINK, Key Cylinder To Latch
	4574 154	1							Right
	4574 155	1							Left
4	6505 533AA	4							SCREW, Hex Flange Head Tapping,
									M4.8 x 1.59 x 14.00, Handle
									Attaching
5									KNOB AND LINK, Door Latch
	LE98 WL8AF	1							[L5,L2], Right
	LE99 WL8AF	1							[L5,L2], Left
	LE98 XDVAF	1							[DV,D2], Right
	LE99 XDVAF	1							[DV,D2], Left
	LE98 XTMAF	1							[T5], Right
	LE99 XTMAF	1							[T5], Left
-6	4658 674	AR							CLIP, Latch Link
7									BEZEL, Lock Knob
	PP03 WL8AB	1							[L5,L2]
	PP03 XDVAB	1							[DV,D2]
	PP03 XTMAB	1							[T5]
8									LATCH, Front Door
	4574 150AD	1							Right
	4574 151AD	1							Left
9									LINK, Inside Handle To Latch, Front
									Door
	4574 140	1	D						Right
	4574 141	1	D						Left
	4574 140	1	С	H, M					Right
	4574 141	1	С	H, M					Left
	4574 136	1	С	Р					Right
	4574 137	1	С	Р					Left
	4574 136	1	Υ	S, X					Right
	4574 137	1	Υ	S, X					Left
10	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
									Latch Attaching

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Door, Front Glass and Regulators Figure DLH-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS AND LIFTPLATE, Front Do
									Solar
	4780 230AH	1							Right
	4780 231AH	1							Left
2	4878 907AC	2							LIFT PLATE, Door Glass, Also
									serviced in Glass Assembly
3									MOLDING, Front Door
	4805 524AN	1	С	Р					Chrome, Right
	4805 525AN	1	С	Р					Chrome, Left
	4805 524AN	1	С	Н					Chrome, Right
	4805 525AN	1	С	Н					Chrome, Left
	4805 524AN	1	Υ	S					Chrome, Right
	4805 525AN	1	Υ	S					Chrome, Left
	4805 524AN	1	Υ	Х					Chrome, Right
	4805 525AN	1	Υ	Χ					Chrome, Left
	4805 638AG	1	D						Black, Right
	4805 639AG	1	D						Black, Left
	4805 638AG	<u>·</u> 1	C	Н					Black, Right
	4805 639AG	1	C	 H					Black, Left
	4805 638AG	1	C	M					Black, Right
	4805 639AG	1	C	M					Black, Left
4	+000 000/10			171					SCREW, Moulding Attaching (.164-
7									18X.562), (NOT SERVICED) (Not
									Serviced)
5	0154 863AA	AR							SCREW, .164-18x.375
6	6036 042AA	14							NUT/SPRING, Snap In, .164-18
7	0030 042AA	14							WEATHERSTRIP, Front Door Glass
,	4574 032AJ	4							
		1							Right
0	4574 033AJ	1							Left CHANNEL Door Close
8	4700 000 4 5	4							CHANNEL, Door Glass
	4780 080AF	1							Right Front
0	4780 081AF	1							Left Front
9	4700 54045								CHANNEL, Front Door Glass
	4780 510AF	1							Right Rear
	4780 511AF	1							Left Rear
-10	6505 446AA-	2							SCREW, Channel Bracket attaching
									Rear
11									SCREW, Tapping (M6X1.00X16.00)
									(NOT SERVICED) (Not Serviced)
12	6101 443	4							NUT AND WASHER, Hex, M5x.80,
									Front Glass Run
13									REGULATOR, Front Door Window

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Door, Front Glass and Regulators Figure DLH-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4574 092AR	1							Right
	4574 093AR	1							Left
14									MOTOR, Window Regulator
	5012 544AD	1							Right
	5012 545AD	1							Left

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M X = 300M Special

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Door, Front Bezels and Speakers Figure DLH-130

12	2	14
		5
	10	9

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	QII	LINE	SERIES	ВООТ	ENGINE	IRANS	IKIW	DESCRIPTION
NOTE: Be	zels not listed	l are se	rviced with	Trim Pane	el.				
NOTE: Ins	side Remote F	landle S	Serviced in	Door Trim	Panel.				
Sales Cod	les:								
[RCD] = S	PEAKERS - F	FOUR							
[RCE] = S	PEAKERS - 9	INFIN	ITY IN 7 LO	CATIONS	3				
[RCG] = S	PEAKERS - S	SIX							_
[RCJ] = S	PEAKERS - S	SIX, PRI	EMIUM INF	FINITY					
[RCP] = S	PEAKERS -1	1 INFIN	IITY IN 9 L	OCATIONS	S				
[RCQ] = S	PEAKERS - 7	7 INFIN	ITY IN 7 L	OCATION					
[RCZ] = S	PEAKERS - 9	INFINI	ITY IN 9 LO	OCATION					
1									SPEAKER, Front Door
	4760 650AC	1							[RCJ], 2 1/2 DOOR FLAG
	5059 122AA	1							[RCJ], 6 1/2
	56038 410AC	1							[RCE], WOOFER
	5026 465AA	1							[RCE], 11 INFINITY IN 9
									LOCATIONS
2									PLATE, Speaker
	TC52 DX9AB	1	D						Right
		1	С	H, M					Right
	TC50 DX9AB		C	Р					Right
	. 000 2710712	1	Y	S					Right
		<u>·</u> 1	Y	X					Right
	TC51 DX9AB	-	•	^					Left
	6504 904AA-	3							NUT, Speaker Attaching
4	0004 0047 0 (J							BRACKET, Speaker, Enclosure,
									Outer
	4628 882AB	1	D						[RCD], Right
	4628 883AB	1	D						[RCD], Kight
	4628 882AB	1	C	Н, М					[RCD], Right
	4628 883AB	<u>'</u> 1		H, M					[RCD], Kight
_	4020 003AB	'	C	1 1, IVI					BEZEL, Power Window Switch
5		3 1							[L2], Chrome Switches, Right
	QB08 WL8AE QB09 WL8AC								[L2], Chrome Switches, Right
	QB09 WLOAC								[DV], Chrome Switches, Right
	QB00 XDVAC								[DV], Chrome Switches, Left
	QB09 XDVAC QB08 XTMAE								[T5], Chrome Switches, Right
	QB08 XTMAC								[T5], Chrome Switches, Right
	PT68 WL8AB								
	PT68 XDVAB								[RCJ, L5], Right [RCJ, DV], Right
	PT68 XTMAB	1							[RCJ, T5], Right
6	DD04 W/I 0AD								BEZEL, Power Mirror Switch
	PP01 WL8AB	- T							[L2,L5]
CONCORDE-I	NTREPID-300M	(LH) ——							
SERIES	LII	ΝΕ΄		BODY	0-4	ENGIN		0110	TRANSMISSION
P = Limited/E S = 300M	S H = Intre	Chrysler pid		41 = 4 Door	Segan		= 2.7L V6 D L HO V6 MF		DGX = 4 Speed Automatic DG0 = All Automatic Transm
H = SE	D =	Dodge Ir				EGJ = 3.5l	V6 SOHC	24V	
M = LXI X = 300M Sp		Concordo 300M	е				L HO V6 MF AGNUMÖ 3.:		
7 – 200 N 3P	- L =	OOOIVI				LOO - 11V1/	CONTONIO 3.	0 <u>∟</u> ۷0	

Door, Front Bezels and Speakers Figure DLH-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PP01 XDVAB								[D2,DV]
	PP01 XTMAB	- 1							[T5]
-7									PLUG, Bezel Trim
	QU33 WL8AA								[L2,L5]
	QU33 XDVAA	1							[DV,D2]
	QU33 XTMAA	\- 1							[T5]
8	6032 723	20							SCREW, Self Tapping, M4.2x1.
									69x19.05, Panel Attaching
9									GRILLE, Speaker
	PQ28 WL5	1	D						[L5], Right
	PQ29 WL5	1	D						[L5], Left
	PQ28 XDV	1	D						[DV], Right
	PQ29 XDV	1	D						[DV], Left
	PQ28 XT5	1	D						[T5], Right
	PQ29 XT5	1	D						[T5], Left
	PY44 WL5	1	С	H, M					[L5], Right
	PY45 WL5	1	С	H, M					[L5], Left
	PY44 XDV	1	С	H, M					[DV], Right
	PY45 XDV	1	С	H, M					[DV], Left
	PY44 XT5	1	С	H, M					[T5], Right
	PY45 XT5	1	С	H, M					[T5], Left
	PT98 TL2AB	1	С	Р					[L2], Right
	PT99 TL2AB	1	С	Р					[L2], Left
	PT98 XDVAB	1	С	Р					[DV], Right
	PT99 XDVAB	1	С	Р					[DV], Left
	PT98 XT5AB	1	С	Р					[T5], Right
	PT99 XT5AB	1	С	Р					[T5], Left
	PT98 XT5AB	1	Υ	S					[T5], Right
	PT99 XT5AB	1	Υ	S					[T5], Left
	PT98 TL2AB	1	Υ	S					[L2], Right
	PT99 TL2AB	1	Υ	S					[L2], Left
	PT98 TL2AB	1	Υ	Χ					[D2], Right
	PT99 TL2AB	1	Υ	Χ					[D2], Left
	PT98 XDVAB	1	Υ	S					[DV], Right
	PT99 XDVAB	1	Υ	S					[DV], Left
	PT98 XDVAB	1	Υ	Χ					[DV], Right
	PT99 XDVAB	1	Υ	Χ					[DV], Left
10									NAMEPLATE, Infinity, Serviced i
									Grille, (NOT SERVICED) (Not
									Serviced)
-11									REFLECTOR, Door Trim Panel
•	4760 356	1							Right
	-								3

SERIES
P = Limited/ES
S = 300M
H = SE

M = LXIX = 300M Special LINE H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005

Door, Front Bezels and Speakers Figure DLH-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 357	1							Left
12									HOUSING, Speaker
	TC46 XDVAF	1	D						[RCE, DV,L5], Right
	TC46 XTMAF	1	D						[RCE, T5], Right
	TC46 XDVAF	1	С	H, M					[RCE, DV,L5], Right
	TC46 XTMAF	1	С	H, M					[RCE, T5], Right
	TC44 XDVAF	1	С	Р					[RCE,RCP, L2,DV], Right
	TC44 XTMAF	1	С	Р					[RCE,RCP, T5], Right
	TC44 XDVAF	1	Υ	S					[RCE,RCP, L2,DV], Right
	TC44 XTMAF	1	Υ	S					[RCE,RCP, T5], Right
	TC44 XDVAF	1	Υ	Χ					[RCE,RCP, D2,DV], Right
	TC45 XDVAF	1							[RCE,RCP, D2,DV,L2,L5], Left
	TC48 XDVAE	1	D						[RCJ, DV,L5], Right
	TC48 XTMAE	1	D						[RCJ, T5], Right
	TC48 XDVAE	1	С	H, M					[RCJ, DV,L5], Right
	TC48 XTMAE	1	С	H, M					[RCJ, T5], Right
	TC58 XDVAE	1	Υ	S					[RCJ, DV,L2], Right
	TC58 XTMAE	1	Υ	S					[RCJ, T5], Right
	TC58 XDVAE	1	Υ	Χ					[RCJ, DV,L2], Right
	TC47 XDVAE	1							[RCJ, DV,L5], Left
	TC47 XTMAE	1							[RCJ, T5], Left
	TC44 XDVAG	1	С	Р					[RCQ,RCZ,DV,L2], Right
		1	Υ	S					[RCQ,RCZ,DV,L2], Right
		1	Υ	Χ					[RCQ,RCZ,DV,L2], Right
	TC45 XDVAG	1							[RCQ,RCZ,DV,L2], Left
	TC44 XTMAG	1	С	Р					[RCQ,RCZ,T5], Right
		1	Υ	S					[RCQ,RCZ,T5], Right
	TC45 XTMAG	1							[RCQ,RCZ,T5], Left
	5081 031AA	1							With Speaker - paint as required
									[RCQ,RCZ]
-13	0153 816	1							SCREW, Tapping, .164-18x.75
14									COVER, Speaker Opening
	TC56 DX9AD	1	D						[RCD], Right
	TC57 DX9AC	1	D						[RCD], Left
	TC56 DX9AD	1	С	H, M					[RCD], Right
	TC57 DX9AC	1	С	H, M					[RCD], Left
-15	0153 816	1							SCREW, Tapping, .164-18x.75
16	6035 934AA	3							SCREW, Tapping
-17	6505 115AA-	4							NUT, Door Flag outer plate moun

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Door, Rear Shell and Hinges Figure DLH-205

|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	5003 258AG	1	D						Right
	5003 259AG	1	D						Left
	5003 236AJ	1	C, Y						Right
	5003 237AJ	1	C, Y						Left
2									PANEL, Door Outer
	4574 362AD	1	D						Right
	4574 363AD	1	D						Left
	4574 364AD	1	C, Y						Right
	4574 365AD	1	C, Y						Left
3									WATERDAM, Rear Door
	4780 152AD	1	D						Right
	4780 153AD	1	D						Left
	4780 248AE	1	C, Y						Right
	4780 249AE	1	C, Y						Left
4									HINGE, Rear Door Upper
	4574 428	1							Right
	4574 429	1							Left
5	6505 546AA	6							SCREW AND WASHER, Hex Hea
									M8x1.25x30
-6	6505 530AA-	8							SCREW, Hex Flange Head
7	6101 736	2							NUT AND WASHER, Hex, M6x1
8	6101 736	2							NUT AND WASHER, Hex, M6x1
9									HINGE, Rear Door Lower
	4574 436	1							Right
	4574 437	1							Left
10									WEATHERSTRIP, Rear Door
									Opening
	4780 158AB	1	D						Right
	4780 159AB	1	D						Left
	4574 450AB	1	C, Y						Right
	4574 451AB	1	C, Y						Left
11									CHECK STRAP, Rear Door
	4574 412AG	1							Right
	4574 413AG	1							Left
-12	6503 909	4							SCREW, M6x1x20, Check Attachir
-13	4780 508AD-	2							SEAL, B-Pillar, Check Strap
-14									LABEL, Child Protection Lock,
									English
	4780 544AA-	1							Right
	4780 545AA-	1							Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Door, Rear Shell and Hinges Figure DLH-205

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-15									LABEL, Child Protection Lock
									French
	4780 546AC-	1							Right
	4780 547AC-	1							Left



 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

M = LXIX = 300M Special H = Chrysler


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Door, Rear Exterior Handle and Links Figure DLH-210





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-								•	•	
	1									HANDLE, Rear Door Exterior
_		LF04 AXRAE	1							[XR], Right
		LF05 AXRAE	1							[XR], Left
		LF04 SW1AE	1							[W1], Right
		LF05 SW1AE	1							[W1], Left
_		LF04 WELAE	1							[EL], Right
		LF05 WELAE	1							[EL], Left
		LF04 WS2AE	1							[S2], Right
_		LF05 WS2AE	1							[S2], Left
_		LF04 YBWAE	1							[BW], Right
		LF05 YBWAE	1							[BW], Left
		LF04 YJRAE	1							[JR], Right
_		LF05 YJRAE	1							[JR], Left
		LF04 ZDRAE	1							[DR], Right
		LF05 ZDRAE	1							[DR], Left
		LF04 ZKJAE	1							[KJ], Right
_		LF05 ZKJAE	1							[KJ], Left
		LF04 ZMQAE	1							[MQ], Right
		LF05 ZMQAE	1							[MQ], Left
		LF04 ABEAE	1							[BE], Right
_		LF05 ABEAE	1							[BE], Left
	2									LINK, Outside Handle To Latch, Rear
										Door
		4780 378AB	1	C, Y						Right
_		4780 379AB	1	C, Y						Left
		4574 024AC	1	D						Right
		4574 025AC	1	D						Left
	3	6505 533AA	4							SCREW, Hex Flange Head Tapping,
_										M4.8 x 1.59 x 14.00
	4			_						KNOB AND LINK, Door Latch
		LE92 WL8AL		D						[L5], Right
		LE93 WL8AL	1	D						[L5], Left
_		LE92 XDVAL	1	D						[DV], Right
		LE93 XDVAL	1	D						[DV], Left
		LE92 XTMAL	1	D						[T5], Right
	_	LE93 XTMAL	1	D						[T5], Left
_	5	5056 208AA	2							CABLE, Door Lock Knob Emergency
										Release, Police Package
	6	DD00 14/1 0 4 5								BEZEL, Lock Knob
		PP03 WL8AB								[L2,L5]
_		PP03 XDVAB								[DV]
		PP03 XTMAB	1							[T5]

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Door, Rear Exterior Handle and Links Figure DLH-210





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7									LINK, Door Lock Control
	4574 984AF	1	D						Right
	4574 985AF	1	D						Left
	4780 370AE	1	C, Y						Right
	4780 371AE	1	C, Y						Left
8	4658 448AC	2							CLIP, Latch
9									LINK, Inside handle To Latch, Rear
									Door
	4574 012AB	1	D						Right
	4574 013AB	1	D						Left
	4574 008AC	1	С	H, M					Right
	4574 009AC	1	С	H, M					Left
	4574 010AC	1	С	Р					Right
	4574 011AC	1	С	Р					Left
	4574 010AC	1	Υ	S, X					Right
	4574 011AC	1	Υ	S, X					Left
10									LATCH, Rear Door
	4574 022AE	1							Right
	4574 023AE	1							Left
11	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
									Latch Attaching
12									BELLCRANK, Outside Door Handle
	5525 6722	1							Right
	5525 6723	1							Left
-13	6032 452	2							SCREW, Self Piercing, .164-15x.625,
									Bell Crank to Inner Door
-14									LABEL, Child Protection Lock,
									English
	4780 544AA-	1							Right
	4780 545AA-	1							Left

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg


M = LXIX = 300M Special H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Door, Rear Glass and Regulators Figure DLH-220



>>

Door, Rear Glass and Regulators Figure DLH-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									SCREW, (M6X1.00X16.00), (NOT
									SERVICED) (Not Serviced)
11	6101 443	2							NUT AND WASHER, Hex, M5x.80
12									SCREW, (8-18X.375), (NOT
									SERVICED) (Not Serviced)
13									REGULATOR, Rear Door Window
	4574 100AQ	1							Right
	4574 101AQ	1							Left
14									MOTOR, Window Regulator
	5012 544AD	1							Right
	5012 545AD	1							Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler


 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: Be	ezels not listed	are se	rviced in D	oor Trim P	anel.				
1	220.0 1.01 1.010								BEZEL, Power Window Switch
	PQ42 WL5AB	1							[L5], Right
	PQ43 WL5AB								[L5], Left
	PQ42 WL8AB								[L2], Right
	PQ43 WL8AB	1							[L2], Left
	PQ42 XDVAB	1							[DV], Right
	PQ43 XDVAB	1							[DV], Left
	PQ42 XT5AB	1							[T5], Right
	PQ43 XT5AB	1							[T5], Left
-2									REFLECTOR, Door Trim Panel
	4760 356	1							Right
	4760 357	1							Left
3									PANEL, C Pillar
	PB90 DX9AD	1	C, Y						Right
	PB91 DX9AD	1	C, Y						Left
	PB92 DX9AD	1	D						Right
	PB93 DX9AD	1	D						Left
-4	6035 906	2	C, Y						CLIP, Door Trim, Sail Attaching
-5									GRILLE, Speaker
	QB14 WL8	1							[L2], Right
	QB15 WL8	1							[L2], Left
	QB14 XDV	1							[DV], Right
	QB15 XDV	1							[DV], Left
	QB14 XTM	1							[T5], Right
	QB15 XTM	1							[T5], Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
NOTE:Sal	es Codes:										
[GTK] = N	[GTK] = MIRRORS - POWER FOLD-AWAY										



[GTK] =	MIRRORS - POV	VER FOLD-AWAY	
[GTS] =	MIRRORS - POV	VER HEATED, FOLD-AWAY	
[GT8] =	MIRRORS - POW	VER	
		R,HEAT,FOLDING,AUTO DIM, MIDDLE EAST	
		ORS -PWR,HTD,FOLDING,DRVR MEMORY	
-		R,HEAT,FOLDING,AUTO DIM	
		R,HEAT,FOLDING,AUTO DIM,MEMORY	
		VER, FOLD-AWAY, AUTO DIM	
1		,	MIRROR, Outside, Rearview,
-			Electric, Heated
	4805 944AD	1	[GUA,GUS], Right
	4805 953AD	1	[GUA], Left
	4805 951AD	1	[GUS], Left
	4805 946AE	1	[GTK,GUY], Right
	4805 947AD	1	[GTK,GUY], Left
	UT74 ZDRAD	1	[GU7,DR], Right
	UT75 ZDRAD	1	[GU7,DR], Kight
	UT74 BB8AI		
	UT75 BB8AG	1	[GU9,B8], Right [GU9,B8], Left
		1	2 2
	UT74 DX8AG	1	[GU9,XR,DR], Right
	UT75 DX8AG	1	[GU9,XR,DR], Left
	UT74 WS2AI	1	[GU9,S2], Right
	UT75 WS2AG	1	[GU9,S2], Left
	UT74 YBWAI	1	[GU9,BW], Right
_	UT75 YBWAG	1	[GU9,BW], Left
2			GLASS, Mirror Replacement
	5018 306AA	1	[GUA,GUS,GU9,GU7,GUP] Up to
			02/14/2003, Right
	5127 496AA	1	[GUA,GUS,GU9] After 02/14/2003
			Right
	5093 643AA	1	[GTK,GUY], Right
	5103 259AA	1	[GU7,GU9], Left
3			MIRROR, Outside Rearview, Folding
			Arabic
	4805 948AA	1	[GTS,GUC,GUG,GU2], Molded in
			Color, Right
	4805 949AD	1	[GTS,GUC,GUG,GU2], Molded in
			Color, Left
4	5018 297AA	1	GLASS, Mirror Replacement, [GTS,
			GUC,GUG,GU2], Molded in Color,
			Right

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5									MIRROR, Outside Rearview
	4574 606AG	1							[GT8], Right
	4574 607AG	1							[GT8], Left
6									GLASS, Mirror Replacement
	5018 464AA	1							[GT8], Right
	5018 465AA	1							[GT8], Left
-7	4780 529AA-	2							TAPE, Acess Hole
8	6101 952	2							SCREW, Hex Flange Head Tapping,
									M4.8 x 1.59 x 25.00
9	6101 443	2							NUT AND WASHER, Hex, M5x.80

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Weatherstrips Front and Rear Door Figure DLH-610



TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	<u> </u>	LINE	OLIVIEO		LIVOINE	IIIAIIO	11111111	DESCRIPTION
1									WEATHERSTRIP, Drip Rail
									Secondary
	4780 764AB	1							Right
	4780 765AB	1							Left
-2									SUPPORT, Roof, Drip Rail Seal
	4575 466	1	D						Right
	4575 467	1	D						Left
	4575 594	1	С						Right
	4575 595	1	С						Left
	4575 594	1	Υ						Right
	4575 595	1	Υ						Left
3									WEATHERSTRIP, Front Door
									Opening, Door Mounted
	4574 336	1							Right
	4574 337	1							Left
4									WEATHERSTRIP, Rear Door
									Opening, Door Mounted
	4574 450AB	1	C, Y						Right
	4574 451AB	1	C, Y						Left
	4780 158AB	1	D						Right
	4780 159AB	1	D						Left
5									WEATHERSTRIP, Front Door
									Opening, Body Mounted
	UP92 XXXAD	1							Right
	UP93 XXXAD	1							Left
6									WEATHERSTRIP, Rear Door, Body
									Mounted
	UP90 XXXAD	1	D						Right
	UP91 XXXAD	1	D						Left
	WR34 XXXAB	1	C, Y						Right
	WR35 XXXAB	1	C, Y						Left
7									WEATHERSTRIP, Door Bottom
									Cladding
	4780 096AB	1							Right
	4780 097AB	1							Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – ELH

Exterior Ornamentation






GROUP ELH - Exterior Ornamentation

Illustration Title	Group-Fig. No
Nameplates	
Nameplates and Medallions	Fig. ELH-110
Moldings and Ornamentation	
Mouldings	Fig. ELH-210
Cladding	Fig. ELH-220

Nameplates and Medallions Figure ELH-110



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
1	5288 946AC	1							NAMEPLATE, Dodge		
2	4805 184AA	1	D						NAMEPLATE, Deck Lid, Chrysler		
3	4805 182AA	1							NAMEPLATE, Decklid, Intrepid		
4									DECAL, 3.5 L		
	4591 342	1							[EGC,EGG]		
	4591 926AA	1							[EGJ]		
	4591 931AA	1							[EGK]		
5	4806 063AA	1							NAMEPLATE, SXT		
6	4805 183AB	1							NAMEPLATE, ES		
7	4805 648AB	1							NAMEPLATE, SE		
8	4805 065AB	1	С						EMBLEM, Decklid, Winged Victory		
9	4805 878AA	1							NAMEPLATE, Concorde LX		
10	4805 879AA	1							NAMEPLATE, Concorde LXI		
11	4805 880AA	1							NAMEPLATE, Concorde Limited		
12	4805 286AC	1							MEDALLION, Deck Lid, 300		
13	4805 105	1	Υ						NAMEPLATE, Deck Lid, Chrysler		
14									MEDALLION, Fender, 300		
	4805 287AC	2							[MG2]		
	4805 762AA	2							[MW2]		
15	5288 694AB	1							NAMEPLATE, Chrysler, Gold		
16	KS76 SZ1	1							NAMEPLATE, Medallion, Ram Head		
-17	5113 021AA-	2							NAMEPLATE, Platinum Series		

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde

E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Mouldings Figure ELH-210



>>


Mouldings Figure ELH-210




DESCRIPTION

Mouldings Figure ELH-210

PART



Cladding Figure ELH-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1	6501 559	6							RIVET, .25x.50
2									CLADDING, Quarter Panel
	5018 738AA	1							[K20] Paint as required, Right
	5018 739AA	1							[K20] Paint as required, Left
	5018 730AA	1							[K50] Paint as required, Right
	5018 731AA	1							[K50] Paint as required, Left
	5018 724AA	1	Υ	S					[K30] Paint as required, Right
	5018 725AA	1	Υ	S					[K30] Paint as required, Left
	UT58 1B8AB	1	Y	X					[K3D], Right
	UT59 1B8AB	1	Υ	X					[K3D], Left
	UT58 1BWAB		Υ	X					[K3U], Right
	UT59 1BWAB		Y	X					[K3U], Left
	UT58 1DRAB	1	Y	X					[K3F], Right
	UT59 1DRAB	1	Y	X					[K3F], Left
	UT58 1S2AB	1	Y	X					[K3S], Right
	UT59 1S2AB	1	Υ	X					[K3S], Left
	UT58 1XRAB	1	Υ	X					[K3Y], Right
	UT59 1XRAB	1	Υ	Х					[K3Y], Left
3									CLADDING, Fender
	5018 736AA	1							[K20] Paint as required, Right
	5018 737AA	1							[K20] Paint as required, Left
	5018 728AA	1							[K50] Paint as required, Right
	5018 729AA	1							[K50] Paint as required, Left
	5018 722AA	1	Υ	S					[K30] Paint as required, Right
	5018 723AA	1	Υ	S					[K30] Paint as required, Left
	UT56 1B8AC	1	Υ	Х					[K3D], Right
	UT57 1B8AC	1	Υ	Χ					[K3D], Left
	UT56 1BWAB	1	Υ	Χ					[K3U], Right
	UT57 1BWAB	1	Υ	Χ					[K3U], Left
	UT56 1DRAB	1	Υ	Х					[K3F], Right
	UT57 1DRAB	1	Υ	Χ					[K3F], Left
	UT56 1S2AB	1	Υ	Χ					[K3S], Right
	UT57 1S2AB	1	Υ	Χ					[K3S], Left
	UT56 1XRAB	1	Υ	Х					[K3Y], Right
	UT57 1XRAB	1	Υ	Χ					[K3Y], Left
4	6036 070AA	2							SCREW AND WASHER, Round
									Head, .164-18x.625

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special


H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – ILH Interior Trim



ILH–100 Headliner and Visor	ILH-200 Moldings, Scuff Plates	ILH-300 Carpet	ILH-400 Door Trim Panels
ILH-500 Front Seats and Attaching Parts	ILH-600 Rear Seats- Folding and Quad	ILH–700 Seat Belts–Front and Rear	ILH–800 Adjusters, Covers, Shields, and Risers


GROUP ILH - Interior Trim

Illustration Title	Group-Fig. No
Headliner and Visor	F:- 1111 440
Headliner, Visors, Assist Straps And Shelf Panel	Fig. ILH-110
Moldings, Scuff Plates	
Cowl Panel, Footrest, Dash Silencer	Fig. ILH-210
Scuff Plates - Front And Rear	Fig. ILH-215
Molding - A and B Pillar	Fig. ILH-220
Panel, Quarter Trim - Upper And Lower	Fig. ILH-225
Carpet	
Carpet And Floor Mats	Fig. ILH-310
Carpet Luggage Compartment	Fig. ILH-315
Silencers	Fig. ILH-320
Door Trim Panels	
Door Panels - Front	Fig. ILH-410
Door Panels - Rear	Fig. ILH-420
Front Seats and Attaching Parts	
Seat Front - Trim Code [B7]	Fig. ILH-510
Seat Front - Trim Code [BF]	Fig. ILH-515
Seat Front - Trim Code [CL]	Fig. ILH-520
Seat Front - Trim Code [Q5]	Fig. ILH-525
Seat Front - Trim Code [NL]	Fig. ILH-530
Seat Front - Trim Code [ML]	Fig. ILH-535
Seat Front - Trim Code [MP]	Fig. ILH-540
Seat Front - Trim Code [QF]	Fig. ILH-545
Seat Front - Trim Code [TL] [BL]	Fig. ILH-550
Seat Front - Trim Code [Z5]	Fig. ILH-555
Seat Front - Trim Code [SL, PL]	Fig. ILH-560
Seat Front - Trim Code [UL]	Fig. ILH-565
Seat Front - Trim Code [C8, X5, Y5] Police Car	Fig. ILH-570
Rear Seats- Folding and Quad	
Seat Rear - Trim Code [B7]	Fig. ILH-610
Seat Rear - Trim Code [BF]	Fig. ILH-615
Seat Rear - Trim Code [CL]	Fig. ILH-620
Seat Rear - Trim Code [Q5]	Fig. ILH-625
Seat Rear - Trim Code [NL]	Fig. ILH-630
Seat Rear - Trim Code [ML]	Fig. ILH-635
Seat Rear - Trim Code [MP]	Fig. ILH-640
Seat Rear - Trim Code [QF]	Fig. ILH-645
Seat Rear - Trim Code [TL] [BL]	Fig. ILH-650
Seat Rear - Trim Code [Z5]	Fig. ILH-655

GROUP ILH - Interior Trim

Illustration Title	Group-Fig. N
Rear Seats- Folding and Quad (Continued)	
Seat Rear - Trim Code [SL, PL]	Fig. ILH-660
Seat Rear - Trim Code [UL]	Fig. ILH-665
Seat Rear - Trim Code [C8, X5, Y5]	Fig. ILH-670
Seat Belts-Front and Rear	
Seat Belts - Front	Fig. ILH-710
Seat Belts - Rear	Fig. ILH-720
Adjusters, Covers, Shields, and Risers	
Seats Attaching Parts Manual Seat	Fig. ILH-810
Seats Attaching Parts Power Seat	Fig. ILH-815
Seats Attaching Parts	Fig. ILH-820

Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	1									HEADLINER
_		TJ03 TL2AF	1	D					O0	Base Model
		TJ04 TL2AF	1	D					00	With Garage Door Opener, Without
										Sunroof
		TJ08 TL2AC	1	D					00	With Garage Door Opener and
										Sunroof
		TJ20 TL2AD	1	D					00	Base Model, With Sunroof
		TJ09 TL2AD	1	Υ					00	With Mini Console & Garage Door
										Opener
		TJ10 TL2AC	1	Υ					O0	With Garage Door Opener and
										Sunroof
		TJ12 TL2AD	1	С	Н				00	With Garage Door Opener, WIthout
										Sunroof
			1	С	М				O0	With Garage Door Opener, WIthout
										Sunroof
			1	С	Р				00	With Garage Door Opener, WIthout
_										Sunroof
		TJ13 TL2AE	1	С	Н				00	Base Model, Without Sunroof
		TJ14 TL2AC	1	С	Н				00	With Garage Door Opener and
										Sunroof
_			1	С	M				00	With Garage Door Opener and
										Sunroof
			1	С	Р				00	With Garage Door Opener and
									_	Sunroof
_		TJ21 TL2AC	1	С	Н				00	Base Model and With Sunroof
		1AR05 1L2AA		D					00	
		1AR06 1L2AA		Y	_				00	
	_	1AR07 1L2AA	. 1	С	Р				O0	
_	2	TUO TIOA								VISOR
		TH96 TL2AB	1	С	Н				00	Right
		TH97 TL2AB	1	С	Н				00	Left
		TH96 TL2AB	1	D					00	Right
_		TH97 TL2AB	1	D					00	Left
	3	THOO TI OAD	4	C	D				00	VISOR, Illuminated
		TH98 TL2AB	1	C C	P P				00	Right
		TH99 TL2AB TJ00 TL2AB	1		۲				00	Left Right
_		TJ00 TL2AB	1	D D					O0 O0	Right Left
		TH98 TL2AB	1	Υ					00	
		TH99 TL2AB	1 1	Ϋ́					00	Right Left
	-4	IIIƏƏ ILZAD	1	í					00	RETAINER, Visor
_	-4									RETAINER, VISOI

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	- L			•					
	5013 812AA-	1	D					00	Black Piece That Clip Goes Into
	0010 012701	<u> </u>							The Headliner
		1	Υ					00	Black Piece That Clip Goes Into
									The Headliner
		1	С	Н				00	Black Piece That Clip Goes Into
									The Headliner
		1	С	М				00	Black Piece That Clip Goes Into
									The Headliner
		1	С	Р				00	Black Piece That Clip Goes Into
									The Headliner
5									PANEL, Shelf
	TJ05 WL8BC	1	D					00	[L5], Includes Teather and Covers
	TJ05 XDVBC	1	D					O0	[DV], Includes Teather and Covers
	TJ05 XTMBC	1	D					O0	[T5], Includes Teather and Covers
	TJ06 WL8BC	1	С					00	[L5], Includes Teather and Covers
	TJ06 XDVBC	1	С					00	[DV], Includes Teather and Covers
	TJ06 XTMBC	1	С					00	[T5], Includes Teather and Covers
	TJ06 WL8BC	1	С					00	[L2], Includes Teather and Covers
	TJ07 WL8BC	1	Υ	S				00	[L2] [D2], Includes Teather and
									Covers
	TJ07 XDVBC	1	Y	S				00	[DV], Includes Teather and Covers
		1	Y	X				00	[DV], Includes Teather and Covers
_	TJ07 XTMBC	1	Υ	S				O0	[T5], Includes Teather and Covers
-6									COVER, Anchor
	TA52 WL8AA-							00	[L2]
	TA52 XTMAA							00	[T5]
	TA52 XDVAA-							00	[DV]
7		AR						O0	[D2]
7	4628 854AC	1	С	P					SILENCER, Shelf Extension
	4020 034AC	1	C	H, M					
	4628 856AC	1	Y	S					
	4020 030AC	1	Ϋ́	X					
8	4628 855AB	<u>'</u> 							SILENCER, Rear Shelf
-9	4780 538AF-	1	C						DEADENER, Shelf Panel, Rear
10	6501 925	1	J						PIN, Splash Shield, Shelf Panel
-11	300. 320	•							HANDLE
	QB26 TL2AG-	1	D					00	Right
	QB26 TL2AF-		C	Н				00	Right
	· · · · · · · · · · · · · · · · · · ·	1	C	M				00	Right
		1	C	Р				00	Right

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Υ					00	Right
	QB27 TL2AG	- 1	D					O0	Left
	QB27 TL2AF-	1	С	Р				00	Left
		1	С	М				00	Left
		1	С	Н				00	Left
		1	Υ					00	Left
12									RETAINER PACKAGE, Headliner,
									Serviced With Headliner Only,
									(NOT SERVICED) (Not Serviced)
13									RETAINER, Assist Handle, (NOT
									REQUIRED)
-14									HANDLE, Roof Grab
	QB24 TL2	1	С	М				00	
		1	С	H				00	
		1	С	Р				00	
		1	D					00	
-15		1	Y					00	TETHER, Child Seat, Serviced With
-15									Rear Shelf Panel, (NOT
									SERVICED) (Not Serviced)
-16	4754 806	1							BRACKET, Flare (RHD Japan)
17	4728 575	<u>'</u> 1	D					00	CLIP, Roll Top
18	20 0.0	•							CLIP, Visor
. •	MH08 TL2	1	С	Р				00	5 , 1.55.
		1	Y					00	
		1	D					00	
		1	С	Н				O0	
-19									MAGNET, Headliner
	5134 211AA-	1	D					00	
		1	Υ					O0	
		1	С	Н				O0	
		1	С	M				00	
-20									CLIP, Headliner
	5127 332AA-	1	D					O0	
		1	Υ					O0	
		1	С	Н				00	
		1	С	M				O0	

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Cowl Panel, Footrest, Dash Silencer Figure ILH-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side Trim
	LK74 TL2AD	1						O0	[L2], Right
	LK74 WL5AD	1						00	[L5], Right
	LK74 XDVAD	1						00	[DV], Right
	LK74 XT5AD	1						O0	[T5], Right
	LK75 TL2AC	1						00	[L2], Left
	LK75 WL5AC	1						00	[L5], Left
	LK75 XDVAC	1						00	[DV], Left
	LK75 XT5AC	1						O0	[T5], Left
2									SCREW, SCREW, (.190-16x2.00),
									(NOT SERVICED) (Not Serviced)
3	6033 581	1							SCREW, Hex Flange Head, .25-14x.
									875, Foot Rest Attaching
4	4628 567AB	1							SUPPORT, Footrest
5	4698 441AE	1							SILENCER, Cowl Side
6									STUD, Tapping - Dashliner Attaching
									(M6x1.00/.250-14x51.50), (NOT
									SERVICED) (Not Serviced)



 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Scuff Plates - Front And Rear Figure ILH-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
1									PLATE, Scuff, Front
	LL72 TL2AC	1						O0	[L2], Right
	LL72 WL5AC	1						00	[L5], Right
	LL72 XDVAC	1						00	[DV], Right
	LL72 XT5AC	1						O0	[T5], Right
	LL73 TL2AC	1						00	[L2], Left
	LL73 WL5AC	1						00	[L5], Left
	LL73 XDVAC	1						O0	[DV], Left
	LL73 XT5AC	1						00	[T5], Left
	4805 793AA	1	Υ	X					Right & Left
-2									PIN, Push
	6506 889AA-	2						00	
	6504 521	1							
3									PLATE, Scuff, Rear
	LL68 TL2AE	1						00	[L2], Right
	LL68 WL5AE	1						00	[L5], Right
	LL68 XDVAE	1						O0	[DV], Right
	LL68 XT5AE	1						O0	[T5], Right
	LL69 TL2AE	1						O0	[L2], Left
	LL69 WL5AE	1						O0	[L5], Left
	LL69 XDVAE	1						O0	[DV], Left
	LL69 XT5AE	1						00	[T5], Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Molding - A and B Pillar Figure ILH-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Windshield
	LK48 TL2AH	1						O0	[DV], Right
		1						00	[L2], Right
	LK49 TL2AI	1						00	[DV], Left
		1						00	[L2], Left
	WZ50 TL2AC	1						O0	With Spot Lamp, Right
	WZ51 TL2AA	1						00	With Spot Lamp Either Chrome or
									Black, Left
2									COVER, B Pillar Trim Panel
	LK52 TL2AF	1						O0	[D2], Right,Upper
		1						00	[DV], Right,Upper
		1						00	[L2], Right,Upper
	LK52 XT5AF	1						00	[T5], Right,Upper
	LK53 TL2AG	1						O0	[D2], Left,Upper
		1						00	[DV], Left,Upper
		1						00	[L2], Left,Upper
	LK52 TL2AF	1						00	[L5], Left,Upper
	LK53 XT5AG	1						O0	[T5], Left,Upper
3									COVER, B Pillar Trim Panel
	LK54 TL2AC	1						00	[L2], Right
	LK54 WL5AC	1						00	[L5], Right
	LK54 XDVAC	1						O0	[DV], Right
	LK54 XT5AC	1						00	[T5], Right
	LK55 TL2AC	1						00	[L2], Left
	LK55 WL5AC	1						00	[L5], Left
	LK55 XDVAC	1						O0	[DV], Left
	LK55 XT5AC	1						00	[T5], Left
4	6504 563	3						00	CLIP, Molding, Fasteners for Item 1,
									2, 3
5									COVER, B Pillar Trim Panel
	FF08 TL2	1						00	[L2], Right
	FF08 WL5	1						00	[L5], Right
	FF08 XDV	1						00	[DV], Right
	FF08 XT5	1						O0	[T5], Right
	FF09 TL2	1						O0	[L2], Left
	FF09 WL5	1						00	[L5], Left
	FF09 XDV	1						O0	[DV], Left
	FF09 XT5	1						O0	[T5], Left

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Panel, Quarter Trim - Upper And Lower Figure ILH-225



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim, Upper
	LL90 TL2AE	1	С					00	[DV], Right
		1	С					00	[L2], Right
		1	С					00	[L5], Right
	LL90 XT5AE	1	С					O0	[T5], Right
	LL91 TL2AE	1	С					O0	[DV], Left
		1	С					O0	[L2], Left
		1	С					O0	[L5], Left
	LL91 XT5AE	1	С					00	[T5], Left
	LL97 TL2AF	1	D					00	[DV], Left
	LL96 XT5AF	1	D					O0	[T5], Right
	LL97 TL2AF	1	D					00	[L5], Left
	LL97 XT5AF	1	D					00	[T5], Left
	LL96 TL2AF	1	D					00	[DV], Right
		1	D					00	[L5], Right
	LL94 TL2AD	1	Υ	S				00	[DV], Right
		1	Υ	S				00	[L2], Right
		1	Υ	Χ				00	[D2], Right
		1	Υ	X				00	[DV], Right
	LL94 XT5AD	1	Υ	S				00	[T5], Right
	LL95 TL2AD	1	Υ	S				00	[DV], Left
		1	Υ	S				00	[L2], Left
		1	Υ	X				00	[D2], Left
		1	Υ	X				00	[DV], Left
	LL95 XT5AD	1	Y	S				O0	[T5], Left
2			_						PANEL, Quarter Trim, Lower
	LL92 WL5AC	1	С	H, M				00	[L5], Right
	LL92 XDVAC	1	С	Р				00	[DV], Right
		1	C	H, M				00	[DV], Right
	LL92 XT5AC	1	С	Р				00	[T5], Right
		1	С	H, M				00	[T5], Right
	LL92 TL2AC	1	С	Р				00	[L2], Right
	LL93 WL5AC	1	С	H, M				00	[L5], Left
	LL93 XDVAC	1	С	Р				00	[DV], Left
		1	С	H, M				00	[DV], Left
	LL93 XT5AC	1	С	Р				00	[T5], Left
	1100 T' 010	1	С	H, M				00	[T5], Left
	LL93 TL2AC	1	С	Р				00	[L2], Left
	LL98 WL5AC	1	D					00	[L5], Right
	LL98 XDVAC	1	D					00	[DV], Right
	LL98 XT5AC	1	D					00	[T5], Right

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Panel, Quarter Trim - Upper And Lower Figure ILH-225



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LL99 WL5AC	1	D					O0	[L5], Left
	LL99 XDVAC	1	D					O0	[DV], Left
	LL99 XT5AC	1	D					O0	[T5], Left
	LL92 TL2AC	1	Υ	S				O0	[L2], Right
		1	Υ	X				00	[D2], Right
	LL92 XDVAC	1	Υ	S				O0	[DV], Right
	LL92 XT5AC	1	Υ	S				00	[T5], Right
	LL93 TL2AC	1	Υ	S				O0	[L2], Left
		1	Υ	X				00	[D2], Left
	LL93 XDVAC	1	Υ	S				O0	[DV], Left
	LL93 XT5AC	1	Υ	S				00	[T5], Left

M = LXIX = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Carpet And Floor Mats Figure ILH-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Floor Console
	SC84 WL8AJ	1						00	[L2]
		1						O 0	[L5]
	SC84 XDVAJ	1						O 0	[D2]
		1						O0	[DV]
	SC84 XTMAJ	1						O0	[T5]
2									CARPET, Floor
	SE86 XTMAI	1	С	M				00	[T5]
	SE86 WL8AI	1	С	Н				O0	[L5]
	SE86 XDVAI	1	С	Н				O0	[DV]
		1	С	М				00	[DV]
		1	D					00	[DV]
	SE86 XTMAI	1	D					O0	[T5]
	SE86 WL8AI	1	D					00	[L5]
3	WN70 DX9AB	1						00	MAT, Floor, Vinyl and Pad Assy,
									Used with police package]
4									MAT KIT, Floor - Front
	8220 6493	1	C, D, Y		41				Taupe
				S, X					
	8220 6495	1	C, D, Y	H, M, P,	41				Dark Slate
				S, X					
	8220 6497	1	C, D, Y		41				Sandstone
				S, X					
5									MAT KIT, Floor - Rear
	8220 6494	1	C, D, Y	H, M, P,	41				Taupe
				S, X					
	8220 6496	1	C, D, Y		41				Dark Slate
				S, X					
	8220 6498	1	C, D, Y	H, M, P,	41				Sandstone
				S, X					
-6									CLIP, Carpet
	55196 834AA-		-					00	
		1	D					00	
		1	С	H				00	
		1	С	М				00	

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Carpet Luggage Compartment Figure ILH-315



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Luggage Compartment
	4698 338AD	1	С	H, M					
		1	С	Р					
	4698 339AD	1	D						
	4628 846AG	1	Υ	S					
		1	Υ	Χ					
	4628 918AB	1	Υ	S					With Amp
		1	Υ	Χ					With Amp
2	4628 973AA	1							VINYL, Luggage Compartment
3	6101 946	2							SCREW, Tapping
4	4759 514AB	2							GROMMET, Trunk Carpet Attaching
-5									GROMMET, Floor Carpet
	4754 324	4	С						Trunk Carpet Attaching (Tail Lamp
									Area)
		2	Υ	S, X					
6	6505 360AA	2							PIN, Push
7									COVER, Decklid Interior Trim
	4628 813AF	1	Υ	S					
		1	Υ	Χ					
-8	6505 411AA-	4							PIN, Push
-9	4628 911AA-	2							HOOK, Cargo Net
-10	4787 493AB-	1							NET KIT, Storage
-11									LATCH, Decklid
	5056 206AB-	1	С						With Emergency Release Handle
	5056 207AB-	1	D, Y						With Emergency Release Handle

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Silencers Figure ILH-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 767AE	1							SILENCER, Cowl Plenum Panel
									Upper
2	4580 622AC	1							SILENCER, Dash Panel-Engine
									Compartment
3	6504 406	3							SCREW
4									STUD, Dashliner Attaching (M6x1.00)
									.250-14x51.50), (NOT SERVICED)
									(Not Serviced)
5	4698 441AD	1							SILENCER, Cowl Side
6	6501 910	4							RETAINER, Trim Panel, Dash
									Silencer
7									SILENCER, Wheelhouse
	4628 986AA	1							Right
	4628 987AA	1							Left
8									PIN, Push, M6.35x12.60
	6502 842	10	C, Y						
		13	D						
9									SILENCER, Hood, Inner Panel, (NOT
									SERVICED) (Not Serviced)
10	4780 516AD	1							SILENCER, Floor Pan, Double Layer
-11	4780 538AF-	1	С						DEADENER, Shelf Panel, Rear

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Door Panels - Front Figure ILH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Front Door Trim
<u> </u>	WQ70 1L5AB	1						BF	[L5], Right
		1						В7	[L5], Right
	WQ70 1T5AB	1						BF	[T5], Right
		1						B7	[T5], Right
	WQ70 XDVAE	3 1						BF	[DV], Right
		1						B7	[DV], Right
		1						C8	[DV], Right
		1						X5	[DV], Right
'		1						Y5	[DV], Right
	WQ71 1L5AB	1						BF	[L5], Left
		1						B7	[L5], Left
	WQ71 1T5AB	1						BF	[T5], Left
		1						B7	[T5], Left
	WQ71 XDVAE	3 1						BF	[DV], Left
		1						B7	[DV], Left
		11						X5	[DV], Left
		1						C8	[DV], Left
		1						Y5	[DV], Left
	PV72 1L5DC	1						CL	[L5], Right
		1						R5	[L5], Right
	PV72 1T5DC	1						CL	[T5], Right
	51/56 1/51/56	1						R5	[T5], Right
	PV72 XDVDC	_						CL	[DV], Right
	D) (70 4) 5D 0	1						R5	[DV], Right
	PV73 1L5DC	1						CL	[L5], Left
	D) /70 4TEDO	1						R5	[L5], Left
	PV73 1T5DC	1						CL	[T5], Left
	PV73 XDVDC	1						R5 CL	[T5], Left
	PV/3 ADVDC	1						R5	[DV], Left [DV], Left
	PU20 1DVDC							NL	[DV], Left [DV], Right
	F020 1DVDC	1						SL	[DV], Right
		1						Z5	[DV], Right
		1						TL	[DV], Right
	PU20 1L2DC	1						NL	[L2], Right
	. 525 12250	1						TL	[L2], Right
	PU20 1T5DC	1						NL	[T5], Right
	. 020 11000	1						SL	[T5], Right
		1						Z5	[T5], Right
		1						TL	[T5], Right
		•							r1,a

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Door Panels - Front Figure ILH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PU21 1DVDC	1						NL	[DV], Left
		1						SL	[DV], Left
		1						Z5	[DV], Left
		1						TL	[DV], Left
	PU21 1L2DC	1						NL	[L2], Left
		1						TL	[L2], Left
	PU21 1T5DC	1						NL	[T5], Left
		1						SL	[T5], Left
		1						Z5	[T5], Left
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1						TL	[T5], Left
	WH10 1D2AB							UL	[D2], Right
	WH10 1DVAB							UL	[DV], Right
	WH11 1D2AB							UL	[D2], Left
	WH11 1DVAB TA14 1DVDD	3 1 1						UL QF	[DV], Left [DV], Right
	1414 10000	1						ML	[DV], Right
		1						MP	[DV], Right
-		'						Q5	[DV], Right
	TA14 1L5DD	1						QF	[L5], Right
	17(11 12000	1						ML	[L5], Right
		1						MP	[L5], Right
		1						Q5	[L5], Right
	TA14 1T5DD	1						QF	[T5], Right
		1						ML	[T5], Right
		1						MP	[T5], Right
		1						Q5	[T5], Right
	TA15 1DVDD	1						QF	[DV], Left
		1						ML	[DV], Left
		1						MP	[DV], Left
		1						Q5	[DV], Left
	TA15 1L5DD	1						QF	[L5], Left
		1						ML	[L5], Left
		1						MP	[L5], Left
		1						Q5	[L5], Left
	TA15 1T5DD	1						QF	[T5], Left
		1						ML	[T5], Left
		1						MP	[T5], Left
	T040 451/40	1						Q5	[T5], Left
	TS46 1DVAC	1						Z5	[DV], With Calfornia Walnut Trm
		4						CI	[CSY], Right
		1						SL	[DV], With Calfornia Walnut Trm
									[CSY], Right

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005





S = 300M

H = SE

M = LXI

X = 300M Special

AR = Use as required -= Non illustrated part # = New this model year

Intrepid

E = 300M

D = Dodge Intrepid

D = Concorde

September 19, 2005


DG0 = All Automatic Transm

EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V

EGC = ÎMAGNUMÖ 3.5L V6





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								<u>!</u>	
2	4628 691AB	2							BRACKET, Door Pull Cup, Support
3 4	6506 878AA	6							NUT, Snap In
5	0300 070AA	U							FASTENER, Door Trim Panel
0	6505 534AA	1						B7	THOTENER, BOOK THIN Function
		1						BF	
		1						C8	_
		1						X5	
		1						CL	
		1						R5	
-		1						Y5	
6	6101 786	2							SCREW, Self Tapping, M6x1x15
7									CUP, Door Pull
	QB22 WL8CB	3 1						NL	[L2], Right
		1						TL	[L2], Right
	QB22 XDVCB	3 1						NL	[DV], Right
		1						SL	[DV], Right
		1						Z5	[DV], Right
		1						TL	[DV], Right
		1						UL	[D2], Right
	ODOO VIMOR	1						UL	[DV], Right
	QB22 XTMCE	3 1 1						NL SL	[T5], Right
		1						Z5	[T5], Right [T5], Right
		1						TL	[T5], Right
	QB23 WL8CB	· 3 1						NL	[L2], Left
	QD20 WEGGE	1						TL	[L2], Left
	QB23 XDVCB	-						NL	[DV], Left
		1						SL	[DV], Left
		1						Z 5	[DV], Left
		1						TL	[DV], Left
		1						UL	[D2], Left
		1						UL	[DV], Left
	QB23 XTMCE	3 1						NL	[T5], Left
		1						SL	[T5], Left
		1						Z5	[T5], Left
		1						TL	[T5], Left
-	TK58 WL5CB	1						BF	[L5], Right
		1						B7	[L5], Right
		1						CL	[L5], Right
	TIVES VEVICE	1						R5	[L5], Right
	TK58 XDVCB	1						BF	[DV], Right

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								D.7	IDVA Disks
		1						B7	[DV], Right
		1						C8 X5	[DV], Right
		1						CL	[DV], Right [DV], Right
		1						Y5	[DV], Right
	TK58 XT5CB	1						BF	[T5], Right
	TROO XTOOD	1						B7	[T5], Right
		1						CL	[T5], Right
	TK59 WL5CB	, , 1						BF	[L5], Kight [L5], Left
	TROS WESOB	1						B7	[L5], Left
		1						CL	[L5], Left
		1						R5	[L5], Left
	TK59 XDVCB	1						BF	[DV], Left
	TROS ABVOL	1						B7	[DV], Left
		1						X5	[DV], Left
		1						C8	[DV], Left
		1						CL	[DV], Left
		<u>·</u> 1						R5	[DV], Left
		1						Y5	[DV], Left
	TK59 XT5CB	1						B7	[T5], Left
		1						BF	[T5], Left
		1						CL	[T5], Left
8									WATERSHIELD, Front Door
	4780 148AE	1							Right
	4780 149AE	1							Left
9									CLIP, Door Trim
	6035 906	2	C, Y					00	
		2	D					00	
-10									FASTENER, Door Trim Panel,
									[White]
	6504 014	2						B7	
		2						BF	
		2						C8	
		2		· · · · · · · · · · · · · · · · · · ·		·	· · · · · · · · · · · · · · · · · · ·	CL	
		2						ML	
		2						MP	
		2						NL	
		2						Q5	
		2						QF	
		2						R5	
		2						SL	

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2						TL	
		2						UL	
		2						X5	
		2 2						Y5 Z5	
-11									FASTENER, Door Trim Panel,
• • •									[Green]
	6503 204	1						В7	[6.66]
		1						BF	
		1						C8	
		1						CL	
		1						ML	
		1						MP	
		1						NL	
		1						Q5	
		1						QF R5	
		1						SL	
		1						TL	
		1						UL	
		1						X5	
-		1						Y5	
		1						Z5	
-12									PLUG, Bezel Trim, Pull Cup
	QU33 XDVAA							UL	[D2]
		1						Y5	[DV]
		1						MP	[DV]
		1						ML	[DV]
		1						QF Q5	[DV] [DV]
		1						UL	[DV]
		1						SL	[DV]
		1						Z 5	[DV]
		1						TL	[DV]
		1						NL	[DV]
		1						B7	[DV]
		1						BF	[DV]
		1						X5	[DV]
	OH22 W// 2 4	1						CL	[DV]
	QU33 WL8AA	- √- 1 1						NL TL	[L2]
		ı						I L	[L2]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						Q5	[L5]
		1						QF	[L5]
		1						ML	[L5]
		1						R5	[L5]
		1						MP	[L5]
		1						CL	[L5]
		1						BF	[L5]
		1						B7	[L5]
	QU33 XTMAA							NL	[T5]
		1						SL	[T5]
		1						TL	[T5]
		1						Z5	[T5]
		1						B7 BF	[T5]
		1						CL	[T5] [T5]
		1						Q5	[T5]
		1						ML	[T5]
		<u>·</u>						QF	[T5]
		1						MP	[T5]
-13		·							NUT, Push
	4698 978AA-	3						NL	- ,
		3						SL	
		3						TL	
		3						Z5	
14	6506 655AA	4							PLUG, Door Trim Panel, Female End
-15	6506 654AA-	AR							PLUG, Door Trim Panel, Male End -
									Goes With Item 14
16	6100 275	6							BOLT AND CONED WASHER, Hex
									Head, M6x16x14
17	6035 807	2							NUT, Door Trim
-18	TO 40 A A A A A	4						N.II	BEZEL, Door Trim Panel
	TS48 AAAAA TS49 AAAAA							NL NL	Woodgrain, Right
19	1349 AAAAA	- 1						INL	Woodgrain, Left KIT, Door Handle
19	5102 836AA	1						CL	Dark Slate, Right
	0102 000AA	1						BF	Dark Slate, Right
		1						B7	Dark Slate, Right
		<u>·</u> 1						C8	Dark Slate, Right
		1						X5	Dark Slate, Right
		1						Y5	Dark Slate, Right
	5102 839AA	1						CL	Dark Slate, Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm







TEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION									PART	
1	DESCRIPTION	TRIM	TRANS	ENGINE	BODY	SERIES	LINE	QTY	NUMBER	ITEM
1									•	
1	Dark Slate, Left	R5						1		
1	<u></u>									
1 X5 Dark Slate, Left 1 C8 Dark Slate, Left 5102 838AA 1 Y5 Dark Slate, Left 5102 838AA 1 CL Dark Taupe, Right 1 BF Dark Taupe, Right 1 BF Dark Taupe, Right 1 C8 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 Y5 Dark Taupe, Right 1 X5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 BF Dark Taupe, Left 1 X5 Dark Taupe, Left 1 X5 Dark Taupe, Left 2 Dark Taupe, Left Dark Sandstone, Right 3 Dark Sandstone, Right 4 BF Dark Sandstone, Right 5 <								1		
1								1		
5102 838AA 1 CL Dark Taupe, Right 1 R5 Dark Taupe, Right 1 BF Dark Taupe, Right 1 B7 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 Y5 Dark Taupe, Right 5102 841AA 1 CL Dark Taupe, Left 1 BF Dark Taupe, Left 1 BF Dark Taupe, Left 1 BF Dark Taupe, Left 1 X5 Dark Taupe, Left 1 Y5 Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 X5 Dark Sandstone, Right 1 X5 Dark Sandstone, Right 1 X5 Dark Sandstone, Right <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td></t<>								1		
1 R5 Dark Taupe, Right 1 BF Dark Taupe, Right 1 B7 Dark Taupe, Right 1 C8 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 Y5 Dark Taupe, Right 5102 841AA 1 CL Dark Taupe, Left 1 R5 Dark Taupe, Left BF Dark Taupe, Left 1 B7 Dark Taupe, Left Dark Taupe, Left C8 Dark Taupe, Left 1 C8 Dark Taupe, Left C1 Dark Sandstone, Right Dark Sandstone, Right 1 B7 Dark Sandstone, Right Dark Sandstone, Right Dark Sandstone, Right Dark Sandstone, Right AX5 Dark Sandstone, Right Dark Sandstone, Left Dark Sandstone, Left	Dark Slate, Left	Y5						1		
1 BF Dark Taupe, Right 1 B7 Dark Taupe, Right 1 C8 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 Y5 Dark Taupe, Right 5102 841AA 1 CL Dark Taupe, Left 1 R5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 BF Dark Taupe, Left 1 X5 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 5102 837AA 1 CL Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 X5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 5102 840AA 1 CL Dark Sandstone, Left	Dark Taupe, Right	CL						1	5102 838AA	
1 B7 Dark Taupe, Right 1 C8 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 Y5 Dark Taupe, Right 5102 841AA 1 CL Dark Taupe, Left 1 R5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 B7 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 5102 837AA 1 CL Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 T T Dark Sandstone, Right 1 T T Dark Sandstone, Right 1 T Dark Sandstone, Left 5102 840AA 1 CL Dark Sandstone, Left	Dark Taupe, Right	R5						1		
1 B7 Dark Taupe, Right 1 C8 Dark Taupe, Right 1 X5 Dark Taupe, Right 1 Y5 Dark Taupe, Right 5102 841AA 1 CL Dark Taupe, Left 1 R5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 X5 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 1 Y5 Dark Taupe, Left 1 CB Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 CB Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left	· · · · · · · · · · · · · · · · · · ·							1		
1 X5 Dark Taupe, Right 1 Y5 Dark Taupe, Right 5102 841AA 1 CL Dark Taupe, Left 1 R5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 BF Dark Taupe, Left 1 B7 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 C9 Dark Taupe, Left 1 C9 Dark Taupe, Left 1 C9 Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 B8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C9 Dark Sandstone, Left 1 C9 Dark Sandstone, Left		B7						1		
1 Y5 Dark Taupe, Right 5102 841AA 1 CL Dark Taupe, Left 1 R5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 B7 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 CL Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C9 Dark Sandstone, Left 1 Dark Sandstone, Left	Dark Taupe, Right	C8						1		
5102 841AA 1 CL Dark Taupe, Left 1 R5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 X5 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 5102 837AA 1 CL Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 X5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Taupe, Right	X5						1		
1 R5 Dark Taupe, Left 1 BF Dark Taupe, Left 1 B7 Dark Taupe, Left 1 X5 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 1 CL Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 T5 Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Taupe, Right	Y5						1		
1 BF Dark Taupe, Left 1 B7 Dark Taupe, Left 1 X5 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 1 OL Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C9 Dark Sandstone, Right 1 R5 Dark Sandstone, Left	Dark Taupe, Left	CL						1	5102 841AA	
1 B7 Dark Taupe, Left 1 X5 Dark Taupe, Left 1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 1 CL Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 CR Dark Sandstone, Right 1 CR Dark Sandstone, Right 1 CR Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Taupe, Left	R5						1		
1 X5 Dark Taupe, Left C8 Dark Taupe, Left Y5 Dark Taupe, Left CL Dark Sandstone, Right CL Dark Sandstone, Right Dark Sandstone, Right CR Dark Sandstone, Left CR Dark Sandstone, Left CR Dark Sandstone, Left	Dark Taupe, Left	BF						1		
1 C8 Dark Taupe, Left 1 Y5 Dark Taupe, Left 5102 837AA 1 CL Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 TY5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Taupe, Left	B7						1		
1 Y5 Dark Taupe, Left CL Dark Sandstone, Right 1 B7 Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 1 CL Dark Sandstone, Left 1 CL Dark Sandstone, Left 1 Dark Sandstone, Left	Dark Taupe, Left	X5						1		
5102 837AA 1 CL Dark Sandstone, Right B7 Dark Sandstone, Right BF Dark Sandstone, Right CR Dark Sandstone, Left CR Dark Sandstone, Left	Dark Taupe, Left	C8						1		
1 B7 Dark Sandstone, Right 1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 X5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Taupe, Left	Y5						1		
1 BF Dark Sandstone, Right 1 C8 Dark Sandstone, Right 1 X5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Sandstone, Right	CL						1	5102 837AA	
1 C8 Dark Sandstone, Right 1 X5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Sandstone, Right	B7						1		
1 X5 Dark Sandstone, Right 1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Sandstone, Right	BF						1		
1 Y5 Dark Sandstone, Right 5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Sandstone, Right	C8						1		
5102 840AA 1 CL Dark Sandstone, Left 1 R5 Dark Sandstone, Left	Dark Sandstone, Right	X5						1		
1 R5 Dark Sandstone, Left	Dark Sandstone, Right	Y5						1		
	Dark Sandstone, Left	CL						1	5102 840AA	
	Dark Sandstone, Left	R5						1		
	Dark Sandstone, Left	BF						1		
1 B7 Dark Sandstone, Left								1		
1 X5 Dark Sandstone, Left	Dark Sandstone, Left							1		
1 C8 Dark Sandstone, Left								1		
1 Y5 Dark Sandstone, Left								1		
5102 847AA 1 NL Dark Slate, Right								1	5102 847AA	
1 SL Dark Slate, Right								1		
1 Z5 Dark Slate, Right								1		
1 TL Dark Slate, Right								1		
1 UL Dark Slate, Right								1		
1 AL Dark Slate, Right	_							1		
1 DL Dark Slate, Right	_							1		
5102 849AA 1 NL Dark Slate, Left	 Dark Slate, Left	NL						1	5102 849AA	

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
		1						SL	Dark Slate, Left
		1						Z5	Dark Slate, Left
		1						TL	Dark Slate, Left
		1						UL	Dark Slate, Left
		1						AL	Dark Slate, Left
		<u>·</u> 1						DL	Dark Slate, Left
	5102 850AA	1						NL	Dark Sandstone, Right
	0.02 000/	1						SL	Dark Sandstone, Right
		1						Z5	Dark Sandstone, Right
		<u>·</u> 1						TL	Dark Sandstone, Right
	5102 851AA	1						SL	Dark Sandstone, Left
	0.02 00 .7	1						Z5	Dark Sandstone, Left
		1						TL	Dark Sandstone, Left
		<u>·</u> 1						NL	Dark Sandstone, Left
	5102 852AA	1						NL	Dark Taupe, Right
		1						SL	Dark Taupe, Right
		1						Z 5	Dark Taupe, Right
		1						TL	Dark Taupe, Right
	5102 853AA	1						NL	Dark Taupe, Left
		1						SL	Dark Taupe, Left
		1						Z 5	Dark Taupe, Left
		1						TL	Dark Taupe, Left
	5102 862AA	1						QF	Dark Slate / Chrome, Left
		1						ML	Dark Slate / Chrome, Left
		1						MP	Dark Slate / Chrome, Left
		1						Q5	Dark Slate / Chrome, Left
	5102 863AA	1						ML	Dark Slate / Chrome, Right
		1						MP	Dark Slate / Chrome, Right
		1						Q5	Dark Slate / Chrome, Right
		1						QF	Dark Slate / Chrome, Right
	5102 864AA	1						QF	Dark Sandstone / Chrome, Left
		1						ML	Dark Sandstone / Chrome, Left
		1						MP	Dark Sandstone / Chrome, Left
		1						Q5	Dark Sandstone / Chrome, Left
	5102 865AA	1						QF	Dark Sandstone / Chrome, Right
		1						ML	Dark Sandstone / Chrome, Right
		1						MP	Dark Sandstone / Chrome, Right
		1						Q5	Dark Sandstone / Chrome, Right
	5102 866AA	1						QF	Dark Taupe / Chrome, Left
		1						ML	Dark Taupe / Chrome, Left
		1						MP	Dark Taupe / Chrome, Left
									· · · · · · · · · · · · · · · · · · ·

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						Q5	Dark Taupe / Chrome, Left
	5102 867AA	1						QF	Dark Taupe / Chrome, Right
		1						ML	Dark Taupe / Chrome, Right
		1						MP	Dark Taupe / Chrome, Right
		1						Q5	Dark Taupe / Chrome, Right

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



RCE = Speakers 9 Infinity in	7 Locations		
CSY = Woodgrain			
CSY = Wood Trim			
1			PANEL, Rear Door Trim
WQ68 1L5AA 1		B7	[L5], Right
WQ69 XDVAA 1		B7	[DV], Left
WQ68 1T5AA 1		B7	[T5], Right
WQ69 1T5AA 1		B7	[T5], Left
WQ68 XDVAA 1		B7	[DV], Right
WQ69 1L5AA 1		B7	[L5], Left
WQ68 XDVAA 1		BF	[DV], Right
WQ69 1L5AA 1		BF	[L5], Left
WQ68 1T5AA 1		BF	[T5], Right
WQ69 1T5AA 1		BF	[T5], Left
WQ68 1L5AA 1		BF	[L5], Right
WQ69 XDVAA 1		BF	[DV], Left
XU12 1D2AA 1		BL	[D2], With [RCZ], Right
XU13 1D2AA 1		BL	[D2], With [RCZ], Left
WQ68 XDVAA 1		C8	[DV], Right
WQ69 XDVAA 1		C8	[DV], Left
PW26 1L5DB 1		CL	[L5], Right
PW26 1T5DB 1		CL	[T5], Right
PW26 XDVDB 1		CL	[DV], Right
PW27 1L5DB 1		CL	[L5], Left
PW27 1T5DB 1		CL	[T5], Left
PW27 XDVDB 1		CL	[DV], Left
XB48 1T5AA 1		ML	[T5]
XB48 1DVAA 1		ML	[DV], Right
XB48 1L5AA 1		ML	[L5], Right
XB49 1T5AA 1		ML	[T5], Left
XB49 1L5AA 1		ML	[L5], Left
XB49 1DVAA 1		ML	[DV], Left
XB48 1DVAA 1		MP	[DV], Right
XB48 1L5AA 1		MP	[L5], Right
XB49 1DVAA 1		MP	[DV], Left
XB49 1L5AA 1		MP	[L5], Left
XB49 1T5AA 1		MP	[T5], Left
XB48 1T5AA 1		MP	[T5]
RB51 1T5DC 1		NL	[T5], With [RCP], Without [CSY]
			Left

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

M = LXIX = 300M Special H = Chrysler


NOTE: RCP = Speakers 11 Infinity In 9 Locations

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PU90 1T5DC	1						NL	[T5], With RCE, Without CSY,
									Right
	PU90 1L2DC	1						NL	[L2], With RCE, Without CSY,
									Right
	PU91 1DVDC	1						NL	[DV], With RCE, Without CSY, Left
	RB51 1DVDC	: 1						NL	[DV], With [RCP], Without [CSY],
									Left
	RB50 1T5DC	1						NL	[T5], With [RCP], Without [CSY],
									Right
	PU91 1L2DC	1						NL	[L2], With RCE, Without CSY, Left
	PU91 1T5DC	1						NL	[T5], With RCE, Without CSY, Left
	RB50 1L2DC	1						NL	[L2], With [RCP], Without [CSY],
									Right
	ZD21 1DVAA	1						NL	[DV] With [RCZ] and [CS4], Left
	ZD21 1L2AA	1						NL	[L2] With [RCZ] and [CS4], Left
	ZD21 1T5AA	1						NL	[T5] With [RCZ] and [CS4], Left
	ZD24 1DVAA							NL	[DV] With [RCZ] and [CS4], Right
	ZD24 1L2AA	1						NL	[L2] With [RCZ] and [CS4]
	ZD24 1T5AA	1						NL	[T5] With [RCZ] and [CS4]
	PU90 1DVDC	: 1						NL	[DV], With RCE, Without CSY,
									Right
	RB50 1DVDC	1						NL	[DV], With [RCP], Without [CSY],
	DD54 41 0D0								Right
	RB51 1L2DC	1						NL	[L2], With [RCP], Without [CSY],
									Left
	ZD21 1DVAA							PL	[DV] With [RCZ] and [CS4], Left
	ZD24 1DVAA							PL	[DV] With [RCZ] and [CS4]
	XB49 1T5AA	1						Q5	[T5], Left
	XB48 1L5AA	1						Q5	[L5], Right
	XB48 1T5AA	1						Q5	[T5], Right
	XB48 1DVAA							Q5	[DV], Right
	XB49 1DVAA	1						Q5	[DV], Left
	XB49 1L5AA	1						Q5	[L5], Left
	XB48 1T5AA	1						QF	[T5], Right
	XB48 1L5AA XB49 1DVAA	1						QF QF	[L5], Right
	XB49 1L5AA	1 1						QF QF	[DV], Left [L5], Left
	XB48 1DVAA							QF QF	[DV], Right
	XB49 1T5AA	1						QF QF	[T5], Left
	ZD21 1T5AA	1						SL	[T5], Left [T5] With [RCZ] and [CS4], Left
	RB51 1T5DC	1						SL	[T5], With [RC2] and [C54], Left [T5], With [RCP], Without [CSY],
		•						<u> </u>	Left

Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





		PART								_
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		RB50 1T5DC	1						SL	[T5], With [RCP], Without [CSY],
-		11200 11020	<u> </u>							Right
		ZD24 1DVAA	1						SL	[DV] With [RCZ] and [CS4]
		ZD24 1T5AA	1						SL	[T5] With [RCZ] and [CS4]
		PU91 1T5DC	1						SL	[T5], With RCE, Without CSY, Left
-		ZD21 1DVAA	1						SL	[DV] With [RCZ] and [CS4], Left
		RB50 1DVDC	1						SL	[DV], With [RCP], Without [CSY],
										Right
_		PU91 1DVDC							SL	[DV], With RCE, Without CSY, Left
		RB51 1DVDC	1						SL	[DV], With [RCP], Without [CSY],
										Left
		PU90 1DVDC	1						SL	[DV], With RCE, Without CSY,
_										Right
		PU90 1T5DC	1						SL	[T5], With RCE, Without CSY,
		DDEO 1TEDO	4						TI	Right
		RB50 1T5DC	1						TL	[T5], With [RCP], Without [CSY], Right
-		PU91 1DVDC	1						TL	[DV], With RCE, Without CSY, Left
		PU91 1L2DC	1						TL	[L2], With RCE, Without CSY, Left
		RB51 1L2DC	1						TL	[L2], With [RCP], Without [CSY],
			·							Left
-		RB51 1T5DC	1						TL	[T5], With [RCP], Without [CSY],
										Left
		RB50 1DVDC	1						TL	[DV], With [RCP], Without [CSY],
										Right
		PU91 1T5DC	1						TL	[T5], With RCE, Without CSY, Left
		PU90 1L2DC	1						TL	[L2], With RCE, Without CSY,
										Right
_		PU90 1DVDC	1						TL	[DV], With RCE, Without CSY,
										Right
		ZD24 1L2AA	1						TL	[L2] With [RCZ] and [CS4]
		ZD21 1T5AA	1						TL	[T5] With [RCZ] and [CS4], Left
-		ZD24 1T5AA	1						TL	[T5] With [RCZ] and [CS4]
		RB51 1DVDC	1						TL	[DV], With [RCP], Without [CSY], Left
		RB50 1L2DC	1						TL	[L2], With [RCP], Without [CSY],
		NDOU ILZDC	ı						16	Right
-		ZD21 1DVAA	1						TL	[DV] With [RCZ] and [CS4], Left
		ZD21 1D474 ZD21 1L2AA	1						TL	[L2] With [RCZ] and [CS4], Left
		PU90 1T5DC	1						TL	[T5], With RCE, Without CSY,
										Right
-										

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



17 5 6 7 18 19 10 11 11 12
9

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ZD24 1DVAA	1						TL	[DV] With [RCZ] and [CS4], Right
	WH13 1D2AA							UL	[D2], With [RCP], Without [CSY],
									Left
	WH13 1DVAA	. 1						UL	[DV], With [RCP], Without [CSY],
									Left
	WH12 1DVAA	. 1						UL	[DV], With [RCP], Without [CSY],
									Right
	WH12 1D2AA	1						UL	[D2], With [RCP], Without [CSY],
									Right
	WQ69 XDVAA							X5	[DV], Left
	WQ68 XDVAA							X5	[DV], Right
	WQ69 XDVAA							Y5	[DV], Left
	WQ68 XDVAA							Y5	[DV], Right
	ZD24 1DVAA	1						Z5	[DV] With [RCZ] and [CS4], Right
	PU91 1T5DC	1						Z5	[T5], With RCE, Without CSY, Left
	PU91 1DVDC							Z5	[DV], With RCE, Without CSY, Left
	PU90 1DVDC	1						Z5	[DV], With RCE, Without CSY,
	DUIGO ATEDO	4						7.	Right
	PU90 1T5DC	1						Z5	[T5], With RCE, Without CSY, Right
	ZD21 1T5AA	1						Z5	[T5] With [RCZ] and [CS4], Left
	RB51 1DVDC							Z5	[DV], With [RCP], Without [CSY],
	NBS1 1DVBC	'						20	Left
	RB50 1DVDC	1						Z5	[DV], With [RCP], Without [CSY],
		·							Right
	RB50 1T5DC	1						Z5	[T5], With [RCP], Without [CSY],
									Right
	ZD24 1T5AA	1						Z5	[T5] With [RCZ] and [CS4]
	RB51 1T5DC	1						Z5	[T5], With [RCP], Without [CSY],
									Left
	ZD21 1DVAA	1						Z5	[DV] With [RCZ] and [CS4], Left
2	6032 723	20							SCREW, Self Tapping, M4.2x1.
									69x19.05, Door Panel Attaching
-3									FASTENER, Door Trim Panel, White
	6504 014	2						BF	
		2						C8	
		2						B7	
		2						X5	
		2						CL	
		2						NL SI	
		2						SL	

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005

ITEM

PART NUMBER

QTY

LINE

SERIES

BODY

TRANS

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

ENGINE

TRIM

DESCRIPTION

	2	Z5	
	2	TL	
	2	QF	
	2	Q5	
	-4	_	FASTENER, Door Trim Panel, Green
	6503 204 1	В7	Green
	1	BF	Green
13)	1	C8	Green
	1	X5	Green
	1	NL 	Green
	1	Z5	Green
	1	SL	Green
(5) (6)	1	TL.	Green
	1	ML	Green
$\begin{array}{c c} \hline \\ \hline $	1	MP	Green
	1	Y5	Green
	5 4628 692 2 6 6100 047 1		BRACKET, Door Pull Cup
	6 6100 047 1		NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
	7 6101 786 2		
	7 6101 786 2 8 6506 878AA 6		SCREW, Self Tapping, M6x1x15 NUT, Snap In
	9		FASTENER, Door Trim Panel
	6505 534AA 1	В7	FASTENER, DOOL THIII Faller
	1	BF	
	1	C8	
	1	X5	
	1	CL	
(16)	1	Y5	
	10	.0	CUP, Door Pull
	PP04 WL5CB 1	Q5	[L5], Right
	1	QF	[L5], Right
	1	ML	[L5], Right
(8)	1	MP	[L5], Right
	PP04 XDVCB 1	Q5	[DV], Right
	1	QF	[DV], Right
	1	ML	[DV], Right
(12)	1	MP	[DV], Right
	PP04 XT5CB 1	Q5	[T5], Right
	1	QF	[T5], Right
	1	ML	[T5], Right
	1	MP	[T5], Right
9			

AR = Use as required -= Non illustrated part # = New this model year

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int

M = LXIX = 300M Special

September 19, 2005

PART



SERIES

S = 300M

H = SE

M = LXI

P = Limited/ES

X = 300M Special

AR = Use as required -= Non illustrated part # = New this model year

BODY

41 = 4 Door Sedan

ENGINE

EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

LINE

Intrepid

H = Chrysler

D = Concorde E = 300M

D = Dodge Intrepid


September 19, 2005

TRANSMISSION

DGX = 4 Speed Automatic

DG0 = All Automatic Transm





P = Limited/ES

X = 300M Special

S = 300M

H = SE

M = LXI

AR = Use as required -= Non illustrated part # = New this model year

41 = 4 Door Sedan

H = Chrysler

D = Concorde E = 300M

D = Dodge Intrepid

Intrepid

September 19, 2005



DGX = 4 Speed Automatic

DG0 = All Automatic Transm

EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

ITEM

PART

NUMBER

QTY

LINE

SERIES


BODY

ENGINE

TRANS

TRIM

DESCRIPTION



AR = Use as required -= Non illustrated part # = New this model year

BODY

41 = 4 Door Sedan

ENGINE

EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

LINE

Intrepid

H = Chrysler

D = Concorde E = 300M

D = Dodge Intrepid

SERIES

S = 300M

H = SE

M = LXI

P = Limited/ES

X = 300M Special

September 19, 2005

TRANSMISSION

DGX = 4 Speed Automatic

DG0 = All Automatic Transm



9

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
		2						QF	Male End Goes With Item 14
		3						SL	Male End Goes With Item 14
		2						TL	Male End Goes With Item 14
		3						UL	Male End Goes With Item 14
		3						X5	Male End Goes With Item 14
		2						Y5	Male End Goes With Item 14
		2						Z 5	Male End Goes With Item 14
16	6035 807	2							NUT, Door Trim
17									WATERDAM, Rear Door
	4780 152AD	1	D						Shield/Water, Right
	4780 153AD	1	D						Shield/Water, Left
	4780 248AE	1	C, Y						Shield/Water, Right
	4780 249AE	1	C, Y						Shield/Water, Left
-18									BEZEL, Door Trim Panel
	TS48 AAAAA-	1						NL	Woodgrain, Right
	TS49 AAAAA-	1						NL	Woodgrain, Left

M = LXIX = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [B7] Figure ILH-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 621AA	2						В7	FOAM, Seat Cushion
2	5093 532AA	2						B7	FRAME, Seat cushion
3									COVER, Front Seat Cushion
	YY53 1DVAA	2						B7	[DV], Right & Left
	YY53 1L5AA	2						В7	[L5], Right & Left
	YY53 1T5AA	2						B7	[T5], Right & Left
4									SEAT BACK, Front
	YY40 1DVAA	2						B7	[DV], Right & Left
	YY40 1L5AA	2						B7	[L5], Right & Left
	YY40 1T5AA	2						B7	[T5], Right & Left
	YY60 1DVAA	1						B7	[DV] With Air Bag, Right
	YY60 1L5AA	1						B7	[L5] With Air Bag, Right
	YY60 1T5AA	1						B7	[T5] With Air Bag, Right
	YY61 1DVAA	1						В7	[DV] With Air Bag, Left
	YY61 1L5AA	1						B7	[L5] With Air Bag, Left
	YY61 1T5AA	1						B7	[T5] With Air Bag, Left
5									COVER, Seat Back
	YY41 1DVAA	1						B7	[DV]
	YY41 1L5AA	1						B7	[L5]
	YY41 1T5AA	1						B7	[T5]
6									HEADREST, Front
	YY45 1DVAA	2						B7	[DV]
	YY45 1L5AA	2						В7	[L5]
	YY45 1T5AA	2						B7	[T5]
7									SLEEVE, Headrest
	QX11 1DVAA							B7	[DV], With Release Button
	QX11 1L5AA	1						B7	[L5], With Release Button
	QX11 1T5AA	1						B7	[T5], With Release Button
	QX12 1DVAA							B7	[DV], Without Release Button
	QX12 1L5AA	1						B7	[L5], Without Release Button
	QX12 1T5AA	1						B7	[T5], Without Release Button
8	OV22 4 DV4 A	4						D.7	SHIELD, Seat Adjuster
	QY22 1DVAA							B7	[DV], Right
	QY22 1L5AA	1						B7	[L5], Right
	QY22 1T5AA QY23 1DVAA	1						В7 В7	[T5], Right [DV], Left
	QY23 1L5AA	1						Б7 В7	[L5], Left
	QY23 1T5AA	<u>'</u> 1						<u>В7</u> В7	[T5], Left
	QY25 1DVAA							В7 В7	[DV], Left,Power
	QY25 1L5AA	1						В7 В7	[L5], Left,Power
	QY25 1T5AA	1						В7 В7	[T5], Left,Power
	Q120 IIOAA	<u>'</u>						וט	[10], Leit,i Owei

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [B7] Figure ILH-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-9	4645 946AA-	2						B7	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						B7	[DV], Without Map Pocket
	UF37 1L5AA	1						B7	[L5], Without Map Pocket
	UF37 1T5AA	1						B7	[T5], Without Map Pocket
-11	5140 812AA-	1						B7	CLIP, X-mas Tree, Fastens Panel on
									Seat Back
									_

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [BF] Figure ILH-515



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		•						•		
	1									FOAM, Seat Cushion
_	•	5093 619AA	1						BF	Left
		5093 620AA	1						BF	Right
	2									FRAME, Seat cushion
		5093 613AA	1						BF	Left
_		5093 615AA	1						BF	Right
	3									COVER, Front Seat Cushion
		YY43 1DVAA	1						BF	[DV], Right
		YY43 1L5AA	1						BF	[L5], Right
_		YY43 1T5AA	1						BF	[T5], Right
		YY44 1DVAA	1						BF	[DV], Left
		YY44 1L5AA	1						BF	[L5], Left
		YY44 1T5AA	1						BF	[T5], Left
_	-4	4720 778	12						BF	RETAINER, Cushion Cover
	5									SEAT BACK, Front
		YY40 1DVAA	1						BF	[DV], Right
		YY40 1L5AA	1						BF	[L5], Right
		YY40 1T5AA	1						BF	[T5], Right
		YY42 1DVAA	1						BF	[DV], Left
		YY42 1L5AA	1						BF	[L5], Left
		YY42 1T5AA	1						BF	[T5], Left
		YY62 1DVAA	1						BF	[DV], With Air Bag, Right
		YY62 1L5AA	1						BF	[L5], With Air Bag, Right
		YY62 1T5AA	1						BF	[T5], With Air Bag, Right
_		YY63 1DVAA	1						BF	[DV], With Air Bag, Left
		YY63 1L5AA	1						BF	[L5], With Air Bag, Left
		YY63 1T5AA	1						BF	[T5], With Air Bag
	6									COVER, Seat Back
_		YY41 1DVAA	1						BF	[DV], Right & Left
		YY41 1L5AA	1						BF	[L5], Right & Left
		YY41 1T5AA	1						BF	[T5], Right & Left
	7									HEADREST, Front
_		YY45 1DVAA	2						BF	[DV]
		YY45 1L5AA	2						BF	[L5]
		YY45 1T5AA	2						BF	[T5]
	8									ARMREST, Seat
_		YY46 1DVAA	1						BF	[DV]
		YY46 1L5AA	1						BF	[L5]
	_	YY46 1T5AA	1						BF	[T5]
	9	0.44 . =	_						5-	SLEEVE, Headrest
_		QX11 1DVAA	1						BF	[DV], With Release Button

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [BF] Figure ILH-515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX11 1L5AA	1						BF	[L5], With Release Button
	QX11 1T5AA	1						BF	[T5]], With Release Button
	QX12 1DVAA	. 1						BF	[DV], Without Release Button
	QX12 1L5AA	1						BF	[L5], Without Release Button
	QX12 1T5AA	1						BF	[T5], Without Release Button
-10									SHIELD, Seat Adjuster
	QY22 1DVAA	- 1						BF	[DV], Right
	QY22 1L5AA-	· 1						BF	[L5], Right
	QY22 1T5AA-	· 1						BF	[T5], Right
	QY23 1DVAA	- 1						BF	[DV], Left
	QY23 1L5AA-	· 1						BF	[L5], Left
	QY23 1T5AA-	· 1						BF	[T5], Left
	QY25 1DVAA	- 1						BF	[DV], Left,Power
	QY25 1L5AA-	· 1						BF	[L5], Left,Power
	QY25 1T5AA-	· 1						BF	[T5], Left,Power
-11	4645 946AA-	2						BF	AIR BAG, Seat
-12	4761 282	2						BF	SCREW, Arm Rest Bracket
13									PANEL, Front Seat Back
	UF37 1DVAA	1						BF	[DV], Without Map Pocket
	UF37 1L5AA	1						BF	[L5], Without Map Pocket
	UF37 1T5AA	1						BF	[T5], Without Map Pocket
-14	5140 812AA-	1						BF	CLIP, X-mas Tree, Fastens Panel on
									Seat Back

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [CL] Figure ILH-520



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-								<u> </u>		
	1	5093 533AA	2						CL	FOAM, Seat Cushion
-	2	5093 533AA 5093 532AA	2						CL	FRAME, Seat cushion
	3	3093 332AA	_						OL	COVER, Front Seat Cushion
	3	YP71 1DVAA	2						CL	[DV], Right & Left
		YP71 1L5AA	2						CL	[L5], Right & Left
-		YP71 1T5AA	2						CL	[T5], Right & Left
	4	11 71 110700	_						OL.	SEAT BACK, Front
	•	SS04 1DVAA	1						CL	[DV], Right
		SS04 1L5AA	1						CL	[L5], Right
_		SS04 1T5AA	<u>·</u>						CL	[T5], Right
		SS05 1DVAA	1						CL	[DV], Left
		SS05 1L5AA	1						CL	[L5], Left
		SS05 1T5AA	1						CL	[T5], Left
_		YP72 1DVAA	1						CL	[DV], With Air Bag, Right
		YP72 1L5AA	1						CL	[L5], With Air Bag, Right
		YP72 1T5AA	1						CL	[T5], With Air Bag, Right
		YP73 1DVAA	1						CL	[DV], With Air Bag, Left
_		YP73 1L5AA	1						CL	[L5], With Air Bag, Left
		YP73 1T5AA	1						CL	[T5], With Air Bag, Left
	5									HEADREST, Front
		WX24 1DVAA	. 2						CL	[DV]
_		WX24 1L5AA	2						CL	[L5]
		WX24 1T5AA	2						CL	[T5]
	6									SLEEVE, Headrest
		QX11 1DVAA	1						CL	[DV], With Release Button
		QX11 1L5AA	1						CL	[L5], With Release Button
		QX11 1T5AA	1						CL	[T5], With Release Button
		QX12 1DVAA	1						CL	[DV], Without Release Button
_		QX12 1L5AA	1						CL	[L5], Without Release Button
		QX12 1T5AA	1						CL	[T5], Without Release Button
	7									SHIELD, Seat Adjuster
		QY22 1DVAA	1						CL	[DV], Right
_		QY22 1L5AA	1						CL	[L5], Right
		QY22 1T5AA	1						CL	[T5], Right
		QY25 1DVAA	1						CL	[DV], Left,Power
		QY25 1L5AA	1						CL	[L5], Left,Power
_		QY25 1T5AA	1						CL	[T5], Left,Power
	-8	4645 946AA-	2						CL	AIR BAG, Seat
	9									PANEL, Front Seat Back
		XY77 1DVAA	1						CL	[DV]
_		XY77 1L5AA	1						CL	[L5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [CL] Figure ILH-520

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		XY77 1T5AA 5140 812AA-							CL CL	[T5] CLIP, X-mas Tree, Fastens Panel on Seat Back
5										
3										
4										
7										
(C ONCORDE SERIES	:-INTREPID-300M LI	(LH)		BODY		ENGIN	 NE		TRANSMISSION
F S H N	P = Limited/I S = 300M H = SE M = LXI X = 300M S _I	FS H =	Chrysler pid Dodge In Concorde 300M	trepid	41 = 4 Door	Sedan	EER, EE0	0 = 2.7L V6 D 5L HO V6 MF 5L V6 SOHC : 5L HO V6 MF MAGNUMÖ 3.4	IPI 24\/	DGX = 4 Speed Automatic DG0 = All Automatic Transm

Seat Front - Trim Code [Q5] Figure ILH-525



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 533AA	2						Q5	FOAM, Seat Cushion, Right & Left
2	5093 532AA	2						Q5	FRAME, Seat cushion, Right & Left
3									COVER, Front Seat Cushion
	WX16 1DVAA	. 2						Q5	[DV], Right & Left
	WX16 1L5AA	2						Q5	[L5], Right & Left
	WX16 1T5AA	2						Q5	[T5]
4									SEAT BACK, Front
	XX44 1DVAA	1						Q5	[DV], Without Air Bag, Right
	XX44 1L5AA	1						Q5	[L5], Without Air Bag, Right
	XX44 1T5AA	1						Q5	[T5], Without Air Bag, Right
	XX45 1DVAA	1						Q5	[DV], Without Air Bag, Left
	XX45 1L5AA	1						Q5	[L5], Without Air Bag, Left
	XX45 1T5AA	1						Q5	[T5], Without Air Bag, Left
	XX48 1DVAA	1						Q5	[DV], With Air Bag, Right
	XX48 1L5AA	1						Q5	[L5], With Air Bag, Right
	XX48 1T5AA	1						Q5	[T5], With Air Bag, Right
	XX49 1DVAA	1						Q5	[DV], With Air Bag, Left
	XX49 1L5AA	1						Q5	[L5], With Air Bag, Left
	XX49 1T5AA	1						Q5	[T5], With Air Bag, Left
5									COVER, Front Seat Back
	XQ54 1DVAA	1						Q5	[DV], Without Airbag, Right
	XQ54 1L5AA	1						Q5	[L5], Without Airbag, Right
	XQ54 1T5AA	1						Q5	[T5], Without Airbag, Right
	XQ55 1DVAA	1						Q5	[DV], Without Airbag, Left
	XQ55 1L5AA	1						Q5	[L5], Without Airbag, Left
	XQ55 1T5AA	1						Q5	[T5], Without Airbag, Left
6									HEADREST, Front
	WX06 1DVAA	. 2						Q5	[DV]
	WX06 1L5AA	2						Q5	[L5]
	WX06 1T5AA	2						Q5	[T5]
7									SHIELD, Seat Adjuster
	QY22 1DVAA	1						Q5	[DV], Right
	QY22 1L5AA	1						Q5	[L5], Right
	QY22 1T5AA	1						Q5	[T5], Right
	QY25 1DVAA	1						Q5	[DV], Left,Power
	QY25 1L5AA	1						Q5	[L5], Left,Power
	QY25 1T5AA	1						Q5	[T5], Left,Power
	XY47 1DVAA	1						Q5	[DV], Left
	XY47 1L5AA	1						Q5	[L5], Left
	XY47 1T5AA	1						Q5	[T5], Left
8									SLEEVE, Headrest

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [Q5] Figure ILH-525



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX11 1DVAA	1						Q5	[DV], With Release Button
	QX11 1L5AA	1						Q5	[L5], With Release Button
	QX11 1T5AA	1						Q5	[T5], With Release Button
	QX12 1DVAA	1						Q5	[DV], Without Release Button
	QX12 1L5AA	1						Q5	[L5], Without Release Button
	QX12 1T5AA	1						Q5	[T5], Without Release Button
-9	4645 946AA-	2						Q5	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						Q5	[DV], Without Map Pocket
	UF37 1L5AA	1						Q5	[L5], Without Map Pocket
	UF37 1T5AA	1						Q5	[T5], Without Map Pocket
	UF45 1DVAA	1						Q5	[DV], With Map Pocket - Manaco
	UF45 1L5AA	1						Q5	[L5], With Map Pocket - Monaco
	UF45 1T5AA	1						Q5	[T5], With Map Pocket - Manaco
	UF54 1DVAA	1						Q5	[DV], With Map Pocket
	UF54 1L5AA	1						Q5	[L5], With Map Pocket
	UF54 1T5AA	1						Q5	[T5], With Map Pocket
-11	5140 812AA-	1						Q5	CLIP, X-mas Tree, Fastens Panel on
									Seat Back
-12									SHIELD, Seat Belt
	YT85 1DVAA-	1						Q5	[DV]
	YT85 1L5AA-	1						Q5	[L5]
	YT85 1T5AA-	1						Q5	[T5]
-13	5019 133AA-	2						Q5	SCREW, Side Shield Attaching

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [NL] Figure ILH-530



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 618AA	2						NL	FOAM, Seat Cushion
2	5093 532AA	2						NL	FRAME, Seat cushion, Right & Left
3									COVER, Front Seat Cushion
	ZN30 1DVAA	1						NL	[DV], Right
	ZN30 1L2AA	1						NL	[L2], Right
	ZN30 1T5AA	1						NL	[T5], Right
	ZN31 1DVAA	1						NL	[DV], Left
	ZN31 1L2AA	1						NL	[L2], Left
	ZN31 1T5AA	1						NL	[T5], Left
-4	5114 187AA-	1						NL	PAD, Heater
5									SEAT BACK, Front
	YE14 1DVAA	1						NL	[DV], Right
	YE14 1L2AA	1						NL	[L2], Right
	YE14 1T5AA	1						NL	[T5], Right
	YE15 1DVAA	1						NL	[DV], Left
	YE15 1L2AA	1						NL	[L2], Left
	YE15 1T5AA	1						NL	[T5], Left
	YE22 1DVAA	1						NL	[DV], With Airbag, Right
	YE22 1L2AA	1						NL	[L2], With Airbag, Right
	YE22 1T5AA	1						NL	[T2], With Airbag, Right
	YE23 1DVAA	1						NL	[DV], With Airbag, Left
	YE23 1L2AA	1						NL	[L2], With Airbag, Left
	YE23 1T5AA	1						NL	[T2], With Airbag, Left
6									COVER, Front Seat Back
	YE13 1DVAA	1						NL	[DV], Right & Left
	YE13 1L2AA	1						NL	[L2], Right & Left
	YE13 1T5AA	1						NL	[T5], Right & Left
7									HEADREST, Front
	WX35 1DVAA	2						NL	[DV]
	WX35 1L2AA	2						NL	[L2]
	WX35 1T5AA	2						NL	[T5]
8									SHIELD, Seat Adjuster
	QY27 1DVAA	1						NL	[DV], Left
	QY27 1L2AA	1						NL	[L2], Left
	QY27 1T5AA	1						NL	[T5], Left
	XU84 1DVAA	1						NL	[DV], Right
	XU84 1L2AA	1						NL	[L2], Right
	XU84 1T5AA	1						NL	[T5], Right
9									SLEEVE, Headrest
	QX11 1DVAA	1						NL	[DV], With Release Button
	QX11 1T5AA	1						NL	[T5], With Release Button

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [NL] Figure ILH-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-!			•		•		Į.	
	QX11 1L2AA	1						NL	[L2], With Release Button
	QX12 1DVAA	1						NL	[DV], Without Release Button
	QX12 1L2AA	1						NL	[L2], Without Release Button
	QX12 1T5AA	1						NL	T5, Without Release Button
-10	4645 946AA-	2						NL	AIR BAG, Seat
11									PANEL, Front Seat Back
	XY77 1DVAA	1						NL	[DV]
	XY77 1L2AA	1						NL	[L2]
	XY77 1T5AA	1						NL	[T5]
-12	5140 812AA-	1						NL	CLIP, X-mas Tree, Fastens Panel of Seat Back

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [ML] Figure ILH-535



		PART								
ITE	M	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		!						•	•	
	1	5093 533AA	2						ML	FOAM, Seat Cushion, Right & Left
		5093 532AA	2						ML	FRAME, Seat cushion
(3									COVER, Front Seat Cushion
		ZJ59 1DVAA	1						ML	[DV], Right & Left
		ZJ59 1L5AA	1						ML	[L5], Right & Left
		ZJ59 1T5AA	1						ML	[T5], Right & Left
4	4									SEAT BACK, Front
		ZJ74 1DVAA	1						ML	[DV], With Airbag, Right
		ZJ74 1L5AA	1						ML	[L5], With Airbag, Right
		ZJ74 1T5AA	1						ML	[T5], With Airbag, Right
		ZJ75 1DVAA	1						ML	[DV], With Airbag, Left
		ZJ75 1L5AA	1						ML	[L5], With Airbag, Left
		ZJ75 1T5AA	1						ML	[T5], With Airbag, Left
		ZK00 1DVAA	1						ML	[DV], Without Airbag, Right
		ZK00 1L5AA	1						ML	[L5], Without Airbag, Right
		ZK00 1T5AA	1						ML	[T5], Without Airbag, Right
		ZK01 1DVAA	1						ML	[DV], Without Airbag, Left
		ZK01 1L5AA	1						ML	[L5], Without Airbag, Left
		ZK01 1T5AA	1						ML	[T5], Without Airbag, Left
į	5									COVER, Seat Back
		ZK02 1DVAA	1						ML	[DV], Right
		ZK02 1L5AA	1						ML	[L5], Right
		ZK02 1T5AA	1						ML	[T5], Right
		ZK03 1DVAA	1						ML	[DV], Left
		ZK03 1L5AA	1						ML	[L5], Left
		ZK03 1T5AA	1						ML	[T5], Left
(6									HEADREST, Front
		WX24 1DVAA							ML	[DV]
		WX24 1L5AA	2						ML	[L5]
		WX24 1T5AA	2						ML	[T5]
7	7									SHIELD, Seat Adjuster
		QY22 1DVAA	1						ML	[DV], Right,Manual
		QY22 1L5AA	1						ML	[L5], Right,Manual
		QY22 1T5AA	1						ML	[T5], Right,Manual
		XY47 1DVAA	1						ML	[DV], Left
		XY47 1L5AA	1						ML	[L5], Left
		XY47 1T5AA	1						ML	[T5], Left
8	8									SLEEVE, Headrest
		QX11 1DVAA							ML	[DV], With Release Button
		QX11 1L5AA	1						ML	[L5], With Release Button
		QX11 1T5AA	1						ML	[T5], With Release Button

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [ML] Figure ILH-535



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QII	LINE	SERIES	БОЛТ	ENGINE	IKANS	IKIW	DESCRIPTION
	QX12 1DVAA	. 1						ML	[DV], Without Release Button
	QX12 1L5AA	1						ML	[L5], Without Release Button
	QX12 1T5AA	1						ML	[T5], Without Release Button
-9	4645 946AA-	2						ML	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						ML	[DV], Without Map Pocket
	UF37 1L5AA	1						ML	L5], Without Map Pocket
	UF37 1T5AA	1						ML	[T5], Without Map Pocket
	XY77 1DVAA	1						ML	[DV], With Map Pocket
	XY77 1L5AA	1						ML	[L5], With Map Pocket
	XY77 1T5AA	1						ML	[T5], With Map Pocket
-11	5140 812AA-	1						ML	CLIP, X-mas Tree, Fastens Panel or
									Seat Back
-12									SHIELD, Seat Belt
	YT85 1DVAA-	- 1						ML	[DV]
	YT85 1L5AA-	1						ML	[L5]
	YT85 1T5AA-	1						ML	[T5]

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [MP] Figure ILH-540

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY


ENGINE

5093 616AA 1 MP Right 5093 617AA 1 MP Left 7 FRAME, Seat cushion 5093 613AA 1 MP Left 5093 615AA 1 MP Left COVER, Front Seat Cushi COVER, Front Seat Cushi COVER, Front Seat Cushi ZJ72 1DVAA 1 MP [L5], Right ZJ72 1T5AA 1 MP [T5], Right ZJ73 1DVAA 1 MP [DV], Left ZJ73 1T5AA 1 MP [L5], Left ZJ73 1T5AA 1 MP [DV], With Airbag, Right ZJ70 1DVAA 1 MP [DV], With Airbag, Right ZJ70 1T5AA 1 MP [T5], With Airbag, Left ZJ71 1DVAA 1 MP [L5], With Airbag, Left ZJ71 1T5AA 1 MP [L5], With Airbag, Left ZJ71 1DVAA 1 MP [L5], Without Airbag, Right ZJ76 1DVAA 1 MP [L5], Without Airbag, Right ZJ76 1DVAA	1	ler Serviced In Ar	,		FOAM, Seat Cushion
Soys 617AA 1		5093 616AA	1	MP	
Sogna 613AA					
5093 613AA 1 MP Left 5093 615AA 1 MP Right ZJ72 1DVAA 1 MP Right ZJ72 1L5AA 1 MP [L5], Right ZJ73 1DVAA 1 MP [T5], Right ZJ73 1DVAA 1 MP [T6], Left ZJ73 1L5AA 1 MP [L5], Left ZJ73 1T5AA 1 MP [T6], Left SEAT BACK, Front SEAT BACK, Front SEAT BACK, Front ZJ70 1DVAA 1 MP [L5], With Airbag, Right ZJ70 1L5AA 1 MP [L5], With Airbag, Right ZJ71 1DVAA 1 MP [DV], With Airbag, Left ZJ71 1DVAA 1 MP [DV], With Airbag, Left ZJ71 1DVAA 1 MP [T5], With Airbag, Right ZJ76 1DVAA 1 MP [DV], Without Airbag, Right ZJ76 1DVAA 1 MP [DV], Without Airbag, Right ZJ77 1L5AA 1 MP [DV], Without Airbag, Right	2				
Superior		5093 613AA	1	MP	Left
ZJ72 1DVAA 1		5093 615AA	1	MP	Right
ZJ72 1DVAA 1	3				COVER, Front Seat Cushion
ZJ72 1L5AA		ZJ72 1DVAA	1	MP	[DV], Right
ZJ72 1T5AA 1		ZJ72 1L5AA	1	MP	
ZJ73 1DVAA		ZJ72 1T5AA	1	MP	[T5], Right
ZJ73 1T5AA		ZJ73 1DVAA	1	MP	
SEAT BACK, Front ZJ70 1DVAA 1		ZJ73 1L5AA	1	MP	[L5], Left
ZJ70 1DVAA 1		ZJ73 1T5AA	1	MP	[T5], Left
ZJ70 1L5AA	4				SEAT BACK, Front
ZJ70 1T5AA		ZJ70 1DVAA	1	MP	[DV], With Airbag, Right
ZJ71 1DVAA		ZJ70 1L5AA	1	MP	[L5], With Airbag, Right
ZJ71 1L5AA		ZJ70 1T5AA	1	MP	[T5], With Airbag, Right
ZJ71 1T5AA		ZJ71 1DVAA	1	MP	[DV], With Airbag, Left
ZJ76 1DVAA 1 MP [DV], Without Airbag, Rig ZJ76 1L5AA 1 MP [L5], Without Airbag, Rig ZJ76 1T5AA 1 MP [T5], Without Airbag, Rig ZJ77 1DVAA 1 MP [DV], Without Airbag, Lef ZJ77 1T5AA 1 MP [L5], Without Airbag, Lef ZJ77 1T5AA 1 MP [T5], Without Airbag, Lef COVER, Seat Back COVER, Seat Back ZJ78 1DVAA 1 MP [DV], Right ZJ78 1T5AA 1 MP [T5], Right ZJ79 1DVAA 1 MP [DV], Left ZJ79 1DVAA 1 MP [DV], Left ZJ79 1T5AA 1 MP [T5], Left WX24 1DVAA 2 MP [DV] WX24 1DVAA 2 MP [DV] WX24 1T5AA 2 MP [T5] WX24 1T5AA 2 MP [T5] ARMREST, Seat		ZJ71 1L5AA	1	MP	[L5], With Airbag, Left
ZJ76 1L5AA 1 MP [L5], Without Airbag, Rig ZJ76 1T5AA 1 MP [T5], Without Airbag, Leg ZJ77 1DVAA 1 MP [DV], Without Airbag, Leg ZJ77 1T5AA 1 MP [L5], Without Airbag, Leg ZJ78 1DVAA 1 MP [DV], Right ZJ78 1DVAA 1 MP [L5], Right ZJ78 1T5AA 1 MP [L5], Right ZJ79 1DVAA 1 MP [DV], Left ZJ79 1L5AA 1 MP [DV], Left ZJ79 1T5AA 1 MP [T5], Left G HEADREST, Front MP [DV] WX24 1DVAA 2 MP [DV] WX24 1L5AA 2 MP [T5] WX24 1T5AA 2 MP [T5] 7 ARMREST, Seat		ZJ71 1T5AA	1	MP	[T5], With Airbag, Left
ZJ76 1T5AA 1 MP [T5], Without Airbag, Rig ZJ77 1DVAA 1 MP [DV], Without Airbag, Lef ZJ77 1T5AA 1 MP [L5], Without Airbag, Lef ZJ77 1T5AA 1 MP [T5], Without Airbag, Lef COVER, Seat Back COVER, Seat Back MP [DV], Right ZJ78 1DVAA 1 MP [L5], Right ZJ78 1T5AA 1 MP [T5], Right ZJ79 1DVAA 1 MP [DV], Left ZJ79 1L5AA 1 MP [L5], Left ZJ79 1T5AA 1 MP [T5], Left WX24 1DVAA 2 MP [DV] WX24 1DVAA 2 MP [L5] WX24 1T5AA 2 MP [T5] 7 ARMREST, Seat		ZJ76 1DVAA	1	MP	[DV], Without Airbag, Righ
ZJ77 1DVAA		ZJ76 1L5AA	1	MP	[L5], Without Airbag, Right
ZJ77 1L5AA 1		ZJ76 1T5AA	1	MP	[T5], Without Airbag, Righ
ZJ77 1T5AA 1		ZJ77 1DVAA	1	MP	[DV], Without Airbag, Left
COVER, Seat Back ZJ78 1DVAA 1 MP [DV], Right ZJ78 1L5AA 1 MP [L5], Right ZJ78 1T5AA 1 MP [DV], Left ZJ79 1DVAA 1 MP [DV], Left ZJ79 1L5AA 1 MP [T5], Left ZJ79 1T5AA 1 MP [T5], Left WX24 1DVAA 2 MP [DV] WX24 1L5AA 2 MP [L5] WX24 1T5AA 2 MP [T5] 7 ARMREST, Seat		ZJ77 1L5AA	1	MP	[L5], Without Airbag, Left
ZJ78 1DVAA 1		ZJ77 1T5AA	1	MP	[T5], Without Airbag, Left
ZJ78 1L5AA 1	5				COVER, Seat Back
ZJ78 1T5AA 1 ZJ79 1DVAA 1 ZJ79 1L5AA 1 MP [DV], Left MP [L5], Left MP [L5], Left MP [T5], Left MP [T5], Left MP [T5], Left MP [T5], Left MP [DV] MX24 1DVAA 2 MP [DV] WX24 1L5AA 2 MP [L5] WX24 1T5AA 2 MP [T5] ARMREST, Seat		ZJ78 1DVAA	1	MP	[DV], Right
ZJ79 1DVAA 1 ZJ79 1L5AA 1 MP [DV], Left MP [L5], Left ZJ79 1T5AA 1 MP [T5], Left HEADREST, Front WX24 1DVAA 2 WX24 1L5AA 2 MP [DV] WX24 1T5AA 2 MP [T5] MP [T5] ARMREST, Seat		ZJ78 1L5AA	1	MP	[L5], Right
ZJ79 1L5AA 1 MP [L5], Left ZJ79 1T5AA 1 MP [T5], Left HEADREST, Front WX24 1DVAA 2 MP [DV] WX24 1L5AA 2 MP [L5] WX24 1T5AA 2 MP [T5] ARMREST, Seat		ZJ78 1T5AA	1	MP	[T5], Right
ZJ79 1T5AA 1		ZJ79 1DVAA	1	MP	[DV], Left
6		ZJ79 1L5AA	1	MP	[L5], Left
WX24 1DVAA 2 WX24 1L5AA 2 WX24 1T5AA 2 MP [L5] MP [T5] ARMREST, Seat		ZJ79 1T5AA	1	MP	[T5], Left
WX24 1L5AA 2 MP [L5] WX24 1T5AA 2 MP [T5] 7 ARMREST, Seat	6				HEADREST, Front
WX24 1T5AA 2 MP [T5] 7 ARMREST, Seat		WX24 1DVAA	2	MP	[DV]
7 ARMREST, Seat				 MP	
·		WX24 1T5AA	2	 MP	[T5]
	7				ARMREST, Seat
		RA31 1L5AA	1	MP	[L5]

TRIM

DESCRIPTION

TRANS



CONCORDE-INTREPID-300M (LH) -SERIES LINE P = Limited/ES H = Chrys

S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid

E = 300M

D = Concorde

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [MP] Figure ILH-540

9 7
2
3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RA31 1T5AA	1						MP	[T5]
8									SHIELD, Seat Adjuster
	QY22 1DVAA	1						MP	[DV], Right
	QY22 1L5AA	1						MP	[L5], Right
	QY22 1T5AA	1						MP	[T5], Right
	XY47 1DVAA	1						MP	[DV], Left
	XY47 1L5AA	1						MP	[L5], Left
	XY47 1T5AA	1						MP	[T5], Left
	QY25 1DVAA	1						MP	[DV], Left,Power
	QY25 1L5AA	1						MP	[L5], Left,Power
	QY25 1T5AA	1						MP	[T5], Left,Power
9									SLEEVE, Headrest
	QX11 1DVAA	1						MP	[DV], With Release Button
	QX11 1L5AA	1						MP	[L5], With Release Button
	QX11 1T5AA	1						MP	[T5], With Release Button
	QX12 1DVAA	1						MP	[DV], Without Release Button
	QX12 1L5AA	1						MP	[L5], Without Release Button
	QX12 1T5AA	1						MP	[T5], Without Release Button
-10	4645 946AA-	2						MP	AIR BAG, Seat
11									PANEL, Front Seat Back
	UF37 1DVAA	1						MP	[DV]
	UF37 1L5AA	1						MP	[L5]
	UF37 1T5AA	1						MP	[T5]
-12	5140 812AA-	1						MP	CLIP, X-mas Tree, Fastens Panel of
									Seat Back
-13									SHIELD, Seat Belt
	YT85 1DVAA-	· 1						MP	[DV]
	YT85 1L5AA-	1						MP	[L5]
	YT85 1T5AA-	1						MP	[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [QF] Figure ILH-545



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FOAM, Seat Cushion
	5093 616AA	1						QF	Right
	5093 617AA	1						QF	Left
2									FRAME, Seat cushion
	5093 613AA	1						QF	Left
	5093 615AA	1						QF	Right
3									COVER, Front Seat Cushion
	XC56 1DVAA	1						QF	[DV], Right
	XC56 1L5AA	1						QF	[L5], Right
	XC56 1T5AA	1						QF	[T5], Right
	XC57 1DVAA	1						QF	[DV], Left
	XC57 1L5AA	1						QF	[L5], Left
	XC57 1T5AA	1						QF	[T5], Left
4									SEAT BACK, Front
	XX42 1DVAA	1						QF	[DV], Without Airbag, Right
	XX42 1L5AA	1						QF	[L5], Without Airbag, Right
	XX42 1T5AA	1						QF	[T5], Without Airbag, Right
	XX43 1DVAA	1						QF	[DV], Without Airbag, Left
	XX43 1L5AA	1						QF	[L5], Without Airbag, Left
	XX43 1T5AA	1						QF	[T5], Without Airbag, Left
	XX46 1DVAA	1						QF	[DV], With Airbag, Right
	XX46 1L5AA	1						QF	[L5], With Airbag, Right
	XX46 1T5AA	1						QF	[T5], With Airbag, Right
	XX47 1DVAA	1						QF	[DV], With Airbag, Left
	XX47 1L5AA	1						QF	[L5], With Airbag, Left
	XX47 1T5AA	1						QF	[T5], With Airbag, Left
5									COVER, Front Seat Back
	XC54 1DVAA	1						QF	[DV], Without Airbag, Right
	XC54 1L5AA	1						QF	[L5], Without Airbag, Right
	XC54 1T5AA	1						QF	[T5], Without Airbag, Right
	XC55 1DVAA	1						QF	[DV], Without Airbag, Left
	XC55 1L5AA	1						QF	[L5], Without Airbag, Left
	XC55 1T5AA	1						QF	[T5], Without Airbag, Left
6									HEADREST, Front
	WX06 1DVAA	. 1						QF	[DV]
	WX06 1L5AA	2						QF	[L5]
	WX06 1T5AA	2						QF	[T5]
7									ARMREST, Seat
	UG10 1DVAA	1						QF	[DV]
	UG10 1L5AA	1						QF	[L5]
	UG10 1T5AA	1						QF	[T5]
8									SHIELD, Seat Adjuster

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [QF] Figure ILH-545



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
	QY22 1DVAA	. 1						QF	[DV], Right
	QY22 1L5AA	1						QF	[L5], Right
	QY22 1T5AA	1						QF	[T5], Right
	XY47 1DVAA	1						QF	[DV], Left
	XY47 1L5AA	1						QF	[L5], Left
	XY47 1T5AA	1						QF	[T5], Left
	QY25 1DVAA	. 1						QF	[DV], Left,Power
	QY25 1L5AA	1						QF	[L5], Left,Power
	QY25 1T5AA	1						QF	[T5], Left,Power
9									SLEEVE, Headrest
	QX11 1DVAA	. 1						QF	[DV], With Release Button
	QX11 1L5AA	1						QF	[L5], With Release Button
	QX11 1T5AA	1						QF	[T5], With Release Button
	QX12 1DVAA	. 1						QF	[DV], Without Release Button
	QX12 1L5AA	1						QF	[L5], Without Release Button
	QX12 1T5AA	1						QF	[T5], Without Release Button
-10	4645 946AA-	2						QF	AIR BAG, Seat
11									PANEL, Front Seat Back
	UF37 1DVAA	1						QF	[DV]
	UF37 1L5AA	1						QF	[L5]
	UF37 1T5AA	1						QF	[T5]
-12	5140 812AA-	1						QF	CLIP, X-mas Tree, Fastens Panel on
									Seat Back
-13									SHIELD, Seat Belt
	YT85 1DVAA	- 1						QF	[DV]
	YT85 1L5AA-	1						QF	[L5]
	YT85 1T5AA-	1						QF	[T5]
-14	5019 133AA-	2						QF	SCREW, Side Shield Attaching

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [TL] [BL] Figure ILH-550



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
	1									FOAM, Seat Cushion
	•	5093 618AA	1						BL	Right & Left
			2						TL	Right & Left
	2									FRAME, Seat cushion
		5093 532AA	1						BL	Right & Left
_			2						TL	Right & Left
	3									COVER, Front Seat Cushion
		ZN30 1DVAA	1						TL	[DV], Right
		ZN30 1L2AA	1						TL	[L2], Right
		ZN30 1T5AA	1						TL	[T5], Right
		ZN31 1DVAA	1						TL	[DV], Left
		ZN31 1L2AA	1						TL	[L2], Left
		ZN31 1T5AA	1						TL	[T5], Left
		ZN30 1D2AA	1						BL	[D2], Right
		ZN31 1D2AA	1						BL	[D2], Left
	-4									PAD, Heater
		5114 187AA-	1						TL	
			1						BL	
	5									SEAT BACK, Front
		YE14 1DVAA	1						TL	[DV], Without Airbag, Right
		YE14 1L2AA	1						TL	[L2], Without Airbag, Right
		YE14 1T5AA	1						TL	[T5], Without Airbag, Right
		YE15 1DVAA	1						TL	[DV], Without Airbag, Left
		YE15 1L2AA	1						TL	[L2], Without Airbag, Left
		YE15 1T5AA	1						TL	[T5], Without Airbag, Left
		YE22 1DVAA	1						TL	[DV], With Airbag, Right
		YE22 1L2AA	1						TL	[L2], With Airbag, Right
		YE22 1T5AA	1						TL	[T5], With Airbag, Right
		YE23 1DVAA	1						TL	[DV], With Airbag, Left
		YE23 1L2AA	1						TL	[L2], With Airbag, Left
		YE23 1T5AA	1						TL	[T5], With Airbag, Left
		ZS52 1D2AA	1						BL	[D2], Right
		ZS53 1D2AA	1						BL	[D2], Left
		ZS54 1D2AA	1						BL	[D2], With Airbag, Right
		ZS55 1D2AA	1						BL	[D2], With Airbag, Left
	6									COVER, Front Seat Back
		YE13 1DVAA	1						TL	[DV], Without Airbag, Right & Left
		YE13 1L2AA	1						TL	[L2], Without Airbag, Right & Left
		YE13 1T5AA	1						TL	[T5], Without Airbag, Right & Left
		ZS51 1D2AA	1						BL	[D2], Without Airbag, Right & Left
	7	5134 529AA	1						BL	PAD, Heater, Back
	8									HEADREST, Front

M = LXI

X = 300M Special

CONCORDE-INTREPID-300M (LH)


SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [TL] [BL] Figure ILH-550



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WX35 1DVAA	. 2						TL	[DV]
	WX35 1L2AA							TL	[L2]
	WX35 1T5AA	2						TL	[T5]
	WX35 1D2AA	. 1						BL	[D2]
9									SHIELD, Seat Adjuster
	YT86 1D2AA	1						BL	[D2], Right
	QY27 1D2AA	1						BL	[D2], Left
	QY26 1L2AA	1						TL	[D2], Right
	QY26 1DVAA	1						TL	[DV], Right
	QY27 1T5AA	1						TL	[T5], Left
	QY27 1L2AA	1						TL	[L2], Left
	QY27 1DVAA	1						TL	[DV], Left
	QY26 1T5AA	1						TL	[T5], Right
10									SLEEVE, Headrest
	QX11 1DVAA	1						TL	[DV], With Release Button
	QX11 1L2AA	1						TL	[L2], With Release Button
	QX11 1T5AA	1						TL	[T5], With Release Button
	QX12 1DVAA	1						TL	[DV], Without Release Button
	QX12 1T5AA	1						TL	[L2], Without Release Button
	QX12 1L2AA	1						TL	[T5], Without Release Button
	QX11 1D2AA	1						BL	[D2], With Release Button
	QX12 1D2AA	1						BL	[D2], Without Release Button
-11	4645 946AA-	2						TL	AIR BAG, Seat
12									PANEL, Front Seat Back
	XY77 1DVAA	1						TL	[DV]
	XY77 1L2AA	1						TL	[L2]
	XY77 1T5AA	1						TL	[T5]
	XY77 1D2AA	1						BL	[D2]
-13									CLIP, X-mas Tree
	5140 812AA-	1						BL	
		1						TL	Fastens Panel on Seat Back
-14									SCREW
	5019 133AA-	1						BL	Side Shield Attaching
		6						TL	Side Shield Attaching

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Front - Trim Code [Z5] Figure ILH-555



		PART								
ITI	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•					•	
	1	5093 533AA	2						Z5	FOAM, Seat Cushion, Right & Left
	2	5093 532AA	2						Z5	FRAME, Seat cushion, Right & Left
	3									COVER, Front Seat Cushion
		YG19 1DVAA	1						Z 5	[DV], Right & Left
		YG19 1T5AA	1						Z 5	[T5], Right & Left
	4									SEAT BACK, Front
		XX72 1DVAA	1						Z 5	[DV], Right
		XX72 1T5AA	1						Z5	[T5], Right
		XX73 1DVAA	1						Z 5	[DV], Left
		XX73 1T5AA	1						Z5	[T5], Left
	5									COVER, Front Seat Back, (NOT
										SERVICED) (Not Serviced)
	6									HEADREST, Front
		WX88 1DVAA	2						Z5	[DV]
		WX88 1T5AA	2						Z 5	[T5]
	7									SHIELD, Seat Adjuster
		QY24 1DVAA	1						Z 5	[DV], Right
		QY24 1T5AA	1						Z5	[T5], Right
		QY25 1DVAA	1						Z 5	[DV], Left
		QY25 1T5AA	1						Z 5	[T5], Left
	8									SLEEVE, Headrest
		QX11 1DVAA	1						Z5	[DV], With Release Button
		QX11 1T5AA	1						Z 5	[T5], With Release Button
		QX12 1DVAA	1						Z 5	[DV], Without Release Button
		QX12 1T5AA	1						Z 5	[T5], Without Release Button
	-9	4664 289AA-	2						Z5	AIR BAG, Seat
1	0									PANEL, Front Seat Back
		UF37 1DVAA	1						Z 5	[DV]
		UF37 1T5AA	1						Z 5	[T5]
-1	1	5140 812AA-	1						Z5	CLIP, X-mas Tree, Fastens Panel on
										Seat Back
-1	2	5019 522AA-	12						Z5	RETAINER, Cushion Cover
-1	3	5019 133AA-	6						Z5	SCREW, Side Shield Attaching

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [SL, PL] Figure ILH-560



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FOAM, Seat Cushion
<u>.</u>	5093 618AA	2						SL	Right & Left
	5096 012AA	2						PL	Right & Left
2									FRAME, Seat cushion
	5093 532AA	2						PL	Right & Left
		2						SL	Right & Left
3									COVER, Front Seat Cushion
	XF24 1DVAA	1						PL	[DV], Right
	XF25 1DVAA	1						PL	[DV], Left
	ZN30 1DVAA	1						SL	[DV], Right
	ZN30 1T5AA	1						SL	[T5], Right
	ZN31 1DVAA	1						SL	[DV], Left
	ZN31 1T5AA	1						SL	[T5], Left
-4									PAD, Heater
	5114 187AA-	1						SL	
		1						PL	
5									SEAT BACK, Front
	YE32 1DVAA	1						SL	[DV], Right
	YE32 1T5AA	1						SL	[T5], Right
	YE33 1DVAA	1						SL	[DV], Left
	YE33 1T5AA	1						SL	[T5], Left
	YH62 1DVAA	1						PL	[DV], Right
	YH63 1DVAA	1						PL	[DV], Left
6									COVER, Front Seat Back, (NOT
									SERVICED) (Not Serviced)
-7	5134 529AA-	1						PL	PAD, Heater, Back
8									HEADREST, Front
	WX35 1DVAA							SL	[DV]
	WX35 1T5AA	2						SL	[T5]
_	WX35 1DVAA	. 2						PL	[DV]
9									SHIELD, Seat Adjuster
	YT86 1DVAA	1						PL	[DV], Right
	YT86 1T5AA	1						SL	[T5], Right
	QY27 1DVAA							SL	[DV], Left,Power
	QY27 1T5AA	1						SL	[T5], Left,Power
	YT86 1DVAA	1						SL	[DV], Right
40	QY27 1DVAA	1						PL	[DV], Left,Power
10	OV44 4DV/AA	4						CI	SLEEVE, Headrest
	QX11 1DVAA							SL	[DV], With Release Button
	QX11 1T5AA	1						SL	[T5], With Release Button
	QX11 1DVAA	1						PL	[DV], With Release Button

98Q095 555

M = LXI

X = 300M Special


CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [SL, PL] Figure ILH-560



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX12 1DVAA	1						SL	[DV], Without Release Button
	QX12 1T5AA	1						SL	[T5], Without Release Button
	QX12 1DVAA	1						PL	[DV], Without Release Button
-11									AIR BAG, Seat
	4645 946AA-	2						PL	
	4664 289AA-	2						SL	
12									PANEL, Front Seat Back
	UF37 1DVAA	1						PL	[DV]
		1						SL	[DV]
	UF37 1T5AA	1						SL	[T5]
-13									CLIP, X-mas Tree
	5140 812AA-	1						PL	Fastens Panel on Seat Back
		1						SL	Fastens Panel on Seat Back

98Q095 555

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [UL] Figure ILH-565



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5096 012AA	2						UL	FOAM, Seat Cushion, Right & Left
2	5093 532AA	2						UL	FRAME, Seat cushion, Right & Left
3	3333 332, 11	_						-	COVER, Front Seat Cushion
· ·	XF24 1D2AA	1						UL	[D2], Right
	XF24 1DVAA	1						UL	[DV], Right
	XF25 1D2AA	1						UL	[D2], Left
	XF25 1DVAA	1						UL	[DV], Left
-4	5114 187AA-	1						UL	PAD, Heater
5									SEAT BACK, Front
	YG32 1D2AA	1						UL	[D2], Without Airbag, Right
	YG32 1DVAA	1						UL	[DV], Without Airbag, Right
	YG33 1D2AA	1						UL	[D2], Without Airbag, Left
	YG33 1DVAA	1						UL	[DV], Without Airbag, Left
	YG34 1D2AA	1						UL	[D2], With Airbag, Right
	YG34 1DVAA	1						UL	[DV], With Airbag, Right
	YG35 1D2AA	1						UL	[D2], With Airbag, Left
	YG35 1DVAA	1						UL	[DV], With Airbag, Left
6									COVER, Front Seat Back
	YG31 1D2AA	1						UL	[D2], Without Airbag, Right & Left
	YG31 1DVAA	1						UL	[DV], Without Airbag, Right & Left
7									HEADREST, Front
	WX35 1DVAA							UL	[DV]
	WX35 1L2AA	2						UL	[D2]
-8	5134 529AA-	1						UL	PAD, Heater, Back
9									SHIELD, Seat Adjuster
	QY27 1DVAA	_						UL	[DV], Left
	QY27 1L2AA	1						UL	[D2], Left
	XU84 1DVAA							UL	[DV], Right
	XU84 1L2AA	1						UL	[D2], Right
10	0)/44 41 04 4								SLEEVE, Headrest
	QX11 1L2AA	1						UL	[D2], With Release Button
	QX11 1DVAA							UL	[DV], With Release Button
	QX12 1L2AA	1						UL	[D2], Without Release Button
44	QX12 1DVAA							UL	[DV], Without Release Button
-11 12	4645 946AA-	2						UL	AIR BAG, Seat
12	YV77 1D\/^^	1						111	PANEL, Front Seat Back
	XY77 1DVAA XY77 1L2AA	1						UL	[DV] [D2]
-13	5140 812AA	1 1						UL	CLIP, X-mas Tree, Fastens Panel on
-13	J140 012AA-	I						UL	Seat Back
									Ocal Dack

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [C8, X5, Y5] Police Car Figure ILH-570



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									FRAME, Seat cushion
_		5093 532AA	2						C8	Right & Left
			1						X5	Right & Left
			2						Y5	Right & Left
	2									FOAM, Seat Cushion
_		5093 533AA	2						X5	Right & Left
			2						C8	Right & Left
			2						Y5	Right & Left
	3									COVER, Front Seat Cushion
_		XF03 1DVAA	2						X5	[DV], Right & Left
			2						C8	[DV], Right & Left
		UF94 1DVAA	1						Y5	Right & Left
	4									SEAT BACK, Front
_		XX88 1DVAA	1						X5	[DV], Right
			1						C8	[DV], Right
		XX89 1DVAA	1						X5	[DV], Left
			1						C8	[DV], Left
		YY92 1DVAA	1						Y5	[DV], Right
		YY93 1DVAA	1						Y5	[DV], Left
	5									COVER, Front Seat Back, (NOT
										SERVICED) (Not Serviced)
	6									HEADREST, Front
		XF04 1DVAA	2						X5	[DV]
			2						C8	[DV]
		UF91 1DVAA	2						Y5	[DV]
_	7									SHIELD, Seat Adjuster
		QY22 1DVAA	1						X5	[DV], Right
			1						C8	[DV], Right
			1						Y5	[DV], Right
		QY23 1DVAA	1						X5	[DV], Left,Manual
			1						C8	[DV], Left,Manual
			1						Y5	[DV], Left,Manual
_		QY25 1DVAA	1						X5	[DV], Left,Power
			1						C8	[DV], Left,Power
			1						Y5	[DV], Left,Power
	8									SLEEVE, Headrest
_		QX11 1DVAA	1						C8	[DV], With Release Button
			1						Y5	[DV], With Release Button
		QX12 1DVAA	1						X5	[DV], Without Release Button
			1						C8	[DV], Without Release Button
_			1						Y5	[DV], Without Release Button
	-9									AIR BAG, Seat

M = LXI

X = 300M Special


CONCORDE-INTREPID-300M (LH)

SERIES LINE
P = Limited/ES H = Chrysler
S = 300M Intrepid
H = SE D = Dodge Int Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Front - Trim Code [C8, X5, Y5] Police Car Figure ILH-570



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4664 289AA-	2						Z 5	
	4645 946AA-	2						Y5	
10									PANEL, Front Seat Back
	UF37 1DVAA	1						X5	[DV], Without Map Pocket
		1						C8	[DV], Without Map Pocket
		1						Y5	[DV], Without Map Pocket
	UF40 1DVAA	1						Y5	[DV], With Map Pocket - Venus
-11									CLIP, X-mas Tree
	5140 812AA-	1						C8	Fastens Panel on Seat Back
		1						Y5	Fastens Panel on Seat Back

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [B7] Figure ILH-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	YY47 1DVAA	1						B7	[DV]
	YY47 1L5AA	1						В7	[L5]
	YY47 1T5AA	1						В7	[T5]
2									SEAT BACK, Rear, 40%
	YC80 1DVAA	1						B7	[DV]
	YC80 1L5AA	1						B7	[L5]
	YC80 1T5AA	1						B7	[T5]
3									SEAT BACK, Rear, 60%
	YC79 1DVAA	1						B7	[DV]
	YC79 1L5AA	1						B7	[L5]
	YC79 1T5AA	1						B7	[T5]
4									SEAT BACK, Rear, w/Center
									Armrest
	ZC31 1DVAA	1						B7	[DV]
	ZC31 1L5AA	1						B7	[L5]
	ZC31 1T5AA	1						B7	[T5]
5									COVER, Rear Seat Back
	YY48 1DVAA	1						B7	[DV]
	YY48 1L5AA	1						B7	[L5]
	YY48 1T5AA	1						B7	[T5]
6									CUSHION, Rear Seat
	YY54 1DVAA	1						B7	[DV]
	YY54 1L5AA	1						B7	[L5]
	YY54 1T5AA	1						B7	[T5]
7									COVER, Rear Seat Cushion
	YY55 1DVAA	1						В7	[DV]
	YY55 1L5AA	1						В7	[L5]
	YY55 1T5AA	1						B7	[T5]
8									ARMREST, Rear Seat Center
	YY56 1DVAA							B7	[DV]
	YY56 1L5AA	1						B7	[L5]
	YY56 1T5AA	1						B7	[T5]
9	5016 143AA	1						R5	BOLT, Armrest Pivot
10									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (Not
									Serviced)
11	10/50 /51/6	_						5-	COLLAR, Rear Seat Back
	YY58 1DVAA							B7	[DV]
	YY58 1L5AA	1						B7	[L5]
	YY58 1T5AA	1						B7	[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [BF] Figure ILH-615



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	YC78 1DVAA	1						BF	[DV], Fixed Back
	YC78 1L5AA	1						BF	[L5], Fixed Back
	YC78 1T5AA	1						BF	[T5], Fixed Back
2									SEAT BACK, Rear, w/Center
									Armrest
	ZC31 1DVAA	1						BF	[DV]
	ZC31 1L5AA	1						BF	[L5]
	ZC31 1T5AA	1						BF	[T5]
3									SEAT BACK, Rear, 40%
	YC80 1DVAA	1						BF	[DV]
	YC80 1L5AA	1						BF	[L5]
	YC80 1T5AA	1						BF	[T5]
4									SEAT BACK, Rear, 60%
	YC79 1DVAA	1						BF	[DV]
	YC79 1L5AA	1						BF	[L5]
	YC79 1T5AA	1						BF	[T5]
5	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4						DE	COVER, Rear Seat Back
	WJ31 1DVAA							BF	[DV]
	WJ31 1L5AA	1						BF	[L5]
6	WJ31 1T5AA	1						BF	[T5]
6	VVE4 1DV/AA	4						DE	CUSHION, Rear Seat
	YY54 1DVAA YY54 1L5AA	1 1						BF BF	[DV]
	YY54 1T5AA	1						BF	[L5] [T5]
7	1154 115AA	'						Ы	COVER, Rear Seat Cushion
,	YY55 1DVAA	1						BF	[DV]
	YY55 1L5AA	1						BF	[L5]
	YY55 1T5AA	1						BF	[T5]
8	1100 110/01	•							ARMREST, Rear Seat Center
•	YY56 1DVAA	1						BF	[DV]
	YY56 1L5AA	1						BF	[L5]
	YY56 1T5AA	1						BF	[T5]
9	5016 143AA	1						BF	BOLT, Armrest Pivot
10									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (N
									Serviced)
11									COLLAR, Rear Seat Back
	ZC30 1DVAA	1						BF	[DV]
	ZC30 1L5AA	1						BF	[L5]
	ZC30 1T5AA	1						BF	[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [CL] Figure ILH-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	ZC23 1DVAA	1						CL	[DV]
	ZC23 1L5AA	1						CL	[L5]
	ZC23 1T5AA	1						CL	[T5]
2									SEAT BACK, Rear, 40%
	YP75 1DVAA	1						CL	[DV]
	YP75 1L5AA	1						CL	[L5]
	YP75 1T5AA	1						CL	[T5]
3									SEAT BACK, Rear, 60%
	YP76 1DVAA	1						CL	[DV]
	YP76 1L5AA	1						CL	[L5]
	YP76 1T5AA	1						CL	[T5]
4									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	YP69 1DVAA	1						CL	[DV]
	YP69 1L5AA	1						CL	[L5]
	YP69 1T5AA	1						CL	[T5]
6									COVER, Rear Seat Cushion
	YP70 1DVAA	1						CL	[DV]
	YP70 1L5AA	1						CL	[L5]
	YP70 1T5AA	1						CL	[T5]
7									ARMREST, Rear Seat Center
	XQ33 1DVAA	1						CL	[DV]
	XQ33 1L5AA	1						CL	[L5]
	XQ33 1T5AA	1						CL	[T5]
8	5016 143AA	1						CL	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (N
									Serviced)
10									COLLAR, Rear Seat Back
	ZC22 1DVAA	1						CL	[DV]
	ZC22 1L5AA	1						CL	[L5]
	ZC22 1T5AA	1						CL	[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [Q5] Figure ILH-625



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										_
	1									CUSHION, Rear Seat
_		WJ46 1DVAA	. 1						Q5	[DV]
		WJ46 1L5AA	1						Q5	[L5]
		WJ46 1T5AA	1						Q5	[T5]
_	2									COVER, Rear Seat Cushion
		WJ47 1DVAA	. 1						Q5	[DV]
		WJ47 1L5AA	1						Q5	[L5]
		WJ47 1T5AA	1						Q5	[T5]
_	3									SEAT BACK, Rear, Without Armrest
		ZA71 1DVAA	1						Q5	[DV]
		ZA71 1L5AA	1						Q5	[L5]
		ZA71 1T5AA	1						Q5	[T5]
_	4									COVER, Rear Seat Back
		ZA72 1DVAA	1						Q5	[DV]
		ZA72 1L5AA	1						Q5	[L5]
		ZA72 1T5AA	1						Q5	[T5]
_	5									ARMREST, REAR SEAT
		ZA64 1DVAA	1						Q5	[DV]
		ZA64 1L5AA	1						Q5	[L5]
		ZA64 1T5AA	1						Q5	[T5]
_	-6	5014 828AA-	1						Q5	DOOR, Rear Seat Armrest

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [NL] Figure ILH-630



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	ZC26 1DVAA	1						NL	[DV]
	ZC26 1L2AA	1						NL	[L2]
	ZC26 1T5AA	1						NL	[T5]
2									SEAT BACK, Rear, 60%
	YE26 1DVAA	1						NL	[DV]
	YE26 1L2AA	1						NL	[L2]
	YE26 1T5AA	1						NL	[T5]
3									SEAT BACK, Rear, 40%
	YE25 1DVAA	1						NL	[DV]
	YE25 1L2AA	1						NL	[L2]
	YE25 1T5AA	1						NL	[T5]
4									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	YE27 1DVAA	1						NL	[DV]
	YE27 1L2AA	1						NL	[L2]
	YE27 1T5AA	1						NL	[T5]
6									COVER, Rear Seat Cushion
	YE28 1DVAA	1						NL	[DV]
	YE28 1L2AA	1						NL	[L2]
	YE28 1T5AA	1						NL	[T5]
7									ARMREST, Rear Seat Center
	XQ33 1DVAA	1						NL	[DV]
	XQ33 1L2AA	1						NL	[L2]
	XQ33 1T5AA	1						NL	[T5]
8	5016 143AA	1						NL	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (No
									Serviced)
10									COLLAR, Rear Seat Back
	ZC22 1DVAA	1						NL	[DV]
	ZC22 1L2AA	1						NL	[L2]
	ZC22 1T5AA	1						NL	[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [ML] Figure ILH-635



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
	1									CUSHION, Rear Seat
_		YN90 1DVAA	1						ML	[DV]
		YN90 1L5AA	1						ML	[L5]
		YN90 1T5AA	1						ML	[T5]
	2									COVER, Rear Seat Cushion
		YN91 1DVAA	1						ML	[DV]
		YN91 1L5AA	1						ML	[L5]
		YN91 1T5AA	1						ML	[T5]
	3									SEAT BACK, Rear
_		ZA68 1DVAA	1						ML	[DV]
		ZA68 1L5AA	1						ML	[L5]
		ZA68 1T5AA	1						ML	[T5]
	4									COVER, Rear Seat Back
		ZA69 1DVAA	1						ML	[DV]
		ZA69 1L5AA	1						ML	[L5]
		ZA69 1T5AA	1						ML	[T5]
	5									ARMREST, REAR SEAT
		ZA65 1DVAA	1						ML	[DV]
		ZA65 1L5AA	1						ML	[L5]
		ZA65 1T5AA	1						ML	[T5]
_	-6	5014 828AA-	1						ML	DOOR, Rear Seat Armrest

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [MP] Figure ILH-640

3 5	Ð
2	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NUMBER	QII	LINE	SERIES	БОРТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
1									CUSHION, Rear Seat
	YN90 1DVAA	1						MP	[DV]
	YN90 1L5AA	1						MP	[L5]
	YN90 1T5AA	1						MP	[T5]
2									COVER, Rear Seat Cushion
	YN91 1DVAA	1						MP	[DV]
	YN91 1L5AA	1						MP	[L5]
	YN91 1T5AA	1						MP	[T5]
3									SEAT BACK, Rear
	ZA68 1DVAA	1						MP	[DV]
	ZA68 1L5AA	1						MP	[L5]
	ZA68 1T5AA	1						MP	[T5]
4									COVER, Rear Seat Back
	ZA69 1DVAA	1						MP	[DV]
	ZA69 1L5AA	1						MP	[L5]
	ZA69 1T5AA	1						MP	[T5]
5									ARMREST, REAR SEAT
	ZA65 1DVAA	1						MP	[DV]
	ZA65 1L5AA	1						MP	[L5]
	ZA65 1T5AA	1						MP	[T5]
-6	5014 828AA-	1						MP	DOOR, Rear Seat Armrest

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [QF] Figure ILH-645

		4
1)	2	

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										-
	1									CUSHION, Rear Seat
_		WJ46 1DVAA	. 1						QF	[DV]
		WJ46 1L5AA	1						QF	[L5]
		WJ46 1T5AA	1						QF	[T5]
	2									COVER, Rear Seat Cushion
		WJ47 1DVAA	. 1						QF	[DV]
		WJ47 1L5AA	1						QF	[L5]
		WJ47 1T5AA	1						QF	[T5]
_	3									SEAT BACK, Rear, Without Armrest
		ZA71 1DVAA	1						QF	[DV]
		ZA71 1L5AA	1						QF	[L5]
		ZA71 1T5AA	1						QF	[T5]
_	4									COVER, Rear Seat Back
		ZA72 1DVAA	1						QF	[DV]
		ZA72 1L5AA	1						QF	[L5]
		ZA72 1T5AA	1						QF	[T5]
_	5									ARMREST, REAR SEAT
		ZA64 1DVAA	1						QF	[DV]
		ZA64 1L5AA	1						QF	[L5]
		ZA64 1T5AA	1						QF	[T5]
_	-6	5014 828AA-	1						QF	DOOR, Rear Seat Armrest

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [TL] [BL] Figure ILH-650



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	YE16 1DVAA	1						TL	[DV]
	YE16 1L2AA	1						TL	[L2]
	YE16 1T5AA	1						TL	[T5]
	YE27 1D2AA	1						BL	[D2]
2									COVER, Rear Seat Cushion
	YE17 1DVAA	1						TL	[DV]
	YE17 1L2AA	1						TL	[L2]
	YE17 1T5AA	1						TL	[T5]
	YE28 1D2AA	1						BL	[D2]
3									SEAT BACK, Rear
	ZA73 1DVAA	1						TL	[DV]
	ZA73 1L2AA	1						TL	[L2]
	ZA73 1T5AA	1						TL	[T5]
	YE24 1D2AA	1						BL	[D2]
-4	YE26 1D2AA-	1						BL	SEAT BACK, Rear, 60%, [D2]
-5	YE25 1D2AA-	1						BL	SEAT BACK, Rear, 40%, [D2]
6									COVER, Rear Seat Back
	ZA74 1DVAA	1						TL	[DV]
	ZA74 1L2AA	1						TL	[L2]
	ZA74 1T5AA	1						TL	[T5]
7									ARMREST, REAR SEAT
	ZA65 1DVAA	1						TL	[DV]
	ZA65 1L2AA	1						TL	[L2]
	ZA65 1T5AA	1						TL	[T5]
-8	5014 828AA-	1						TL	DOOR, Rear Seat Armrest
9	XQ33 1D2AA	1						BL	ARMREST, Rear Seat Center, [D2]

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 D = Dodg
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [Z5] Figure ILH-655



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	YD20 1DVAA	1						Z5	[DV]
	YD20 1T5AA	1						Z 5	[T5]
2									SEAT BACK, Rear, 40%
	YD23 1DVAA	1						Z 5	[DV]
	YD23 1T5AA	1						Z5	[T5]
3									SEAT BACK, Rear, 60%
	YD24 1DVAA	1						Z 5	[DV]
	YD24 1T5AA	1						Z 5	[T5]
4									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	WJ43 1DVAA	1						Z 5	[DV]
	WJ43 1T5AA	1						Z5	[T5]
6									COVER, Rear Seat Cushion
	WJ45 1DVAA	1						Z 5	[DV]
	WJ45 1T5AA	1						Z5	[T5]
7									ARMREST, Rear Seat Center
	XQ43 1DVAA	1						Z 5	[DV]
	XQ43 1T5AA	1						Z 5	[T5]
8	5016 143AA	1						Z 5	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (No
									Serviced)
10									COLLAR, Rear Seat Back
	UG02 1DVAA	. 1						Z5	[DV]
	UG02 1T5AA	1						Z5	[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler


 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	YE27 1DVAA	1						SL	[DV]
	YE27 1T5AA	1						SL	[T5]
	XF28 1DVAA	1						PL	[DV]
2									COVER, Rear Seat Cushion
	YE28 1DVAA	1						SL	[DV]
	YE28 1T5AA	1						SL	[T5]
	XF29 1DVAA	1						PL	[DV]
3									SEAT BACK, Rear
	ZC27 1DVAA	1						SL	[DV]
	ZC27 1T5AA	1						SL	[T5]
	ZC21 1DVAA	1						PL	[DV]
4									SEAT BACK, Rear, 60%
	YE31 1DVAA	1						SL	[DV]
	YE31 1T5AA	1						SL	[T5]
	YD19 1DVAA	1						PL	[DV]
5									SEAT BACK, Rear, 40%
	YE30 1DVAA	1						SL	[DV]
	YE30 1T5AA	1						SL	[T5]
	YD18 1DVAA	1						PL	[DV]
6									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
7									ARMREST, Rear Seat Center
	XQ33 1DVAA	1						SL	[DV]
	XQ33 1T5AA	11						SL	[T5]
	XQ33 1DVAA	1						PL	[DV]
8									COLLAR, Rear Seat Back
	ZC22 1DVAA	1						PL	[DV]
		1						SL	[DV]
	ZC22 1T5AA	1						SL	[T5]
-9									BOLT, Armrest Pivot
	5016 143AA-	1						SL	
		1						PL	

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Rear - Trim Code [UL] Figure ILH-665



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	ZC21 1D2AA	1						UL	[D2]
	ZC21 1DVAA	1						UL	[DV]
2									SEAT BACK, Rear, 40%
	YD18 1D2AA	1						UL	[D2]
	YD18 1DVAA	1						UL	[DV]
3									SEAT BACK, Rear, 60%
	YD19 1D2AA	1						UL	[D2]
	YD19 1DVAA	1						UL	[DV]
4									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	XF28 1D2AA	1						UL	[D2]
	XF28 1DVAA	1						UL	[DV]
6									COVER, Rear Seat Cushion
	XF29 1D2AA	1						UL	[D2]
	XF29 1DVAA	1						UL	[DV]
7									ARMREST, Rear Seat Center
	XQ33 1L2AA	1						UL	[D2]
	XQ33 1DVAA	1						UL	[DV]
8	5016 143AA	1						UL	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (No
									Serviced)
10									COLLAR, Rear Seat Back
•	ZC22 1D2AA	1						UL	[D2]
	ZC22 1DVAA	1						UL	[DV]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler


 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	XF09 1DVAA	1						C8	[DV]
	XF05 1DVAA	1						X5	[DV]
		1						Y5	[DV]
2									COVER, Rear Seat Back
	XF06 1DVAA	1						X5	[DV]
	XF10 1DVAA	1						C8	[DV]
	XF06 1DVAA	1						Y5	[DV]
3									CUSHION, Rear Seat
	XF07 1DVAA	1						X5	[DV]
	XF11 1DVAA	1						C8	[DV]
	XF07 1DVAA	1						Y5	[DV]
4	XF08 1DVAA	1						X5	COVER, Rear Seat Cushion, [DV]

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Belts - Front Figure ILH-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Front Outer
<u> </u>	LM46 XDVAI	1						00	European, Right
	LM47 XDVAL	1						00	European, Left
	SG62 1L2AL	1	С	Р				00	[L2], Right
		1	C, D					00	[L2], Right
		1	Y	S				O0	[L2], Right
		1	Υ	Χ				00	[D2], Right
	SG62 1L5AL	1	C, D					00	[L5], Right
	SG62 XDVAL	1	C, D					00	[DV], Right
		1	Υ	S				O0	[DV], Right
		1	С	M				00	[DV], Right
		1	Υ	Χ				00	[DV], Right
	SG62 XT5AL	1	C, D					00	[T5], Right
		1	Υ	S				O0	[T5], Right
		1	С	M				00	[T5], Right
		1	D					00	[T5], Right
	SG63 1D2AM	1	Υ	Χ				00	[D2], Left
	SG63 1L2AO	1	C, D					O0	[L2], Left
		1	Υ	S				O0	[L2], Left
	SG63 1L5AO	1	C, D					O0	[L5], Left
	SG63 XDVAO	1	C, D					O0	[DV], Left
		1	Υ	S				00	[DV], Left
	SG63 XT5AO	1	C, D					00	[T5], Left
		1	Υ	S				00	[T5], Left
		1	С	М				O0	[T5], Left
2	6504 538	2							SCREW, Shoulder, Front Seat Belt
									Attaching Outboard
3									WIRE, Front Seat, Serviced With
									Seat Belt, (NOT SERVICED) (Not
									Serviced)
4	4698 544AI	2							ADJUSTER, Seat Belt Turning Loop
5	6504 542	2							SCREW, 6 Lobed, Adjuster to B-
									Pillar Attaching
6	4680 385	2							BUTTON, Adjuster
7		_							SEAT BELT, Front Center
	JX77 1T5AD	2						B7	[T5]
-	JX77 1DVAD	2						B7	[DV]
	JX77 1L5AD	2						B7	[L5]
	JX77 1DVAD	2						BF	[DV]
	JX77 1L5AD	2						BF	[L5]
	JX77 1T5AD	2						BF	[T5]

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Seat Belts - Front Figure ILH-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JX77 1DVAC	2						C8	[DV]
	JX77 1DVAD	2						CL	[DV]
	JX77 1L5AD	2						CL	[L5]
	JX77 1T5AD	2						CL	[T5]
	JX77 1DVAD	1						ML	[DV]
	JX77 1L5AD	1						ML	[L5]
	JX77 1T5AD	1						ML	[T5]
	JX77 1L5AD	2						MP	[L5]
	JX77 1T5AD	2						MP	[T5]
	JX77 1DVAD	2						MP	[DV]
		2						NL	[DV]
	JX77 1T5AD	2						NL	[T5]
	JX77 1L2AD	2						NL	[L2]
	JX77 1DVAD	2						Q5	[DV]
	JX77 1L5AD	2						Q5	[L5]
	JX77 1T5AD JX77 1DVAD	2						Q5	[T5]
	JX77 1DVAD JX77 1T5AD	2						QF QF	[DV]
	JX77 115AD JX77 1L5AD	2						QF QF	[T5] [L5]
	JX77 1DVAD	2						SL	[DV]
	JATT IDVAD	2						SL	[T5]
	JX77 1L2AD	2						TL	[L2]
	JX77 1T5AD	2						TL	[T5]
	JX77 1DVAD	2						TL	[DV]
	JX77 1L2AC	2						UL	[D2]
	JX77 1DVAC	2						UL	[DV]
		2						X5	[DV]
	JX77 1DVAD	2						Z 5	[DV]
		2						Z 5	[T5]
8	5018 505AA	1						O0	EXTENDER, Seat Belt, Front and
									Rear
9									BOLT, Seat Belt
	4761 234	1						B7	
		1						BF	
		2						C8	
		2						CL	
		2						ML	
		2						MP	
		2						NL	
		2						PL OF	
		1						Q5	

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





Seat Belts - Front Figure ILH-710



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						QF	
		2						SL	
		1						TL	
		2						UL	
		2						X5	
		1						Y5	
		2						Z5	
10	6506 164AA	8							SCREW AND WASHER, Hex Head,
									Seat Belt Attaching, w/Bench
									Seating
11									COVER, Turning Loop
	UY50 1L2AA	1	C, D					00	[L2]
		1	Υ	S				00	[L2]
	UY50 1L5AA	1	C, D					00	[L5]
	UY50 1T5AA	1	C, D					00	[T5]
		1	Υ	S				00	[T5]
	UY50 XDVAA	1	C, D					00	[DV]
		1	Υ	S				00	[DV]
-12									SHIELD, Seat Belt
	YT85 1DVAA-	1						ML	[DV]
	YT85 1T5AA-	1						ML	[T5]
	YT85 1L5AA-	1						ML	[L5]
	YT85 1T5AA-	1						MP	[T5]
	YT85 1DVAA-	1						MP	[DV]
	YT85 1L5AA-	1						MP	[L5]
	YT85 1DVAA-	1						Q5	[DV]
	YT85 1L5AA-	1						Q5	[L5]
	YT85 1T5AA-	1						Q5	[T5]
	YT85 1DVAA-	1						QF	[DV]
	YT85 1T5AA-	1						QF	[T5]
	YT85 1L5AA-	1						QF	[L5]

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

3

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220			110.110	1	220000
Teather C	Child Seat = Se	erviced '	With Rear	Shelf Pane	el				
1									SEAT BELT, Rear Inner
	SH30 1DVAD	1						O0	[DV] European
	PH76 1DVAE	1						O 0	[DV]
	PH76 1L2AE	1						00	[D2]
	PH76 1L5AE	1						O0	[L5]
	PH76 1T5AE	1						00	[T5]
2									NUT, Seat Belt Attaching (M12x1.
									75), (NOT SERVICED) (Not
									Serviced)
3									SEAT BELT, Rear Outer
	PH72 1DVAI	1						00	[DV], Right
	PH72 1L2AI	1						O 0	[L2], Right
		1						O0	[D2], Right
	PH72 1L5AI	1						00	[L5], Right
	PH72 1T5AI	1						O 0	[T5], Right
	PH73 1DVAI	1						O 0	[DV], Left
	PH73 1L2AI	1						O0	[L2], Left
		1						O 0	[D2], Left
	PH73 1L5AI	1						O 0	[L5], Left
	PH73 1T5AI	1						00	[T5], Left
	PH74 1DVAI	1						O0	[DV], European, Right
	PH75 1DVAI	1						00	[DV], European, Left
4	6504 542	2							SCREW, 6 Lobed, Seat Belt
									Attaching
5	6507 730AA	1						O0	SCREW, M12x1.75x44.0
6									PANEL, Rear Shelf, Reference Onl
									(NOT REQUIRED)
7									SEAT BELT, Rear
	TV07 1D2AJ	1						O0	[D2]
	TV07 1DVAJ	1						00	[DV]
	TV07 1L2AJ	1						00	[L2]
	TV07 1L5AJ	1						00	[L5]
	TV07 1T5AJ	1						O0	[T5]
	ST60 1T5AJ	1						00	[T5], Rectractor (E-Marked)
									European, Center
	ST60 XDVAJ	1						O0	[DV], Rectractor (E-Marked)
									European, Center
8									SCREW, Tapping, [M12x1.75x29.3
									(NOT SERVICED) (Not Serviced)

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Seat Belts - Rear Figure ILH-720

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

TRIM


TRANS

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

DESCRIPTION

5 JHW	-9 -10 4628 907AA- AR -11 6506 967AA- 1	TETHER, Child Seat, Everything Serviced In Rear Shelf Panel, (NOT SERVICED) (Not Serviced) O0 BUMPER, Rubber, Child Teather SCREW, Center Seatbelt Retractor Mounting
	CONCORDE-INTREPID-300M (LH) SERIES LINE P = Limited/ES S = 300M Intrepid H = SE D = Dodge Intrepid M = LXI D = Concorde	ENGINE ERR, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

M = LXIX = 300M Special Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADREST, Front, See Seat
									Illustrations, (NOT REQUIRED)
2									SLEEVE, Headrest, See Seat
									Illustrations For Part Numbers,
									(NOT REQUIRED)
-3									COVER, Stanchion 50/50 A/R
	5010 905AA-	1						BF	
		1						MP	
		1						QF	
4									PLUG, Armrest, (NOT SERVICED)
_									(Not Serviced)
5									NUT, Arm Rest, (NOT SERVICED)
									(Not Serviced)
6									ARMREST, Seat, See Seat
									Illustration For Part Numbers, (NO
7									REQUIRED)
7									SCREW, Armrest Attaching (M6-1. 00x20.00), (NOT SERVICED) (Not
									Serviced)
8									BRACKET, Arm Rest, Pivot
O									(Serviced With Seat BackBack),
									(NOT SERVICED) (Not Serviced)
9									HANDLE, Lumbar
	4420 701	1						Q5	,
		1						QF	
10									SCREW, Lumbar Handle
	4761 235	1						BL	
		1						C8	
		1						CL	
		1						ML	
		1						MP	
		1						NL	
		1						PL	
		1						Q5	
		1						QF	
		1						R5	
		1						SL TL	
		1						UL	
								1 11	
		1							
		1 1 1						X5 Z5	

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION
QY22 175AA 1 B7 [T5], Right QY22 1L5AA 1 B7 [L5], Right QY23 175AA 1 B7 [DV], Left QY23 1L5AA 1 B7 [DV], Left QY23 1L5AA 1 B7 [L5], Left QY22 1L5AA 1 BF [DV], Right QY22 1DVAA 1 BF [T5], Right QY23 1L5AA 1 BF [T5], Right QY23 1T5AA 1 BF [DV], Left QY23 1DVAA 1 BF [DV], Left QY23 1DVAA 1 BL [D2], Right QY22 1DVAA 1 C8 [DV], Right QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [T5], Right QY22 1DVAA 1 ML [T5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV],
QY22 175AA 1 B7 [T5], Right QY22 1L5AA 1 B7 [L5], Right QY23 175AA 1 B7 [DV], Left QY23 1L5AA 1 B7 [DV], Left QY23 1L5AA 1 B7 [L5], Left QY22 1L5AA 1 BF [L5], Right QY22 1DVAA 1 BF [DV], Right QY23 1L5AA 1 BF [T5], Right QY23 1T5AA 1 BF [T5], Left QY23 1DVAA 1 BF [DV], Left QY23 1DVAA 1 BL [D2], Right QY22 1DVAA 1 C8 [DV], Left QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [T5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], R
QY22 175AA 1 B7 [T5], Right QY22 1L5AA 1 B7 [L5], Right QY23 175AA 1 B7 [DV], Left QY23 1L5AA 1 B7 [DV], Left QY23 1L5AA 1 B7 [L5], Left QY22 1L5AA 1 BF [L5], Right QY22 1DVAA 1 BF [DV], Right QY23 1L5AA 1 BF [T5], Right QY23 1T5AA 1 BF [T5], Left QY23 1DVAA 1 BF [DV], Left QY23 1DVAA 1 BL [D2], Right QY22 1DVAA 1 C8 [DV], Left QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [T5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], R
QY22 1L5AA 1 B7 [L5], Right QY23 1T5AA 1 B7 [T5], Left QY23 1DVAA 1 B7 [DV], Left QY23 1L5AA 1 BF [L5], Right QY22 1DVAA 1 BF [DV], Right QY22 1T5AA 1 BF [DV], Right QY23 1L5AA 1 BF [DV], Left QY23 1T5AA 1 BF [DV], Left QY23 1DVAA 1 BF [DV], Left YT86 1D2AA 1 BL [D2], Right QY27 1D2AA 1 BL [D2], Left QY22 1DVAA 1 C8 [DV], Right QY22 1DVAA 1 C8 [DV], Right QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [T5], R
QY23 1T5AA 1 B7 [T5], Left QY23 1DVAA 1 B7 [DV], Left QY23 1L5AA 1 B7 [L5], Left QY22 1DVAA 1 BF [L5], Right QY22 1T5AA 1 BF [DV], Right QY23 1L5AA 1 BF [L5], Left QY23 1DVAA 1 BF [DV], Left QY23 1DVAA 1 BF [DV], Left QY21 1DVAA 1 BL [D2], Right QY22 1DVAA 1 C8 [DV], Right QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 MP [L5], Right QY22 1DVAA 1 MP [L5], Right <tr< td=""></tr<>
QY23 1DVAA 1 B7 [DV], Left QY23 1L5AA 1 B7 [L5], Left QY22 1L5AA 1 BF [L5], Right QY22 1DVAA 1 BF [DV], Right QY23 1L5AA 1 BF [T5], Left QY23 1DVAA 1 BF [DV], Left QY23 1DVAA 1 BF [DV], Left QY27 1D2AA 1 BL [D2], Right QY22 1DVAA 1 C8 [DV], Right QY23 1DVAA 1 C8 [DV], Right QY23 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [L5], Right QY22 1DVAA 1 MP [DV], Right QY22 1L5AA 1 MP [DV], Right QY22 1DVAA 1 Q5 [T5],
QY22 1L5AA 1 BF [L5], Right QY22 1DVAA 1 BF [DV], Right QY22 1T5AA 1 BF [T5], Right QY23 1L5AA 1 BF [L5], Left QY23 1T5AA 1 BF [DV], Left QY23 1DVAA 1 BF [DV], Left QY27 1D2AA 1 BL [D2], Right QY22 1DVAA 1 C8 [DV], Right QY22 1DVAA 1 C8 [DV], Left QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [L5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [T5], Right QY22 1DVAA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right <
QY22 1DVAA 1 BF [DV], Right QY22 1T5AA 1 BF [T5], Right QY23 1L5AA 1 BF [L5], Left QY23 1T5AA 1 BF [DV], Left QY23 1DVAA 1 BL [D2], Right QY27 1D2AA 1 BL [D2], Left QY22 1DVAA 1 C8 [DV], Left QY22 1DVAA 1 C8 [DV], Left QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [L5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [DV], Right <t< td=""></t<>
QY22 1T5AA 1 BF [T5], Right QY23 1L5AA 1 BF [L5], Left QY23 1T5AA 1 BF [T5], Left QY23 1DVAA 1 BF [DV], Left QY27 1D2AA 1 BL [D2], Left QY22 1DVAA 1 C8 [DV], Right QY22 1DVAA 1 C8 [DV], Left QY22 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [T5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [T5], Right QY22 1DVAA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [DV],
QY23 1L5AA 1 BF [L5], Left QY23 1T5AA 1 BF [T5], Left QY23 1DVAA 1 BF [DV], Left YT86 1D2AA 1 BL [D2], Right QY27 1D2AA 1 CB [DV], Right QY22 1DVAA 1 CB [DV], Right QY22 1L5AA 1 CL [L5], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [T5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [T5], Right QY22 1DVAA 1 MP [T5], Right QY22 1DVAA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right
QY23 1T5AA 1 BF [T5], Left QY23 1DVAA 1 BF [DV], Left YT86 1D2AA 1 BL [D2], Right QY27 1D2AA 1 C8 [DV], Left QY22 1DVAA 1 C8 [DV], Right QY22 1L5AA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 ML [L5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [L5], Right QY22 1DVAA 1 MP [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q6 [DV], Right </td
QY23 1DVAA 1 BF [DV], Left YT86 1D2AA 1 BL [D2], Right QY27 1D2AA 1 BL [D2], Left QY22 1DVAA 1 C8 [DV], Right QY23 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [T5], Right QY22 1T5AA 1 Q5 [DV], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right
YT86 1D2AA 1 BL [D2], Right QY27 1D2AA 1 BL [D2], Left QY22 1DVAA 1 C8 [DV], Right QY23 1DVAA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1T5AA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [L5], Right QY22 1L5AA 1 MP [DV], Right QY22 1DVAA 1 MP [T5], Right QY22 1T5AA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [L5], Right QY22 1DVAA 1 Q5 [L5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right
QY27 1D2AA 1 BL [D2], Left QY22 1DVAA 1 C8 [DV], Right QY23 1DVAA 1 C8 [DV], Left QY22 1L5AA 1 CL [L5], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [T5], Right QY22 1L5AA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1T5AA 1 MP [T5], Right QY22 1DVAA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1DVAA 1 C8 [DV], Right QY23 1DVAA 1 C8 [DV], Left QY22 1L5AA 1 CL [L5], Right QY22 1DVAA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [L5], Right QY22 1L5AA 1 MP [DV], Right QY22 1DVAA 1 MP [L5], Right QY22 1T5AA 1 MP [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q6 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY23 1DVAA 1 C8 [DV], Left QY22 1L5AA 1 CL [L5], Right QY22 1T5AA 1 CL [DV], Right QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [T5], Right QY22 1L5AA 1 MP [DV], Right QY22 1DVAA 1 MP [L5], Right QY22 1T5AA 1 MP [T5], Right QY22 1DVAA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [L5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1L5AA 1 CL [L5], Right QY22 1DVAA 1 CL [DV], Right QY22 1T5AA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1L5AA 1 ML [L5], Right QY22 1DVAA 1 MP [DV], Right QY22 1L5AA 1 MP [L5], Right QY22 1T5AA 1 MP [T5], Right QY22 1DVAA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1DVAA 1 CL [DV], Right QY22 1T5AA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [T5], Right QY22 1DVAA 1 MP [DV], Right QY22 1L5AA 1 MP [T5], Right QY22 1T5AA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1T5AA 1 CL [T5], Right QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [T5], Right QY22 1DVAA 1 MP [DV], Right QY22 1DVAA 1 MP [L5], Right QY22 1T5AA 1 MP [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1DVAA 1 Q5 [L5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1DVAA 1 ML [DV], Right QY22 1T5AA 1 ML [T5], Right QY22 1L5AA 1 MP [DV], Right QY22 1DVAA 1 MP [DV], Right QY22 1L5AA 1 MP [T5], Right QY22 1T5AA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1T5AA 1 ML [T5], Right QY22 1L5AA 1 ML [L5], Right QY22 1DVAA 1 MP [DV], Right QY22 1L5AA 1 MP [T5], Right QY22 1T5AA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 QF [T5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1L5AA 1 ML [L5], Right QY22 1DVAA 1 MP [DV], Right QY22 1L5AA 1 MP [L5], Right QY22 1T5AA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1DVAA 1 MP [DV], Right QY22 1L5AA 1 MP [L5], Right QY22 1T5AA 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1L5AA 1 MP [L5], Right QY22 1T5AA 1 MP [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1T5AA 1 MP [T5], Right 1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
1 Q5 [T5], Right QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1DVAA 1 Q5 [DV], Right QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1L5AA 1 Q5 [L5], Right QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1T5AA 1 QF [T5], Right QY22 1DVAA 1 QF [DV], Right
QY22 1DVAA 1 QF [DV], Right
COY22 11.5AA 1 CDF 11.51 Right
1 R5 [L5], Right
QY22 1DVAA 1 R5 [DV], Right
1 X5 [DV], Right
QY23 1DVAA 1 X5 [DV], Left
12 SCREW, Manual Recliner Handle
Attching (8-18x.75), (NOT
SERVICED) (Not Serviced)
13 HANDLE, Seat Recliner 5083 012AA 1 B7 Right
5083 013AA 1 B7 Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5083 012AA	1						BF	Right
	5083 013AA	<u>'</u> 1						BF	Left
	5083 012AA	1						C8	Right
	5083 013AA	1						C8	Left
	4761 004	1						Q5	Right
	4761 005	1						Q5	Left
	4761 004	1						QF	Right
	4761 005	1						QF	Left
	5083 013AA	1						X5	Left
	5083 012AA	1						X5	Right
	5083 013AA	1						Y5	Left
	5083 012AA	1						Y5	Right
14									SCREW, Shield To Cushion
									Attaching (8-18x.75), (NOT
									SERVICED) (Not Serviced)
15									BOLT, M8
	5101 978AA	1						AL	Recliner Rod To Seat Back
		1						B7	Recliner Rod To Seat Back
		1						BF	Recliner Rod To Seat Back
		1						C8	Recliner Rod To Seat Back
		1						CL	Recliner Rod To Seat Back
		1						DL	Recliner Rod To Seat Back
		1						ML	Recliner Rod To Seat Back
		1						MP	Recliner Rod To Seat Back
		1						NL	Recliner Rod To Seat Back
		1						Q5	Recliner Rod To Seat Back
		1						QF	Recliner Rod To Seat Back
		1						R5	Recliner Rod To Seat Back
		1						SL	Recliner Rod To Seat Back
		1						TL	Recliner Rod To Seat Back
		1						UL	Recliner Rod To Seat Back
		1						X5	Recliner Rod To Seat Back
		1						Z5	Recliner Rod To Seat Back
16									RECLINER, Front Seat Back
	5096 097AA	1						B7	Right
	5096 098AA	1						B7	Left
	5096 097AA	1						BF	Right
	5096 096AA	1						BF	Left
	5096 097AA	1						C8	Right
	5096 098AA	1						C8	Left
	5096 097AA	1						CL	Right

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						ML	Right
		<u>'</u> 1						MP	Right
		1						Q5	Right
		1						QF	Right
		1						R5	Right
		1						X5	Right
	5096 098AA	1						X5	Left
		1						Y5	Left
	5096 097AA	1						Y5	Right
		1						Z5	Right
-17									HANDLE, Seat Recliner
	5083 012AA-	1						B7	Right
	5083 013AA-	1						B7	Left
	5083 012AA-	1						BF	Right
	5083 013AA-	1						BF	Left
	5083 012AA-	1						C8	Right
	5083 013AA-	1						C8	Left
	4761 004	1						Q5	Right
	4761 005	1						Q5	Left
	4761 004	1						QF	Right
	4761 005	1						QF	Left
	5083 013AA-	1						X5	Left
	5083 012AA-	1						X5	Right
	5083 013AA-	1						Y5	Left
	5083 012AA-	1						Y5	Right
18									BOLT, Front Seat Recliner, Manual
									Recliner To Adjuster Attaching (M6-
									1.00)
	5019 619AA	1						B7	
		2						BF	
		1						C8	
		2						CL	
		2						ML	
		1						MP	
		2						Q5	
		2 2						QF BE	
		1						R5 X5	
		4						Х5 Ү5	
19		4						10	ADJUSTER, Manual Seat
19	4882 224	4						B7	Right,Inboard
	1 002 224	1						וט	ragni,inboaiu

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•	•				•		•	
	4882 225	1						В7	Left,Outboard
	4882 226	1						B7	Right,Outboard
	4882 227	1						B7	Left,Inboard
	4882 224	1						BF	Right,Inboard
	4882 225	1						BF	Left,Outboard
	4882 226	1						BF	Right,Outboard
	4882 227	1						BF	Left,Inboard
	4882 224	1						C8	Right,Inboard
	4882 225	1						C8	Left,Outboard
	4882 226	1						C8	Right,Outboard
	4882 227	1						C8	Left,Inboard
	4882 224	1						CL	Right,Inboard
	4882 226	1						CL	Right,Outboard
	4882 224	1						ML	Right,Inboard
	4882 226	1						ML	Right,Outboard
	4882 224	1						MP	Right,Inboard
	4882 226	1						MP	Right,Outboard
	4882 224	1						Q5	Right,Inboard
	4882 226	1						Q5	Right,Outboard
	4882 224	1						QF	Right,Inboard
	4882 226	1						QF	Right,Outboard
	4882 224	1						R5	Right,Inboard
	4882 226	1						R5	Right,Outboard
		1						X5	Right,Outboard
	4882 224	1						X5	Right,Inboard
	4882 225	1						Y5	Left,Outboard
	4882 224	1						Y5	Right,Inboard
	4882 227	1						Y5	Left,Inboard
	4882 226	1						Y5	Right,Outboard
20									TOWEL BAR, Seat Adjuster Handle
	4746 292	2						B7	
		1						BF	
		1						C8	
		1						CL	
		1						ML	
		1						MP	
		1						Q5	
		1						QF	
		1						R5	
		2						X5	
		2						Y5	

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	21	6506 164AA	8							SCREW AND WASHER, Hex Head,
_										Front and Rear Seat Attaching To
										Floor
	22									RIVET, Towel Bar Attaching, (NOT
										SERVICED) (Not Serviced)
_	-23	6503 679	4							NUT, M10x1.50, Front Seat
										Mounting, Front
	-24	6033 688	AR							RIVET, .25x.110/.189, Front Seat
										Rear T-Plate Repair
_	-25									BOLT, Hex Head, M6x1.0x12.5
		4761 224	8						B7	Seat Adjuster - Front Back Pivot
			1						BF	Seat Adjuster - Front Back Pivot
_			1						C8	Seat Adjuster - Front Back Pivot
			8						CL	Seat Adjuster - Front Back Pivot
			1						ML	Seat Adjuster - Front Back Pivot
			1						MP	Seat Adjuster - Front Back Pivot
_			8						NL	Seat Adjuster - Front Back Pivot
			8						Q5	Seat Adjuster - Front Back Pivot
			8						QF	Seat Adjuster - Front Back Pivot
			8						R5	Seat Adjuster - Front Back Pivot
_			1						SL	Seat Adjuster - Front Back Pivot
			8						TL	Seat Adjuster - Front Back Pivot
			8						UL	Seat Adjuster - Front Back Pivot
			1						X5	Seat Adjuster - Front Back Pivot
_			8						Y5	Seat Adjuster - Front Back Pivot
			8						Z5	Seat Adjuster - Front Back Pivot

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6












PART



PLLeft PLRight Q5 Left Q5 Right QF Left QF Right R5 Left R5 Right SL Left SL Right TL Right TL Left UL Right UL Left X5 Left Y5 Left **Z**5 Left **Z**5 Right KNOB, Power Seat Switch, Power Recliner В7 Power Recliner, Left BF Power Recliner, Left BL Power Recliner C8 Power Recliner, Left CL Power Recliner, Right CL Power Recliner, Left ML Power Recliner, Right ML Power Recliner, Left MP Power Recliner, Right MP Power Recliner, Left NL Power Recliner, Right NL Power Recliner, Left PLPower Recliner, Right PLPower Recliner, Left Q5 Power Recliner, Right Q5 Power Recliner, Left QF Power Recliner, Right QF Power Recliner, Left R5 Power Recliner, Left

EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V

EGC = ÎMAGNUMÖ 3.5L V6

TRIM

NL

NL

Left

Right

DESCRIPTION

AR = Use as required -= Non illustrated part # = New this model year

D = Dodge Intrepid

D = Concorde

E = 300M

H = SE


M = LXI

X = 300M Special

TRANSMISSION

DGX = 4 Speed Automatic

DG0 = All Automatic Transm




EGC = ÎMAGNUMÖ 3.5L V6


E = 300M

X = 300M Special

Seats Attaching Parts Power Seat Figure ILH-815




Seats Attaching Parts Figure ILH-820



DESCRIPTION


Group – SLH

Body Sheet Metal Except Doors



SLH-200	SLH-300	SLH-400	SLH-500
Floor Pans	Plugs	Front Fenders	Hood & Hood Release
	©		
SLH-600	SLH-700	SLH-800	SLH-900
Cowl and Dash Panel	Glass and Rear View Mirror	Aperture Panel	Quarter Panel and Pillar

Group – SLH Body Sheet Metal Except Doors




GROUP SLH - Body Sheet Metal Except Doors

Illustration Title


Group-Fig. No.

Floor Pans	
Front And Center Floor Pan	Fig. SLH-210
Rear Floor Pan	Fig. SLH-220
Plugs	
Plugs, Floor Pan	Fig. SLH-310
Plugs, Hood And Deck Lid	Fig. SLH-320
Plugs, Body	Fig. SLH-330
Front Fenders	F: OLLI 440
Front Fender	Fig. SLH-410
Hood & Hood Release	E: 0111 E40
Hood	Fig. SLH-510 Fig. SLH-520
	Fig. 3Li 1-320
Cowl and Dash Panel	Fig. CLU 640
Cowl Screens And Support Beam	Fig. SLH-610 Fig. SLH-620
Glass and Rear View Mirror	1 lg. OLI1 020
Glass Windshield And Mirror	Fig. SLH-710
Glass Rear Window	Fig. SLH-720
Aperture Panel	3 -
Aperture, Body Side	Fig. SLH-810
Aperture, Body Side	Fig. SLH-815
Quarter Panel and Pillar	
Quarter Panel	Fig. SLH-910
Roof Panels	
Roof Panel	Fig. SLH-1110
Sunroof	
Sunroof	Fig. SLH-1210
Liftgate Panel	
Deck Lid	Fig. SLH-1310
Spoiler - Deck Lid	Fig. SLH-1315
Rear Shelf Panel	
Rear Shelf Panel	Fig. SLH-1410

Front And Center Floor Pan Figure SLH-210



PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PAN, Rear Floor
	4580 490AF	1	D, Y						Short
	4580 491AF	1	С						Long
2									PANEL, Rear Floor Pan
	4580 514	1	D, Y						
		1	С						
3	4580 026AD	1							CROSSMEMBER, Floor Pan
4	5003 165AD	1							REINFORCEMENT, Seat Belt
									Anchor
5	4580 609AB	1							BRACKET, Fuel Tank
6	4575 238AI	1							CROSSMEMBER, Rear Suspension
7	4580 738AB	1							BRACKET, Disabled Vehicle Tow,
									Tow
8	4580 058AE	1							REINFORCEMENT, Disabled Vehicl
									Tow
-9	6101 108	3							SCREW AND WASHER, Hex Head,
									M12x1.75x35
-10	6101 920	3							NUT, Hex Flange, M12x1.75
-11									REINFORCEMENT, Belt Retainer
	4575 274	1	С						Right,Rear
		1	D						Right,Rear
		1	Υ						Right,Rear
	4575 275	1	С						Left,Rear
		1	D						Left,Rear
		1	Υ						Left,Rear

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4646 971	4							PLUG, Floor Pan
	2	4780 520AA								PLUG, Top Seal
$\begin{pmatrix} 4 \end{pmatrix}$	3									TAPE, Butyl, (NOT SERVICED) (Not Serviced)
	4	4780 520AA	5							PLUG, Top Seal
(4) (4)	5 -6	4780 194	2							PLUG, Side Sill Inner GROMMET
	-0	4759 514AB	- 2							Trunk Carpet Attaching
		4780 550AB	- 2							ABS Hole
THE STREET										
2										
(2)										
(2)										
5										
	CONCORDE SERIES	-INTREPID-300N I	I (LH) —— .INE		BODY		ENGIN	IE		TRANSMISSION
}	P = Limited/ S = 300M	Int	Chrysler epid		41 = 4 Door	Sedan	EGG = 3.5	= 2.7L V6 D 5L HO V6 MF	PI 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE M = LXI	D :	Dodge In Concorde	itrepid e			EGK = 3.5	L V6 SOHC : L HO V6 MF AGNUMÖ 3.	24V PI 24V	
	X = 300M S	as required	= 300M	iotrated har	4 # Now	this madel		AGNUMO 3.	DL V6	September 19, 2005

Plugs, Hood And Deck Lid Figure SLH-320



	Ī	_							
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	4700 404	0							DLUC Hood
1	4780 194	2							PLUG, Hood
2									PLUG, Body Side Aperture, (NOT
		_							REQUIRED)
3	4814 648	2							PLUG, Deck Lid
CONCORDE	-INTREPID-300M	1 (LH) ——							
SERIES P = Limited/	L	INE - Chrysler		BODY 41 = 4 Door	Sodon	ENGIN	E = 2.7L V6 D	OHC	TRANSMISSION
S = 100M	Intr	= Chrysler repid		41 = 4 D00r	Seudii	EGG = 3.5	= 2.7L V6 D L HO V6 MF	0n0 Pl 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
H = SE	D =	Dodge In	trepid			EGJ = 3.5I	V6 SOHC	24V	
M = LXI X = 300M S	D = necial = -	= Concorde = 300M	9			EGK = 3.5	L HO V6 MF AGNUMÖ 3.	71 24V 51 V6	
7 - 000IVI O	- L =	- OOOIVI				LOO - 11V1/		o⊑ v∪	

Plugs, Body Figure SLH-330



	PARI		1	1					
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1	4696 466AB	2							PLUG, Door, Rubber
2	4780 615AB	1							PLUG, Body, .75 Diameter, Pillar
3									PLUG, Cowl Side, (NOT
									REQUIRED)
4	4780 194	2							PLUG
5									TAPE, Butyl, (NOT SERVICED) (Not
									Serviced)
-6	4440 294	2							PLUG, Quarter Panel Extension
-7	4780 521AB-	2							PLUG, Top Seal, 30MM

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Front Fender Figure SLH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Fender
	5003 064AC	1	D						Right
	5003 065AC	1	D						Left
	5003 060AD	1	С						Right
	5003 061AD	1	С						Left
	5003 066AF	1	Υ						Right
	5003 067AF	1	Υ						Left
-2									BRACKET PACKAGE, Fender to
									Body Side Aperture
	5013 082AA-	1	D						Fender to Body Side Aperature
		1	С						Fender to Body Side Aperature
		1	Υ						Fender to Body Side Aperature
-3	6503 641	AR							SCREW, M7X1.25X16.00, Fender
									Repair
4	6504 971AA	2							SCREW, M8x1.25x20
5	6101 801	4							SCREW, Tapping Annular, M8x1.
									25x15, Tapping, M8X1.25X15
6	6502 064	AR							SCREW, Tapping, M6x1x20
7	6101 712	2							NUT, U, M6x1, Upper Radiator
									Crossmember Attaching to Load
									Beam Inner
8									BEAM PACKAGE, Upper Load Path
	5003 848AB	1							Right
	5003 849AB	1							Left
9	6102 088AA	4							SCREW, Hex Head, M8x1.25x45
10									TOWER, Front Suspension
	4580 442AI	1							Right
	4580 443AJ	1							Left
11									SUPPORT, Headlamp Panel
	4580 546	1							Right
	4580 547	1							Left
12									BEAM, Upper Load Path
	4580 216AF	1							Right
	4580 217AF	1							Left
13	4580 776AB	1							TAPPING PLATE, Hood Hinge Boo
									to Load Beam
14	4580 777AA	1							TAPPING PLATE, Hood Hinge
15									SHIELD, Wheelhouse
	4580 194AE	1	D						Right
	4580 195AE	1	D						Left
	4580 486AF	1	C, Y						Right

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Front Fender Figure SLH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4580 487AF	1	C, Y						Left
16	4696 466AB	2							PLUG, Body, Rubber
-17									NUT
	6504 870AA-	5	D						Shield Attaching
		5	C, Y						Shield Attaching
-18	6504 521	4							PIN, Push, Splash Shield Attaching
19									SEAL, Fender To Cowl
	5056 218AA	1							Right
	5056 219AA	1							Left
20									REINFORCEMENT, Suspension
									Strut Mounting
	4580 722AL	1							Right
	4580 723AE	1							Left
21	4580 192	2							PLATE, Suspension, Front
									Suspension Strut Mounting
22									PANEL, Fender Side Shield
	4580 186AF	1							Right
	4580 187AF	1							Left
-23									SHIM, Fender
	4580 795AA-	AR							Load Beam to Front Fender
	4783 805	AR							
-24									BRACKET, Fender Nose
	4580 258AB-	1	Υ						Right
	4580 259AB-	1	Υ						Left
-25	6505 638AA-	8							SCREW, Fender Attaching

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Hood Figure SLH-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									HOOD
1	5003 088AD	1	С						НООБ
	5003 088AD 5003 098AC	1	D						
	5003 098AC 5003 100AD	1	Y						
-2	3003 TOUAD	'	1						CLIP, Hood
	4580 778AA-	1	D, Y						Hinge Body Half To Wiper Bracket,
	4000 110/01	•	Б, Т						Spring, Clip
		1	С						Эрттід, Эпр
3		•	O						SILENCER, Hood
	4580 565AE	1	C, Y						0.22.1(0.211, 1.000
	4580 566AE	1	D.						
4	.000 000/.=	·	_						PIN, Push, M6.35x12.60
	6502 842	13	D						Hood Inner Panel Silencer
									Attaching
		10	C, Y						Hood Inner Panel Silencer
			,						Attaching
5									HINGE, Hood
	4580 136AG	1	D, Y						Right
	4580 137AG	1	D, Y						Left
	4580 138AH	1	С						Right
	4580 139AH	1	С						Left
6	6100 592	2							SCREW, M8x1.25x30, Attaching,
									Hood Hinge
7	4780 090	1							WEATHERSTRIP, Hood to Radiator
8									PROP, Gas
	4580 770AE	1	D, Y						Right
	4580 771AE	1	D, Y						Left
9									PROP, Hood
	4580 772AD	1	С						Right
	4580 773AD	1	С						Left
10	6504 971AA	2							SCREW, M8x1.25x20
11	5253 192	2							BUMPER, Hood, Stop Bumper
12	4696 592	2							BUMPER, Hood, Hood Adjust
13	4780 549AB	1							DEADENER, Hood To Cowl Seal
									Extension
14	4580 349AH	1							BRACE, Front Strut Tower to Tower
15	6102 167AA	2							NUT AND WASHER, To Body
	0400 555	_							Attaching, Hood Hinge
16	6100 592	2							SCREW, M8x1.25x30

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 D = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Hood Release And Latch Figure SLH-520



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 280AC	1							RELEASE, Hood Latch
2	6504 476	2							SCREW, Hex Flange Head Tapping
									M4.8 x 1.59 x 38.00
3	4646 042	1							CLIP, Hood Latch Release, Cable
4									LATCH, Hood
	4580 180AD	1	D						
	4580 282AG	1	С						
	4580 730AF	1	Υ						(Series) [Y]
		1	Υ						(Series) [X]
5	6102 167AA	2							NUT AND WASHER
6	6504 905AA	2							CLIP, M5 x 21.80
7	4658 887	4	C, Y						PUSH PIN, Front Door Glass Run
									With Weatherstrip
8									SEAL
	4780 532AB	1	D						
	4780 533AC	1	C, Y						
9	4696 592	2							BUMPER, Hood

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Cowl Screens And Support Beam Figure SLH-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 638AB	1							SCREEN, Cowl, Plenum
2									GROMMET, Cowl
	4805 119AB	7							Upper,Plenum
		2							Cowl To Fender
3									SCREEN, Cowl Top
	4805 014AD	1	D, Y						Right
	4805 015AD	1	D, Y						Left
	4805 016AF	1	С						Right
	4805 017AF	1	С						Left
4									SCREW, (NOT SERVICED) (Not
									Serviced)
5	6502 964	1							NUT AND WASHER, Hex Nut-Co
									Washer, M8 x 1.25
6	4580 409AE	1							BEAM, Steering Column Support
7									NUT, (NOT SERVICED) (Not
									Serviced)
8	4580 685AC	1							STRUT, Beam Bracket to Airbag
									Bracket
9									NUT, (NOT SERVICED) (Not
									Serviced)
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11	4574 395	1							WEATHERSTRIP, Hood to Cowl
12									SEAL, Fender To Cowl
	5056 218AA	1							Right
	5056 219AA	1							Left
13	5065 016AA	1							WATERSHIELD, Cowl Plenum
-14	6101 442	2							U-NUT, M6 x 1.00, M6x1.00, Wat
									Shield Attaching

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Cowl And Dash Figure SLH-620



Glass Windshield And Mirror Figure




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I LIVI	NOWIDER	اللا	LINE	JENILO	ВОВТ	LINGINE	IIIAIIG	I IXIIVI	DESCRIPTION
1	5056 199AA	1							WINDSHIELD, Solar
2	4575 707AA	3							SPACER, Windshield Bottom Stop
3	4575 707AA 4278 662	AR							SPACER, Windshield Bottom Stop
	4210 002	Αп							
4	400E 222AB	4							MIRROR, Inside Rear View
	4805 332AB	1							Prismatic - Trapezoidal
_	4805 572AA	1							Electrochromic
5	5507 6401	1							BUTTON, Rear View Mirror
-6	5073 472AA-	1							SCREW, Inside Rear View Mirror
									Attaching

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Glass Rear Window Figure SLH-720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPACER, With Backlite, (NOT
									REQUIRED)
2	4575 371	1	Υ						BACKLITE
3									BACKLITE, Tinted, Solar Control
	4575 373	1	D						
	4575 375	1	С						
4									WIRING, Electric Backlight Ground
	4759 137AB	1	Υ						
		1	С						
	5086 493AA	1	D						
5									WIRING, Electric Back Light Feed
	4759 138AB	1	Υ						
		1	С						
	5086 492AA	1	D						
6									WIRING, Electric Backlight Ground
	4759 137AB	1	Υ						
		1	С						
	5086 493AA	1	D						
7									WIRING, Electric Back Light Feed
	4759 138AB	1	Υ						
		1	С						
	5086 492AA	1	D						

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder

X = 300M Special


Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Aperture, Body Side Figure SLH-810

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture,
									(Serviced In Illustration 815), (NOT
									REQUIRED)
2									PANEL, Windshield Frame
	4575 386	1	D						Right
		1	С						Right
		1	Υ						Right
	4575 387	1	D						Left
		1	С						Left
		1	Υ						Left
3									SUPPORT, Roof
	4575 466	1	D						Right
	4575 467	1	D						Left
	4575 594	1	С						Right
		1	Υ						Right
	4575 595	1	С						Left
		1	Υ						Left
4									SILL, Body Side
	4580 398AG	1							Right
	4580 399AG	1							Left
5									SPACER, Door Latch Striker
	5507 5483	AR							2.0-2.5mm Thickness
	4520 289	AR							3.75mm Thickness
6	4780 259	2							STRIKER, Door
7	6503 120	4							SCREW AND WASHER, Button
									Head Torx
-8	4886 364AA-	AR							REINFORCEMENT PACKAGE, Body
									Side Aperture

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

	SON COMMENTS OF THE PARTY OF TH
	3
(2)	
	5 4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL PACKAGE, Body Side
									Aperture Front
	5003 764AG	1	Υ						Right
	5003 765AG	1	Υ						Left
	5016 886AE	1	С						Right
	5016 887AE	1	С						Left
	5016 892AF	1	D						Right
	5016 893AF	1	D						Left
2									PANEL PACKAGE, Body Side
									Aperture Center
	5003 766AF	1	Υ						Right
	5003 767AF	1	Υ						Left
	5016 888AE	1	С						Right
	5016 889AE	1	С						Left
	5016 894AF	1	D						Right
	5016 895AF	1	D						Left
3									PANEL PACKAGE, Body Side
									Aperture Rear
	5003 768AF	1	С						Right
	5003 769AF	1	С						Left
	5003 770AH	1	D						Right
	5003 771AH	1	D						Left
	5003 772AG	1	Υ						Right
	5003 773AG	1	Υ						Left
4									PANEL PACKAGE, Body Side Sill
	5003 776AH	1	D						Right
		1	Υ						Right
	5003 777AH	1	D						Left
		1	Υ						Left
5									PANEL PACKAGE, SIII
	5003 774AG	1	Υ						Right
	5003 775AG	1	Υ						Left
	5016 890AE	1	С						Right
	5016 891AE	1	С						Left

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


Quarter Panel Figure SLH-910



Quarter Panel Figure SLH-910



Quarter Panel Figure SLH-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4440 294	2							PLUG
-21									PLUG, Weld Access Extension
									Quarter Panel
	4780 489AF-	2	D						
	4780 498AD-	2	C, Y						
22									EXTENSION, Quarter Panel
	4575 224AL	1	D						Right
	4575 225AL	1	D						Left
	4575 218AF	1	С						Right
	4575 219AF	1	С						Left
	4575 634AM	1	Υ						Right
	4575 635AM	1	Υ						Left


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

X = 300M Special

Roof Panel Figure SLH-1110



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
1									PANEL, Roof		
	4575 192AC	1	Υ						w/o Sunroof		
	4805 174AJ	1	Υ						w/Sunroof		
	4575 193	1	С						w/o Sunroof		
	4805 172AI	1	С						w/Sunroof		
	4575 194AB	1	D						w/o Sunroof		
	4805 173AI	1	D						w/Sunroof		
2	4575 457AD	1						HEADER, Windshield			
3									HEADER, Rear Window Opening		
	4575 196AE	1	С								
	4575 197AE	1	D								
	4575 195AF	1	Υ								
4									REINFORCEMENT, Roof Panel,		
									Serviced With Item 1, (NOT		
									REQUIRED)		
-5	2654 684	2							TAPE, Acess Hole		

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 D = Conc

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Sunroof Figure SLH-1210

	9 (15)	13	11) (17)
10	13		13 11
(12)	14	10 13	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	TL97 TL2AA-	1							SUNSHADE, Sunroof
-2	5011 591AA-	1							CONTROL UNIT, Sunroof
-3	5011 592AB-	1							MOTOR, Sunroof
-4	5011 602AA-	1							DEFLECTOR, Sunroof Wind
-5	5011 603AA-	1							CHANNEL, Sunroof Drain
-6	5083 363AA-	1							MODULE, Sunroof
-7	5011 658AA-	1							KIT, Sunshade Slide
8	5011 600AB	1							GLASS, Sunroof
9	4760 731AG	1							WIRING, Sunroof
10									TUBE, Sunroof Drain
	4805 178AH	1							Right
	4805 179AI	1							Left
11									TUBE, Sunroof Drain
	4805 330AL	1	С						Right
	4805 331AL	1	С						Left
	4805 348AL	1	D						Right
	4805 349AL	1	D						Left
	4805 398AH	1	Υ						Right
	4805 399AH	1	Υ						Left
12	4805 175AA	2							GROMMET, Tube, Sunroof Drain
									Tube
13	6502 450	1							CLAMP, HOSE CLAMP, I.D. 13-14.
									9MM
14	6505 746AA	8							SCREW AND WASHER, Hex Head
									Locking, M6 x 1.00 x 21.00
15	6101 712	2							NUT, U, M6x1
16	4805 280AA	2							GROMMET, Tube, Rear Sunroof
									Drain
17	4805 378AB	2							CLIP, Tube

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int


 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Deck Lid Figure SLH-1310

PART



Deck Lid Figure SLH-1310



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-								
		4575 687AA	2	D						
-		4575 689AB	2	С						
		4575 691AB	2	Υ						
	-15	4696 488	2							FASTENER, Deck Lid
	-16	4575 695AA-	2							BUMPER, Deck Lid Overslam, Deck
-										Lid Overslam Outside Body Half
	-17	4628 813AF-	1	Υ						COVER, Decklid Interior Trim
	-18	6505 411AA-	2							PIN, Push, Cover, Deck Lid
_										Attaching
_	19	6505 907AA	1							SCREW, Self Tapping, M6x1x15
	20									WIRING, Reference, (NOT
										REQUIRED)
_	21									BRACKET, Lock Cylinder Attach
		4575 148	1	Υ						
		4575 162	1	D						
		4575 623	1	С						
_	22									SWITCH, Deck Lid Alarm
		4608 287AB	1	D						
			1	С						
			1	Υ						000=111
_	23	0.150.000								SCREW
		0153 908	2	Y						
			2	D						
	0.4		2	С						LINIX Deals Lid Leads Ordinates
-	24	5040 070AA		С						LINK, Deck Lid Lock Cylinder
		5012 876AA	1							Black
		5012 877AA	1	D, Y						White

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Note: F 1 2	NUMBER A.R. = Paint 8220 5701 8220 4087	As Require	ed D D	SERIES	41 41	ENGINE	TRANS	TRIM	NUT AND WASHER, Hex, M6x1, Serviced With Item 2, (NOT SERVICED) (Not Serviced) SPOILER KIT, Deck Lid [P.A.R.] Stone White, [SW1]
2	8220 5701	1	D						Serviced With Item 2, (NOT SERVICED) (Not Serviced) SPOILER KIT, Deck Lid [P.A.R.]
									Serviced With Item 2, (NOT SERVICED) (Not Serviced) SPOILER KIT, Deck Lid [P.A.R.]
									[P.A.R.]
2									
									_
									_
CONCORI	E-INTREPID-30	OM (LH)							
SERIES P = Limite S = 300M	DE-INTREPID-30 DI/ES I	H = Chrysler		BODY 41 = 4 Door	Sedan	ENGIN EER, EE0 FGG = 3.5	E = 2.7L V6 D L HO V6 MF	OHC	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
H = SE M = LXI X = 300M]] Snecial	ntrepid D = Dodge In D = Concorde E = 300M	itrepid e			EGJ = 3.5I	L V6 SOHC 2 L HO V6 MP AGNUMÖ 3.5	24V	250 - All Additional Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Shelf Pane
									Rear
	4575 496	1	D						without Power Sunroof
	4575 685AA	1	D						w/Sunroof
	4575 497	1	Y						without Power Sunroof
	4575 686AA	1	Υ						w/Sunroof
	4575 495AC	1	С						without Power Sunroof
	4575 684AC	1	С						w/Sunroof
2									PANEL, Shelf
	4575 620AD	1	D						
	4575 692AC	1	Υ						
	4575 694AD	1	С						
3	4780 722AB	1							SHELF, Rear Seat Back Attach
									Upper, Upper
4	4580 515AB	1							SHELF, Rear Seat Back Attach
									Upper, Lower, Rear Seat Back
									Attach, Lower
5									REINFORCEMENT, Shelf Pane
									Rear
	4575 685AA	1	D						
	4575 686AA	1	Υ						
	4575 684AC	1	С						
-6	4580 427AI-	1							SHELF, Rear Seat Back Attach
									Upper

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 D = Dodg
 M = LXI


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Group – LBLS

Labels All Vehicle Locations






GROUP LBLS - Labels All Vehicle Locations

Illustration Title	Group-Fig. No.
Interior	
Instrument Panel and Visors	Fig. LBLS-110
Under Hood	
Engine Compartment	Fig. LBLS-210
Doors	
Doors and Pillars	Fig. LBLS-310

Instrument Panel and Visors Figure LBLS-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Air Bag Warning
	4595 748AA	1							
_	4595 749AA	1							Canada
2	4851 416AA	1							LABEL, Air Bag Warning, Spanish
3	4680 556AA	1							DECAL, Seat Belt Safety, Export
4		_							LABEL, Air Bag Warning
	4787 437AA	2							Canada
_	5023 548AA	2							Middle East
5									LABEL, Airbag, Visor down position
	1007.077.								English
	4897 875AA	1							
		1							
		1		H					
		1		M					
		1		Р					

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Engine Compartment Figure LBLS-210



		PART	0.TV		05050	DODY	FNONE	TD 4110		DECODINE
'	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									LABEL, Emission
		4578 240AA	1				EER			[EER,NAS]
		4578 241AA	1				EER			[EER,NA1]
		4578 242AA	1				EGJ			[EGJ,NAS]
		4578 243AA	1				EGC,			[EGC,EGG,EGK,NAS]
							EGG,			
							EGK			
		4578 244AA	1				EGG			[EGG,NA1]
		5032 954AA	1				EGJ			[EGJ,NAM]
		5032 955AA	1				EGG			[EGG,NAM]
	2									LABEL, A/C Spec, Belt Rtg. & Fan
										Caution
		4596 510AA	1							Non-Arabic
		4596 517AA	1							Arabic
		4596 519AA	1							French/Canadian
	-3	4780 518AC-	1							LABEL, Battery, Jump Start,
										Negative Battery Ground
	4									LABEL, Battery
		4557 480	1							Middle East Equipment
		4793 062	1							European Equipment

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid


 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

Doors and Pillars Figure LBLS-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Export, (NOT SERVICED)
									(Not Serviced)
2									LABEL, Quality Assurance, (NOT
									SERVICED) (Not Serviced)
3									LABEL, Tire Pressure
	4782 251AA	1							255-60R16 Touring
	4782 248AA	1							225-55R17 Touring
	4782 299AA	1							225-55R17 Performance
	4782 253AA	1							255-60R16 Touring, Canada
	4782 256AA	1							225-55R17 Touring, Canada
	4782 301AA	1							225-55R17 Performance, Canad
4									LABEL, Manufractured for Export,
									(NOT SERVICED) (Not Serviced
5									LABEL, Child Protection Lock,
									French
	4780 546AC	1							Canada, Right
	4780 547AC	1							Canada, Left
6									LABEL, Child Protection Lock,
									English
	4780 544AA	1							Right
	4780 545AA	1							Left
7									LABEL, Child Protection Lock
	4852 524AA	1							Mexico, Right
	4852 525AA	1							Mexico, Left
8									LABEL, Air Bag Warning
	4649 282AA	2							U.S.A.
		2							Mexico
	4649 281AA	2							
9									LABEL, Mercury Warning, Not
									relaesed at time of publication,
									(NOT SERVICED) (Not Serviced
10									LABEL, Vehicle Certification, (NO
									SERVICED) (Not Serviced)
11	4040 858	1							OVERLAY, Vehicle Certification

X = 300M Special

 CONCORDE-INTREPID-300M (LH)

 SERIES
 LINE

 P = Limited/ES
 H = Chrysler

 S = 300M
 Intrepid

 H = SE
 D = Dodge Int

 M = LXI
 D = Concorder
 Intrepid
D = Dodge Intrepid
D = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6